

नवी मुंबई महानगरपालिका

Navi Mumbai Municipal Corporation

कार्योलय : नमुंमपा मुख्यालय, भूखंड क्र. १, किल्ले गांवठाण जवळ, पामबीच जंक्शन, सेक्टर १५ ए, सी.बी.डी. बेलापूर, नवी मुंबई - ४००६१४, दूरध्वनी : ०२२-२७५६ ७०७० /१/२/३/४/५ फॅक्स : ०२२-२७५७०७०

Head Office: Plot No. 1,
Near Kille Gaothan, Palmbeach, Junction
Sector 15A, C.B.D. Belapur, Navi Mumbai- 400 614
Tel: 022 - 2756 7070 / 1/2/3/4/5
Fax: 022 - 27577070

जा.क्र.नमुंमपा/नरवि/बां.प./334y/२०२२ दिनांक**9८ /१०** /२०२२

4

मे. निळकंठ इंन्फ्राकॉन, भूखंड क्र.०३, सेक्टर ०६, घणसोली, नवी मुंबई. नवी मुंबई घणसोली नोडमधील सेक्टर ०६, भुखंड क्र. ०३ या भूखंडावरील निवासी व वाणिज्य वापराकरीता सुधारीत बांधकाम परवानगी देणेबाबत विषय :

यांचा दिनांक १०/०३/२०२१,१७/०८/२०२२ व सतिश अहुजा १३/०९/२०२२ रोजी प्राप्त अर्ज. आपले वास्तुविशारद मे.

महोदय,

दि.०२/१२/२०२० च्या अधिसूचनेव्दारे मंजूर केलेल्या आणि दि.०३/१२/२०२० पासून नवी मुंबई मनपा क्षेत्रासाठी लागू नवी मुंबई, घणसोली नोडमधील, सेक्टर ०६, भूखंड क्र. ०३ या भूखंडामध्ये निवासी व वाणिज्य या प्रयोजनासाठी तसेच प्रमाणपत्रातील १ ते १२ अटी व बांधकाम प्रारंभ प्रमाणपत्रातील पुर्तता/पालन करणेचे व खालील वापराकरीता सुधारीत बांधकाम परवानगी देणेबाबतचा प्रस्ताव महानगरपालिकेस वरील संदर्भाधिन अर्जान्वये प्राप्त संदर्भाधिन भूखंडावर निवासी व वाणिज्य वापराकरीता सुधारीत बांधकाम परवानगी प्रस्तावास महाराष्ट्र प्रादेशिक नगररचना अधिनियम, १९६६ च्या कलम ४५(१)(३) मधील तरतुदीनुसार त्याचप्रमाणे शासनाने असलेल्या एकत्रिकृत विकास नियंत्रण व प्रोत्साहन नियमावलीनुसार **निवासी व वाणिज्य** वापर हा अनुज्ञेय आहे. त्यामुळे सदरच्या भूखंडावर महाराष्ट्र महानगरपालिका अधिनियम, १९४९ च्या कलम २५३ व २५४ तसेच महाराष्ट्र प्रादेशिक नगररचना अधिनियम, १९६६ च्या कलम ४५(१)(३) मधील तरतुदीनुसार निवासी अटीसापेक्ष सुधारीत बांधकाम प्रारंभ प्रमाणपत्र मंजुर करण्यात येत आहे.

- पाणी पुरवठा व मलिनिःस्सारण सुविधा आवश्यक शुल्क भरणा केल्यानंतर उपलब्ध करुन देण्यात येतील.
- अशाप्रकारे बांधकाम साहित्य रस्त्यावर अथवा इतर सार्वजनिक जागेवर आढळुन आल्यास आपणावर कार्यवाही करणेबाबत संबंधित विभागास कळविण्यात येईल किंवा बांधकाम परवानगी रद्द करण्याबाबतची कार्यवाही सुध्त सार्वजनिक स्वरुपाच्या रस्त्यावर व गटारीत बांधकाम साहित्य पडणार नाही याची दक्षता घेण्यात यावी. करण्यात येईल याबाबतची नोंद घ्यावी.
- बांधकाम सुरु असताना जागेवरील रिकामे गाळे / सदनिका यांची संरक्षणाची जबाबदारी संबंधित जमिनमालक / मुखंडधारक / गाळेधारक यांची राहिल. तसेच अर्थवट बांधलेल्या जागेचा गैरवापर होऊ नये म्हणुन संबंधित ठिकाणी अनुचित प्रकार होणार नाही याची दक्षता घ्यावी. करताना आढळल्यास संबंधितांस कायदेशिर कार्यवाही करण्यात येईल याची नोंद घ्यावी. भुखंड धारकाने कुंपण भिंत बांधुन त्या 8
- पातळी ही रस्ता आणि Sewer Line यांच्या पेक्षा उंचाबर असली पाहिजे. सांडपाणी, पावसाळयाचे पाणी आणि मल यांचा निचरा योग्यपणे होऊन भुखंडामध्ये पाणी साचणार नाही अशी भूखंडाची पातळी तयार कराबी. भूखंड सखल भागामध्ये असल्यास जमीनीची पातळी (Ground Level) भरणी करुन उंच कराबी. 8
- बांधकामामध्ये फेरफार अथवा वाढीव बांधकाम करावयाचे असल्यास महाराष्ट्रर प्रादेशिक व नगररचना अधिनियमातील तरतुदीनुसार सुधारीत बांधकाम नकाशे मंजुर नकाशा व्यतिरिक्त बांधकाम केल्यास ते कायद्यातील तरतुदीनुसार इमारतीचे बांधकाम मंजूर नकाशाप्रमाणे करण्यात यावे. कारवाईस पात्र राहील, याची कृपया नोंद घ्यावी. मंजुर करुन घेणे आवश्यक आहे. 3

क.मा.प



"जन्म असो वा मरण आवश्यक नोंदणीकरण"

- m दृष्टीकोनातुन त्यांचे तात्पुरते टॉयलेटसह सोय करणे आवश्यक आहे. त्यासाठी भूखंडाचे एका बाजुचे सामासिक अंतराततात्पुरती शेडस् टॉयलेट करण्यास परवानगी देणेत येत आहे. याबाबत पुरेशी व्यवस्था न केल्यास जोता लेव्हलचे पुढील काम करणेस परवानगी देता येणार नाही. तसेच भोगवटा प्रमाणपत्रासाठी अर्ज इमारतीचे बांधकाम करणारे मजुरांचे निवासीकरीता (Labour Shed) भूखंडाचे हद्दीत आरोग्याच्या करणेपूर्वी सदर शेड स्वखर्चाने काढुन टाकणेत यावी.
- 6 माहीतीसाठी ठेकेदाराचे नाव व दुरध्वनी क्रमांक इ. बाबतचा तपशिल काम सुरु केल्यानंतर या कार्यालयास बांधकाम सुरु करताना कामाचे नाव, बांधकाम परवानगीची तारीख, वास्तुविशारदाचे नांव, जीमन मालकाचे नांव, ठेकेदाराचे नांव, बांधकाम क्षेत्र इ. बाबी दर्शविणारा फलक लावण्यात यावा. महानगरपालिकेस पाठविण्यात यावा ही विनंती.
- 0 परिसरामधील नागरीकांच्या सुरक्षिततेसाठी National Building Code मधील तरतुर्दीचे तसेच अनुषंगीक कायद्यातील तरतुर्दीचे काटेकोरपणे पालन / अंमलबजावणी करणे संबंधीत भूखंडधारक / विकासकांवर बंधनकारक राहिल. जर भविष्यात आपले मालकोच्या भूखंडावर चालु असलेल्या बांधकामामुळे जिवीत त्रास होणार नाही तसेच बांधकाम प्रगतीपथावर असताना बांधकामावरील मजूर अथवा सभोवतालच्या प्रस्तुत भूखंडावरील इमारतीचे बांधकाम करीत असतांना बांधकामामुळे आजुबाजुच्या नागरीकांना प्रदुषणाचा अथवा सार्वजिन्क / खाजगी मालम्तेस कुठल्याही प्रकारची हानी झाल्यास त्यास संबंधीत भूखंडधारक /विकासक हे सर्वस्वी जबाबदार राहतील.
- 0 पोहोचले असल्यास सदर बाबी पुर्ववत करण्याची सर्वस्वी जबाबदारी भूखंडधारकाची /विकासकाची राहील सार्वजनिक स्वरुपाचे पदपथ, रस्ते, गटारे, जलवाहिन्या, मलिन:स्सारण वाहिन्या इत्यादी बाबीस काही हानी प्रस्तुत भूखंडावर भोगवटा प्रमाणपत्रासाठी अर्ज सादर करणेपूर्वी आपले भूखंडाचे आजुबाजुस असणा-या
- %) अन्यथा भोगवटा प्रमाणपत्रासाठी अर्ज विचारात घेतला जाणार नाही, याची नोंद घ्यावी. प्रस्तुत प्रकरणात सादर करण्यात आलेली कुठलीही माहिती / कागदपत्रे चुकीची अथवा दिशाभूल करणारी असल्याचे निदर्शनास आल्यास सदरची परवानगी आपोआप रह होईल.
- % % प्रस्तुत भुखंडाबाबत कोणत्याही स्वरुपाची तक्रार, न्यायालीन वाद उद्भवल्यास त्यास सर्वस्वी भुखंडधारक जबाबदार राहील. त्यास नवी मुंबई महानगरपालिका जबाबदार राहणार नाही.
- नवी मुंबई महानगरपालिकेची प्रारुप विकास योजना महाराष्ट्र प्रादेशिक नियोजन व नगररचना अधिनियम १९६६ चे कलम २६ (१) अन्वये प्रसिध्द करण्यात आलेली आहे. उक्त विकास योजनेमधील अंतिम प्रस्ताव अर्जदार यांचेवर बंधनकारक राहिल.

सहायक संचालक, नगररचना (अ.का.) नवी मुंबई महानगरपालिका (सोमनाथ केकाण)

प्रत : माहितीसाठी

- १. मे. सतिश अहुजा, वास्तुविशारद, आशियाना सोसा., सी विंग,से.१७,वाशी, नवी मुंबई
- व्यवस्थापक (शहर सेवा-१/२), सिडको लि.
- उप आयुक्त (उपकर), नमुमपा.
- ४. सहाय्यक आयुक्त तथा विभाग अधिकारी, घणसोली नमुंमपा.
- प्रादेशिक अधिकारी, महाराष्ट्र औद्योगिक विकास महामंडळ

NAVI MUMBAI MUNICIPAL CORPORATION AMMENDED COMMENCEMENT CERTIFICATE

NO.NMMC/TPO/BP/3355 / 2022

The Unified Development Control & Promotional Regulation has been sanctioned by the Govt. vide Notification dt. 2nd December 2020, which is also applicable to NMMC & came in to force with the effect of 3rd December 2020, Permission is herby granted under Section 45(1) (iii) of the Maharashtra Regional & Town Planning Act, 1966 and Section 253 & 254 of the Bombay Provincial Municipal Corporation Act, 1949, M/s. Nilkanth Infracon, Plot No. 03, Sector No. 06, Ghansoli, Navi Mumbai. As per the approved plans and subject to the following conditions for the development work of the proposed Building.

(Plot Area = 1750.00 M², Existing Area Commercial = 289.989 M², Existing Area Residential - Stilt to 15th floor = 2199.236 M², Proposed Residential Built Up Area 16th to 20th floor = 1638.780 M², Total Area = 4128.005 M², as per UDCPR for the propose of Residential Cum Commercial Building, Number of units Residential Existing - 52, Proposed Residential Unit = 20, Total Units= 72, & Existing Commercial Unit - 06 (Stilt + Podium1 + Podium2 + 3rd Floor to 15th floor, Existing & 16th to 20th Proposed floor.

- 1) The Certificate is liable to be revoked by the Corporation if:
 - a) Any of the conditions subject to which the same is granted or any of the restrictions imposed by the Corporation is contravened.
 - b) The Municipal Commissioner is satisfied that the same is obtained by the Applicant through fraud & misrepresentation and the Applicant and / or any person deriving title through or under him, in such and event shall be deemed to have carried out the development work in contravention of Section 43 or 45 of the Maharashtra Regional & Town Planning Act, 1966.

2) THE APPLICANT SHALL:

- a) The owner shall give intimation in the prescribed form in Appendix-F to the N.M.M.C. by Architect with a view to ensure that the work is being carried out in accordance with the sanctioned plans. After such intimation, the construction work shall be carried out further.
- b) Give written notice to the Municipal Corporation regarding completion of work.
- c) Obtain an Occupancy Certificate from the Municipal Corporation.
- 3) Allow the Officers of the Municipal Corporation to enter the building or premises for which the permission has been granted at any time for the purpose of enforcing the building control Regulations and conditions of this Certificate.
 - The structural design, building materials, plumbing services, fire protection, electrical installation etc. shall be in accordance with the provision (except for provision in respect of floor area ration) as prescribed in the National Building Code amended from time to time by the Indian Standard institutions.
- 4) The Certificate shall remain valid for a period of from the date of issue and can be further revalidated as required under provision of Section M.R. & T. P. Act, 1966. This Commencement Certificate is renewable every year but such extended period shall be in no case exceed three years provided further that such lapse shall not be any subsequent applicant for fresh permission under Section 44 of the Maharashtra Regional & Town Planning Act, 1966.

---2

DATE: 19/16/2022

May

- 5) The condition of this Certificate shall not be binding not only on the Applicant but also its successors and every person deriving title through or under them.
- A certified copy of the approved plans shall be exhibited on site and the Name Board showing name of Owner, Architect, Builder & Structural Engineer, Ward No., Sector No., Plot No., Survey No., Area of Plot No., of flats, Built-up Area, Commencement Certificate No. & Date shall be installed on site.
- 7) The plot boundaries shall be physically demarcated immediately and the intimation be given to this section before completion of plinth work.
- 8) The amount of S.D. Rs.20,023/- S.D. Rs.35,000/- for Mosquito Prevention's Rs.35,000/- for debris & S.D. Rs.9,000/- for Tree Plantation deposited with NMMC as Security Deposit shall be forfeited either in whole or in part at the absolute discretion of the corporation for breach of any other Building Control Regulation and condition attached to the permission covered by the Commencement Certificate. Such forfeiture shall be without prejudice to any other remedy or right of the Municipal Corporation.
- 9) You shall provide overhead water tank on building & underground water tank in two compartments. On for drinking water & another for other than drinking water. It should confirm to the standards applicable in this behalf.
- 10) You should approach to the Executive Engineer, M.S.E.B. for the power requirement location of transformer if any, etc.
- 11) Every plot of land shall have at least 1 tree for every 100 Sq. M. or part thereof of the plot area.
- 12) Applicant / Architect should strictly follow all the conditions of lease agreement. Owner & Architect will be held responsible for breach of any condition of lease Agreement of CIDCO.
- 13) The Owner & the Architect and Structural Engineer concerned are fully responsible for the construction quality of the building as per approved building plan. Structural design, Stability building construction quality, which should confirm to withstand an earthquake of highest intensity in seismic zone IV.
- 14) The Occupancy Certificate for the proposed building will not be granted unless the house Drainage lines are connected to the Municipal Main Sewer lines to the satisfaction of Municipal Authority as well as Plantation of trees and provision of garbage bin on the site.
- 15) Application for completion /occupation Certificate shall be accompanied with the plan as per construction done on the site.
- 16) Area of required parking spaces as shown in approved plan should be marked with the material of permanent nature with numbering.
- 17) The building material in reconstruction case or soil removed from the trenches should not be dumped or stored on municipal road. It should be dumped or stored on site as would be decided by the concern Ward Officers of Navi Mumbai Municipal Corporation.
- 18) The building constructed should not be occupied without obtaining Occupation Certificate. Otherwise it will be treated as unauthorized use and necessary action as per law will be taken.
- 19) The applicants should fulfill all the health related provisions mentioned in the "Implementation of Ant larval & Mosquito Prevention Activities during and after construction and Tree Authority Bye-Laws 1966" The special mention is for mosquito prevention activities, construction of over-head tanks, debris removal and the sanitary conditions of drainage etc.



- 20) Window sill level must be at 0.90 M. height. The difference between chajja level & slab level must be 0.50 M. minimum.
- 21) The Owner & the architect are fully responsible for any Ownership. Area & Boundary disputes. In case of any dispute Navi Mumbai Municipal Corporation will not be responsible.
- 22) The Owner & the Architect and Structural Engineer concerned area instructed to strictly adhere to the conditions of amended FIRE NOC issued vide NMMC/FIRE/H.O./VASHI/3167/2022, dated 08/09/2022 by Divisional Fire officer, NMMC.
- 23) Temporary Labor sheds with proper toilet arrangement shall be provided on the site.
- 24) F.S.I. Calculation submitted in the drawings shall be as per UDCPR Maharashtra State. If any discrepancy observed, the Architect will be held responsible and liable for necessary action.
- 25) The area shown open to sky on the ground floor plan should not be so used as would disturb the maneuvering of the vehicles required to be parked in the parking spaces shown in the plan.
- 26) The Occupancy Certificate for the proposed building will not be granted unless Solar Assisted Water Heating System Shall be provided as stipulated in Rule No. 35 of D.C.R. 1994
- As directed by the Urban Development, Department Government of Maharashtra, under section 154 of MR&TP Act, 1966 and vide provision No. TPB 432001/2133/CR-230/UD-11, dated 10/03/2005, for all buildings greater than 500.00 sq.m. following additional condition of Rain Water Harvesting shall apply.
 - a) All the layout open spaces of Housing Society and new construction / reconstruction / additions on plots having area not less than 500.00 sq. m. shall have one or more Rain Water Harvesting structures having minimum total capacity as detailed in Schedule (enclosed.) Provided that the authority may approved the Rain Water Harvesting Structures of specifications different from those in schedule, subject to the minimum capacity of Rain Water Harvesting being ensured in each case.
 - b) The owner / society of every building mentioned in the (a) above shall ensure that the Rain Water Harvesting structure is maintained in good repair for storage of water for non potable purposes or recharge of groundwater at all times.
 - c) The Authority may impose a levy of not exceeding Rs. 1000/- per annum for every 100 sq. m. of built up area for the failure of the owner of any building mentioned in the (a) above to provide or to maintain Rain Water Harvesting as required under these byelaws
- 28) This Office vide letter No. NMMC/TPO/BP/20191CNMMC15380/2839/2019, dated 17/07/2019 has granted Commencement Certificate in the said plot for Ground + Podium-1 + Podium-2 + 3rd to 16th floor for Residential + Commercial Purpose.
- 29) The Draft Development Plan of Navi Mumbai Municipal Corporation has been Published as per section 26(1) of M.R.T.P. Act 1966. The final proposal in the said Draft Development Plan will be binding on the applicants.

(Somnath Kekan)
Assistant Director of Town Planning (A.C.)
Navi Mumbai Municipal Corporation

		•	
		Y on , Or	