Form -----

in replying please quote No. and date of this letter.

## Intimation of Disapproval under Section 346 of the Mumbai Municipal Corporation Act, as amended up to date.

CHE / ES / 1869 / S / 337 (Now) 1 5 FEB 2018

### MEMORANDUM

Municipal Office, Mumbai ................. 20

M/g. Sanjaevani Vyapaar LLP.

With reference to your Notice, letter No. 2021.... dated 18.05.2015.. and delivered on 20 and the plans, Sections, and Description and further particulars and details of your buildings at

Proposed building on plot bearing C.T.S. No.118 of village Harryali, L.B.S. Warg,

Kanjur (West) Mumbai.

firmished

### BEFORE STARTING THE WORK

- That construction area shall exceed 20,000 sq.mt. without obtaining NOC from MOEF & NBWIL.
- That NOC from High Rise Committee / M.C. shall not be obtained before commencement work beyond plinth.
- That the Janata Insurance Policy shall not be submitted:
- 4. That the requisitions of clause 45 & 46 of DCR 91 shall not be compiled with and records of quality of work, verification, report, etc. shall not be maintained on site till completion of the entire work.
- That the bore well shall not be constructed in consultation with H.E.
- 6. That the work shall not be carried out between surrice and sunset and the provision of notification issued by Ministry of Environment and Forest department dated 14.2.2000 and Rules framed for noise pollution (Regulation & Control) Rules 2000 shall be duly observed.
- That the Board shall not be displayed showing details of proposed work name of owner, developer, architect, R.C.C. consultant etc.
- That the necessary deposit for hoarding or the flex of size 10 m. to 10 m. for the advertisement of proposal shall not be made by you.
- 5 That the clearance certificate from assessment Department regarding upto date payment of Municipal taxes etc. will not be submitted.

Executive Engineer Building Propositi

( ) That proper gutters and down pipes are not intended to be put to prevent water dropping from the level of the roof on the public street.

( ) That the drainage work generally is not intended to be executed in accordance with the Municipal requirements.

Subject to some sometimes your intention as to obvious the before openiously objections and ment by require

Subject to your so multiving your intention as to obviate the before mentioned objections and ment by require ments, but not otherwise you will be at liberty to proceed with the said building or work at any time before the day of 1.4. FEB. 20%, but not so as to contravene any of the provision of the said Act, as amended as aforesaid of any rule, regulations or bye-law made under that Act at the time in force.

Your attention is drawn to the Special Instructions and Note accompanying this Intimation of Disapproval.

Executive Engineer, Building Proposals

Zone, ES-III S = Wards

### SPECIAL INSTRUCTIONS

- (1) THIS INTIMATION GIVES NO RIGHT TO BUILD UPON GROUND WHICH IS NOT YOUR PROPERTY.
- (2) Under Section 68 of the Bombay Municipal Corporation Act, as amended, the Municipal Commissioner for Greater Mumbai has empowered the City Engineer to exercise, perform & discharge the powers, duties & functions conferred and imposed upon and vested in the Commissioner by Section 346 of the said Act.
  - (3) Under Byelaw No.8 of the Commissioner has fixed the following levels :-

"Every person who shall erect new domestic building shall cause the same to be built so that every part of the plinth shall be-

"(a) Not less than, 2 feet (60 cms.) above the centre of the adjoining atreet at the nearest point at which the drain from such building can be connected with the sewer than existing or thereafter to be laid in such street"

"(b) Not less than, 2 feet (60 cms.) above every portion of the ground within 5 feet (160 cms.) of such building.

- "(c) Not less than, 92 ft. ( ) meters above Town Hall Datum."
- (4) Your attention is invited to the provision of Section 152 of the Act whereby the person liable to pay property taxes is required to give notice of erection of a new building or occupation of building which has been vacant, to the Commissioner, within fifteen days of the completion or of the occupation whichever first occurs. Thus, compliance with this provision is punishable under Section 471 of the Act irrespective of the fact that the valuation of the premises will be liable to be revised under Section 167 of the Act, from the earliest possible date in the current year in which the completion on occupation is detected by the Assessor and Collector's Department.
- (5) Your attention is further drawn to the provision of Section 353-A about the necessity of submitting Occupation Certificate with a view to enable the Municipal Commissioner—for Greater Mumbai to inspect your premises and to grant a permission before occupation and to levy penalty for non-compliance under Section 471, if necessary.
- (6) Proposed date of commencement of work should be communicated as per requirements of Section 347(1) (an) of the Bombay Municipal Corporation Act.
  - (7) One more copy of the block plan should be submitted for the Collector, Mumbai Subarbs District.
- (8) Necessary permission for non-agricultural of the land shall be obtained from the Collector Membai Suburban District before the work is started. The non-agricultural assessment shall be paid at the site that may be fixed by the Collector, under the Land Revenue Code and Rules thereunder.

Attention is drawn to the notes accompanying this infination of Disapproval.

# CHE / ES / /869/ 5 /337 115 FEB 2016

- 10. That the specification for layout/D.P. for access roads/development of setback land will not be obtained from Executive Engineer (Road Construction) before starting the construction work and the access and setback land will not be developed accordingly including providing street lights and S.W.D., the completion certificate will not be obtained from Executive Engineer (R.C.)/Executive Engineer (S.W.D.) E.S. before submitting building completion certificate.
- That the Licensed Structural Engineer will not be appointed, supervision memo as per appendix XI Regulation 5(3)(1X) will not be submitted by him.
- 12. That the structural design and calculations for the proposed work considering seismic forces as per LS Code Nos.456-2000, 13920 1993, 4326 and 1893 2002 as per circular u.no.CE/PD/11945/1 dated 2.2.2006 for existing building showing adequacy thereof to take up additional load will not be submitted by him.
- That the regular/sanctioned/ proposed lines and reservations will not be got demarcated at site through A.E.(Survey)/E.E.(T&C)/ E.E.(D.P.)/ D.I.L.R.before applying for C.C.
- That No dues pending certificate from Assistant Engineer, Water Works 'S' Ward before C.C. shall be submitted.
- That the conditions mentioned in release letter of Executive Engineer(D.P.) u/No.CHE/1528/DPES/3 dated 31/01/2005 will not be complied with .
- That the debris management plan shall not be submitted to S.W.M. Department.

## B. FOR LABOUR CAMP/TEMPORARY SHED

- That, the exact location of the Temporary Shed / Labour Camp at the premises situated at C.T.S. No. 118 of village Hariyali shall not be shown in the accompanying sketch of the proposed temporary Shed / Labour Camp.
- That, the material for side and top covering used for the Temporary Shed / Labour Camp shall not be either targaulin of G.I. Sheets.
- That this Temporary shed / Labour Camp shall not be constructed in such a manner that the same can be easily removed after the expiry of the temporary permission.
- That you shall do any sort to pucce or permanent construction of any nature on this temporary permission.
- That the temporary shed shall not be constructed to the approved size and measurement and shall exceed the permitted area.
- 6. That you shall not pay the sum of Rs.5,000/- (In Words Rupees Five Thousand only) as a security deposit which may be forfeited in the extent of your failure to comply with any of the condition mentioned herein.
- That you shall not pay the sum of Rs.5,000/ (in Words Rupees Five Thousand only) as deposit covering the charges for the removal of temporary shed at your risk and cost if you fail to remove the shed on or before the date of expiry of the temporary permission.
- That the permission shall not effective upto completion of the project
- That you shall not intimate the Municipal authorities in writing immediately after the shed is removed by you on before the expiry date.
- 10. That in case of your failure to remove the Temporary Shed / Labour Camp on or before the date of expiry, you will not allow Municipal authorities to remove the same at your risk and cost without notice and you will not allow the demolition charges to be recovered from the deposit paid for this purpose and the security deposit paid by you to be forfeited.

Executive Engineer Building Proposal

- the structure for the entire monsoon period or part thereof.
- That you shall not pay the fees for the structure for the whole monsoon period or part thereof and so on.

### C. BEFORE FURTHER C.C.:.

- That the plinth/still height shall not be got checked by this office staff.
- That MOEF NOC shall not be submitted even though construction area exceeds 20,000 smt.
- All the payments as intimated by various departments of MCGM shall not be paid.
- 4. That the amended Remarks of concerned authorities I emparelled consultants for the approved plan, if differing from the plans submitted for remarks shall not be submitted for
  - 8) S.W.D.
  - i) Parking
  - c) Roada
  - d) Sewerage
  - (ii) Water Works
  - Fire Fighting Provisions
  - ii) Mechanical Ventilation
  - Tree authority
  - Hydraulic Engineer
  - D PCO
  - NOC from Electric Supply Company
  - MMRDA for alignment of Metro Rail as per Draft D.P. 2034.
- That set back land free of compensation and free of any encumbrance shall not be handed over to and possession receipt shall not be submitted from Assistant commissioner of the ward.
- That in the event setback and for reservation is not handed over then at FCC area equivalent to the area of Setback and for reservation, shall not be restricted till such area is handed over or as per circular issued from time to time.
- B. That the Material testing report shall not be submitted.
- That the yearly progress report of the work will not be submitted by the Architect.
- That the application for separate P.R.C. in the name of M.C.G.M. for road set back / O.P. Road/reservation in the layout shall not be submitted.
- 11 Civil Aviation NOC shall not be submitted before exceeding the height of building as munitioned in Table no. 13 of DCR 1991.
- 12. That Remarks from HRC shall not be submitted before exceeding height of 70 mirs.

### GENERAL CONDITIONS BEFORE O.C.

- That the low lying plot will not be filled up to a reduced level of at least 27.55 M.
   Town (tail Datum or 0.15 m above adjoining read level whichever is higher with murum, earth, boulders etc. and will not be leveled, rolled, consolidated and sloped towards road side.
- That Society Office permissible as per DCR before occupation for the building under reference shall not be constructed.
- That Fitness Centre permissible as per DCR before occupation for the building under reference shall not be constructed. (If applicable)

Executive Engineer Building Proposal

- 45/2012(2)/UD-11 dt.09.11.2013 regarding inclusive flouring shall not be complied with before occupation for the building under reference.
- That the dust bin will not be provided.
- That 3.00 mt, wide paved pathway upto staircase will not be provided.
- 7 That the open spaces as per approval, parking spaces and terrace will not be kept open.
- That the construction of layout road or access roads/ development of selback land will not be done and the access and setback land will not be developed accordingly including providing street lights and S.W.D. only if additional FSI is being claimed.
- 5 That the name plate/board showing Plot No., Name of the Bidg. stc. Will not be displayed at a prominent place.
- 10 That carriage entrance shall not be provided as per design of registered structural engineer and carriage entrance fee shall not be paid.
- 1.1 That terraces, suntary blocks, naturals in Ritchen will not be made Water proof and same will not be provided by method of pounding and all sanitary connections will not be lank proof and smoke test will not be done in presence of licensed plumber.
- 12. That final N.O.C. from concerned authorities / empanolled consultants for
  - a) S.W.D.
  - b) Parking
  - c) Roads
  - d) Sewerage
  - a) Water Works
  - CFO / Fire Fighting Provisions
  - g) Mechanical Ventilation
  - h) Tree authority
  - Hydraulic Engineer

Shall not be submitted before occupation.

- (2) That Structural Engineer's imminated final Stability Certificate along with upto date License copy and R.C.C. design canvas plan shall not be submitted.
- That the construction of D.P. road and development of setback land will not be done including providing street lights and 8 W.D.
- 14 That canvas mounted plans shall not be submitted along with Notice of Completion of work u/sec. 353A of M.M.C. Act for work completed on site.
- That Site Supervisor certificate for quality of work and completion of the work shall not be submitted in prescribed formal.

Executive Engineer (Building Proposal)E.S.-II

#### NOTES

- (1) The work aboutd not be started unless objections are complied with
- (2) A certified set of latest approved plans shall be displyed on site at the time of commencement the work and during the progress of the construction work.
- (3) Temporary permission on payment of deposits should be obtained any shed to house and store for constructional purposes. Residence of workmen shall not be allowed on site. The temporary structures for storing constructional material shall be demolished before submission of building completion certificate and a certificate signed by Architect submitted along with the building completion certificate.
- (4) Temporary sanitary accommodation on full flusing system with necessary drainage arrangement should be provided on site workers, before starting the work.
- (5) Water connection for constructional purpose will not be given until the hoarding is constructed, and application made to the Ward Officer with the required deposite for the construction of carriage entrance, over the road side drain.
- (6) The owners shall intimate the Hydraulic Engineer or his representative in Wards atleast 15 days prior to the date of which the proposed construction work is taken in hand that the water existing in the compound will be utilised for their construction works and they will not use any Municipal. Water for construction purposes. Failing this, it will be presume that Municipal tap water has been consumed on the construction works and bills preferred against them accordingly.
- (7) The hoarding or screen wall for supporting the depots of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scaffoldings, bricks metal, sand preps debrics, etc. should not be deposited over footpaths or public street by the owner/architect/their contractors, etc. without obtaining prior permission from the Ward Officer of the area.
- (8) The work should not be started unless the manner in obviating all the objection is approved by this department.
- (9) No work should be started unless the structural design is approved.
- (10) The work above plinth should not be started before the same is shown to this office Sub-Engineer concerned and acknowledgement obtained from him regarding correctness of the open spaces & dimension.
- (11) The application for sewer street connections, if necessary, should be made simultaneously with commencement of the work as the Municipal Corporation will require time to consider alternative site to avoid the excavation of the road an footpath.
- (12) All the terms and conditions of the approved layout/sub-division under No. of should be adhered to and complied with.
- (13) No Building/Drainage Completion Certificate will be accepted non-water connection granted (except for the construction purposes) unless road is constructed to the satisfication of the Municipal Commissioner as per the provision of Section 345 of the Bombay Municipal Corporation Act and as per the terms and conditions for sanction to the layout.
- (14) Recreation ground or amenity open space should be developed before submission of Building Completion Conditions.
- (15) The acces road to the full width shall be constructed in water bound macadam before commencing work and should be complete to the satisfaction of Municipal Commissioner including asphalting lighting and drainage before submitton of the Building Completion Certificate.
- (16) Flow of water through adjoining holding or culvert, if any should be maintained unobstructed.
- (17) The surrounding open spaces around the building should be consolidated in Concrete having broke glass pieces at the rate of 125 cubic meters per 10 sq. meters below payment.
- (18) The compound wall or funcing should be constructed clear of the road widening line with foundation below level of bottom of road side drain without obstructing flow of rain water from abjoining holding before starting the work to prove the owner's holding.
- (19) No work should be started unless the existing structures proposed to be demolished are demolished.

- (20) This intimation of Disapproval is given exclusively for the purpose of enabling you to proceed further with the arrangements of obtaining. No Objection Certificate from the Housing commissioner under Section 13 (h) (H) of the Rem Act and in the event of your proceeding with the work either without an inimation about commencing the work under Section 347 (1) (aa) or your starting the work without removing the structures proposed to be removed the act shall be taken as a severe breach of the conditions under which this intimation of Disapproval is issued and the sanctioned will be revoked and the commencement certificate granted under Section 45 of the Maharashtra Regional and Town Planning Act, 1966, (12 of the Town Planning Act), will be with drawn.
- (21) If it is proposed to demolish the existing structures by negotiations with the tenants, under the circumstances, the work as per approved plans should not be taken up in hand unless the City Engineer is satisfied with the following:-
  - (i) Specific plans in respect of eviciting or rehousing the existing tenants on hour stating their number and the area in occupation of each.
  - (ii) Specifically signed agreement between you and the existing tenants that they are willing to avail or the alternative accommodation in the proposed structure at standard rent.
  - (iii) Plans showing the phased programme of construction has to be duly approved by this office before starting the work so as not to contravene at any stage of construction, the Development control Rules regarding open spaces, light and ventilation of existing structure.
- (22) In case of extension to existing building, blocking of existing windows of rooms deriving light and its from other sides should be done first before starting the work.
- (23) In case of additional floor no work should be start or during monsoon which will same arise water leakage and consequent nuisance to the tensus staying on the floor below.
- (24) the bottom of the over hand storage work above the finished level of the terrace shall not be more than I matre.
- (25) The work should not be started above first floor level unless the No Objection Certificate from the Civil Aviation Authorities, where necessary is obtained.
- (26) It is to be understood that the foundations must be excavated down to hard soil.
- (27) The positions of the mahanis and other appurtenances in the building should be so arranged as not to necessitate the laying of dmins inside the building.
- (28) The water arrangement must be carried out in strict accordance with the Municipal requirements.
- (29) No new well, tank, pond, eistern or fountain shall be dug or constructed without the previous permission in writing of the Municipal Commissioner for Greater Mumbai, as required in Section 381-A of the Municipal Corporation Act.
- (30) All gully traps and open channel drains shall be provided with right fitting mosquito proof covers made of wrought iron plates or hinges. The manholes of all jisterns shall be covered with a properly fitting mosquito proof hinged cast iron cap over in one piece, with locking arrangement provided with a bolt and huge screwed on hightly serving the purpose of a lock and the warning pripes of the ribbet pretessed with screw or dome shape pieces (like a garden mair rose) with copper pipes with perfections each not exceeding 1.5 mm. in diameter, the cistern shall be made easily, safely and permanently a ceasible by providing a firmly fixed iron ladder, the upper ends of the ladder should be carmarked and extended 40 cms. above the top where they are to be fixed an its lower ends in cement concrete blocks.
- (31) No broken bottles should be fixed over boundary walls. This prohibition refers only to broken bottles to not to the use of plant glass for coping over compound wan.
- (32) (a) Louvres should be provided as required by Hye-law No. 5 (b).
  - (b) Lintels or Arches should be provided over Door and Window opening.
  - (c) The drains should be laid as require under Section 234-1 (a).
  - (d) The inspection chamber should be plastered inside and outside.
- (33) If the proposed aditional is intended to be carried out on old foundations and structures, you will do so at your own risk.

HIS Sanjecvani Vyupaan LLP

REGERANTIA

Executive Engineer, Building Proposals
Zones ES-II S. Wards