

GREATER HYDERABAD MUNICIPAL CORPORATION TOWN PLANNING SECTION

BUILDING PERMIT ORDER

To

Sri/Smt.

SRI.DR.V.CHANDRA SEKHAR REDDY

SY NO.107/2, SIWAR HYDERGUDA VILLAGE, KAJENDRANAGAR MANDAL,R.R.DIST., hyderabad, TS

FILE No.	:	1/HO/15481/2017	
PERMIT No.	:	1/C11/12056/2018	
DATE	:	20 July, 2018	

Sir / Madam,

Sub: Building Permission - sanctioned - Reg

Ref: Your Application dated: 14 November, 2017 u/s 388, 428 & 433 of HMC Act, 1955 & A.P. Urban Areas (Dev), Act, 1975 and A.P.Building Rules 2012.

Your application submitted in the reference has been examined with reference to the rules and regulations in force and permission is hereby sanctioned conditionally as detailed below:

Α	APPLICANT AND LICENSED PER	SCINNEL DET	AILS:									
1	Applicant			DEDDY								
2	Developer / Builder	SRI.DR.V.CHANDRA SEKHAR REDDY G CHANDRAMOULI										
3	Licensed Technical Person	Chandana R (Architect) Lic.No. BL/2864/2014 Lic.No. BL/2864/2014										
4	Structural Engineer	V PAND.				Lic.No.	CA/2012/575	29				
5	Others	NA	MAIN		Lic.No.	333/STRL/ENG	G/TP.10/GHMC/7					
В	SITE DETAILS											
1	T.S. No./Survey no./Gram khantam/Abadi	107/2										
2	Premises No.	NA NA	NA NA									
3	Plot No./Door No./House No.		1-8-54/1/1									
4	Layout / Sub Divn. No.	0										
- 5	Road/Street	NA										
6	Locality	dr wi	HYDERGUDA									
7 .	Town/ City .	Hyderab	Hyderabad									
C	DETAILS OF PERMISSION SANCTIONED											
1	Building Sanction Data											
1.1	Building - PROP (BLOCK A) (Height (m): 14.99)											
а	Floors											
b	Use	110	Ground	Upper floors			Parking floors					
c		No.	Area (m2)	No.	Area (m2)	Le		T				
d .	Residential	0	0.00	5		.90 Cellar	1101	Area (m2)				
	Commercial ·	0	0.00	0		.00 G/U Floors	0	0.0				
е	Others	0	0.00	0		.00 Stilt		0.0				
f	No. of floors	Stilt + 5		. 4		.00/300	1	1,237.				
е	Compound Wall	335.69 RM										
g	Set backs (m)	e i erro	Front	-	tear		N. S. Carlotte					
		- 1	6.01		3.05	Side I	3100					
1.2	Building - PROP (BLOCK B) (Height	(n): 14.99)				3.16		6				
a	Floors		Ground		l		, III					
b	Use	No.	Area (m2)		Jpper floors		Parking flo	Parking floors				
c	Residential	0		No.	Area (m2)	Lev	rel No.	Area (m2)				
d	Commercial	0	0.00	5	5,454	.90 Cellar	1	2,420.7				
е	Others		0.00	0	Ō	.00 G/U Floors	0	0.0				
f	No. of floors	0	0.00	0	0	.00 Stilt	1	1,237.1				
е	Compound Wall	Cellar +	EACTOR AND	139				1,237.1				
	Sompound Wall	335.69 R	M									
g	Set backs (m)		Front	R	ear	Side I		G11 41				
1.3	Building DDOD (D) GDU AV	466	6.1		6.02			Side II				
a a	Building - PROP (BLOCK C) (Heig	(m): 14.99)				3.05		6				
1300			Ground		Jpper floors		8 11 2					
b	Use	No.	The state of the s		No. Area (m2)		Parking floors					
С	Residential	0	0.00	200477		Lev	el No.	Area (m2)				
d	Commercial	. 0	0.00	5		.90 Cellar	0	0.0				
е	Others	0		0		.00 G/U Floors	0	0.0				
f	No. of floors	Stilt + 5	0.00	0:,	0	.00 Stilt	1	1,237.1				
е	Compound Wall	335.69 R	U .				Y4 - 15 - 1 - 1					
	M. Charles	335.69 R	24-	1	E TO AL ESQ.		Tender Service					
g	Set backs (m)		Front	R	Side I	Side I						
		STAN THE STAN	7.33		.02	6.02	Side II 3.11					

	Building - PROP (BLOCK D) (Height (m	1								
b	Use	-	Ground			Upper floors		Parking floors		
c	Residential	No.	Area (m2)	No	٥.	Area (m2) Level				
d	Commercial	0	0.0	0 5	;	2,516.05		No.	Area (m2)	
e.	Others	0	0.0	0 0)	0.00 G/U Floors		0	0.0	
f.		0	0.0	0 0		0.00 Stilt		0	0.0	
	No. of floors	Stilt + 5 0.00 Stilt 1						527,		
6	Compound Wall	335.69 RM								
g	Set backs (m)	Front Rear Side I								
1.5	Building - BROR (AMINUTER)		6.02 Side I					Side II		
a	Building - PROP (AMINITIES) (Height (i	n): 14.99)): 14.99)							
b	Use	(Ground			Upper floors	De-Li- di			
c		No.	Area (m2)	No),	A (2)		Parking floors		
d	Residential Commercial	1	113.4	5 4		453.80	Level	No.	Area (m2)	
e	Others	0.	0.0	0 0				0	0.0	
f	No. of floors	0	0.0	0 0		0.00 G/U Floors		0	0.0	
e	The state of the s	Ground +				0.00 Stilt		0	0.0	
е	Compound Wall	335.69 RM								
g	Set backs (m)		Front Rear Cide Y							
		6.02			3.03		Side I	3106 11		
3	Plot Set backs (m)	Front			Rear		6	6		
4	Site Area (m2)				1.98	Side I	Side II			
5	Road affected area (m2)	8100(29 2.00							2.00	
6	Net Area(m2)	582.7								
7	Totalet (m2)									
8	Height (m)	The state of the s	758.21							
9	No. of RWHPs	10	14.99							
10	No. of Tree	405 Trees								
11	Others	NA NA								
D	DETAILS OF FEES (RS.):	1								
1	Building Permit Fees : Proposed Covered	d b all						\$		
3	Building Permit Fees : Advertisment & P	Duiltup are			2	Building Permit Fees :	Proposed comm	llew brund	7,000	
	Charges .	ostage	5,000.	0.0 4	4	B.C. & E.B.C. on site area,			7,260.0	
5	B.C. & E.B.C. on built up area,		2,931,550.	00 6			930		938,875.0	
7	Development Charges : Open area exclu	Development Charges : Open area excluding			_	Development Charges	harges : Proposed built up area		2,431,000.0	
9	coverage		938,875.	00 8	5	Rain Water Harvesting		155,585.00		
11	Sub Division Charges,	Lange of the second	112,665.	00 10	0	Environmental Impact Fees,				
13	Vacant Land tax,	485,080.0				Proportionate Laurent		848,190.00		
13	Shelter Fees,	0.00	1,126,640.00		7	Proportionate Layout Charges,			938,875.00	
E	OTUER DETAILS									
-	OTHER DETAILS :			-	-			TOTAL:	12,498,235.00	
2	Contractor's all Risk Policy No. 09-19-1801-0402-00000020				65	28 May, 2018	No. 11. 1			
3	INOCATISED ATTIOAVIC No. 63-2/20	ALC:	Date		05/30/2018	Valid Upto	27 May, 2024			
4	Enter Sr. No. in prohibitory Proper WWA	hibitory Proper Watch Register			362/2018 Area (m2) 1947.68					
F	Floor handed over A B,C,D	D BLOCKS 2ND FLOOR John John John John John John John John						3		
G	Construction to be Commenced Befo	to be commenced before								
13	Construction to be Completed Lafore	ES-1-18-		20 July						

Building permission is sanctioned subject to following conditions: re applicant should follow the clause 5,f (xi) (iii) (iv) (v) & (vii) of G.O.Ms.No.168, MA dt:07.04.2012.

The Building permission is sanctioned subject to following conditions:

1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission

If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees.

Sanctioned Plan shall be rollowed strictly while making the construction.

Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.

Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.

Occupancy Certificate is compulsory before occupying any building.

Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.

10. Tree Plantation shall be done along the periphery and also in front of the premises.

- 11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
- 13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.
- 15. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking signs, so, of units as sanctioned shall not be increased without prior approval of GHMC at any time in future
- 17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per
- 19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, falling which permission is made to be suspended.

 20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.

21. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost. 22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension 23. No front compound wall for the site abutting 18 mt. road widths shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.

23. No front compound wan for the site abutting 15 lift, road widths shall be allowed and only front grill of Low neight greenery has 24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled. 25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC

26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.

27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.

28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.

29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified

30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.

31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable). 32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),

as per the undertaking executed in terms of G.O. Ms. No. 341 MA, dt. 17-11-2000 (wherever applicable),
a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer
and site engineer failing which the violations are liable for demolition besides legal action. b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and

- c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the complete the construction
- d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.
 - Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.
 - ii. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is

- An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect. Insurance Policy for the completed building for a minimum period of three years.
- 33. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all
 - a. To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts. b. Provide Fire resistant swing door for the collapsible lifts in all floors.
 - c. Provide Generator, as alternate source of electric supply.

- c. Provide Generator, as alternate source of electric supply.

 d. Emergency Lighting in the Corridor / Gommon passages and stair case.

 e. Two numbers water type fire exting lishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190-1992. g. Separate Underground static water storage tank capacity of 25, 000 lts. Capacity.
- h. Separate Terrace Tank of 25,000 lts. Capacity for Residential buildings.

- Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts.
- k. Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety.

I. Transformers shall be protected with 4 hours rating fire resist constructions.

m. To create a joint open spaces with the neighbors building / premises for maneuverability of fire vehicles. No parking or any constructions

scial Conditions for Proceeding Letter

- The Owner / Developers shall ensure the safety of construction workers.
- The Owner / Developers shall ensure a comprehensive insurance policy of construction workers for the duration of construction
- In large projects where it is proposed to temporarily house the construction workers on the site, proper hygienic temporary shelter with drinking 3. 4.
- The Owner / Developers shall be responsible for the safety of construction workers. 5.
- It in case above said conditions are not adhered; GHMC / Local Authority can withdraw the said permission.
- To comply the conditions laid down in the G.O.Ms.No.168 MA, dt: 07-04-12.7) . The GHMC reserve the right to cancel the permission, if it is found that the permission is obtained by false statement or misinterpretation or suppression of any material facts or rule. 7.
- The applicant is the whole responsible if any discrepancy in the ownership documents and ULC aspects and if any litigation the technically 8.
- If any dispute litigation arises in future, regarding the ownership of a land the applicant shall responsible for the settlement of the same, GHMC 9.
- The applicant / developer are the whole responsible if anything happens / while constructing the building. 10.
- Any conditions laid by the authority are applicable.
- The applicant shall provide the ETP and as per standard specification. 11.
- The Concerned Local Body shall ensure the same before issue of Occupancy Certificate or Named en Solar Roll of Responding the 12.
- The building plans shall be sanctioned by the Local Authority in Conformity with the technically approved by GHMC is valid for a period of (3) years from the date of issue of this letter if the workis commenced
- That the applicant should ensure to submit a compliance report to GHMC soon after completion of first floor level and then all the roofs are laid so
- It is also hereby ordered that the copy of approved plans as released by GHMC and local authority would be displayed at the construction site for
- This permission does not bar any public agency including GHMC to acquire the lands for public purpose as per law.
- The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.

By order

COMMISSIONER **GHMC**

Copy To :-

The Manager Director, HMWS&SB.

2. The Director, T.S. TRANSCO, Hyderabad.

3. The Director General, Stames and Registration Department, Hyderabad.

4. The Director General, Telangana State Disaster Response and Fire Services, Hyderabad.

6. The Licensed Technical Personnel / Structural Engineer / Builder.

This is computer generated letter, doesn't require any signatures.