GUNDLAPOCHAMPALLY, MEDCHAL-MALKAJGIRI OFFICE OF THE MUNICIPAL COUNCIL: DIST.

TOWN PLANNING SECTION

BUILDING PERMIT ORDER

Present :K.Amarendar Reddy,

To

Sanjanas Courtyard Rerpesented by Sri T .Srinivas Reddy & K.Rohith Reddy.

Villa No. 160, Palm Meadows, Kompally, Hyderabad, Telangana.

Permit No: 204/TP/GPP/20112019

File No. 163/G1/GPP/2019

Date:-20.11.2019.

Sub:-- BuildingPermission-T.P.Section Municipal Council, Medchal – Construction of Residential Bldg/Apartment Building consisting of Group housing apartments along with one Apartment O(Club House) 1Stilt+3,A(Prop Block): 5, E(Prop Block): 1Stilt+3D(Prop Block): 1Stilt+5,C (Prop Block): 1Stilt+5, B(Prop Block): 1Stilt+5 Upper Floors in Sy No: 191/P & 204 P of Gundlapochampally, to an extent of 25,214.58Sq Mts belonging to SANJANAS COURTYARD REPRESENTED BY SRIT SRINIVAS REDDY & K ROHITH REDDY - Technical clearance issued by HMDA - Building Permission released - Reg.

Ref:-- Letter No.023450/MED/R1/U6/HMDA/08052019, Commissioner, HMDA, Hyderabad. Dated: 08.05.2019 of the Metropolitan

consisting of one Apartment O(Club House) 1Stilt+3,A(Prop Block): 5, E(Prop Block): 1Stilt+3D(Prop Block): 1Stilt+5,C (Prop Block): 1Stilt+5, B(Prop Block): 1Stilt+5 Upper Floors permission has been examined by the Metropolitan Commissioner HMDA and approved plans technically u/s 14 of the AP Urban Area (Dev) Act 1965 & U/s 20 of HMDA Act 2008 and under provision of G.O. Ms. No. 572 laid down here under. M.A., Dt.25/08/2008 and forwarded to this office for necessary sanction and release with the conditions The application filed by SANJANAS COURTYARDfor Residential Bldg/Apartment Building

A	APPLICANT AND LICE	APPLICANT AND LICENSED PERSONNEL DETAILS:		
	Applicant	SANJANAS COURTYARD REPRESENTED BY SRI SRINIVAS REDDY & ROHITH REDDY	ESENTED OHITH REI	BY SRI SRINIVA DDY
	Developer / Builder	- T	Lic. No.	ū
	Licensed Technical Person	P V NAGESHWAR RAO	Lic. No.	AC/2004/33906
	Structural Engineer	P SURYA PRAKASH	Lic. No.	277/STR Engineer/TP10/ GHMC
В	SITE DETAILS			
	T.S.No. / Sy No.	191/P & 204P Gundlapochampally	ally	
	Plot No.			
	Locality	Kandlakoya,Gundlapochampally	y	
	Name of the ULB	Municipal Council, Gundlapochampally	ampally	

DETAILS OF PERMISSION SANCTIONED: Block O (Club House)	SION S	ANCTIONED	: Bloc	k 0 (Club H	ouse)		
Floors	1 Stil	1 Stilt Floor	Uppe	Upper Floors -3		Parkin	Parking Floors
Use		Area (m²)		Area (m²)	Level		Area (m²)
Residential Building	31	498.14		1527.68	Stilt Floor		498.14
Set Backs (m)		To follow	as sho	To follow as shown in Sanction Plan Copy	ion Plan C	ору	

DETAILS OF PERMISSION SANCTIONED: Group Housing Block A	SION	SANCTIONE	D : Grou	p Housin	g Block A		
Floors		!			9 22002		
Floors	1 Stil	1 Stilt Floor	Upper	Upper Floors -5		Parkin	Parking Floors
IIo							0
Cwan		Area (m ²)	1	Area (m²)	Level		Area (m²)
Residential Divilation							()
Residential Building	Г	361		1623.35	Stilt Floor	1	361
						-	
Set Backs (m)		To follo	w as sho	wn in Sai	To follow as shown in Sanction Plan Conv.	Copy	
					יירחסדו ד ומדו	Colos	

DETAILS OF PERMISSION SANCTIONED : Group Housing Block B	NOIS	SANCTIONE	D : Group Housin	ng Block B		
Floors	1 Stil	1 Stilt Floor	Upper Floors -5	1	arkin	Parking Floors
IIo				-	TITATIO	STOOLS
USE	,	Area (m²)	Area (m ²)	Level		Area (m²)
Paridontial Date		Salaran and a sa		100000000000000000000000000000000000000		, man (, m)
Nesidendal Building	3	769.33	3224.20	3224.20 Stilt Floor	ı	769 33
1						100.00
Set Backs (m)		To follow a	chown in Constinu			St.
		A A OXYON O	23 SHOWH III SAIICLION Plan Copy	I Flan Copy		

DETAILS OF PERMISSION SANCTIONED : Group Housing Block C	S NOIS	ANCTIONE	D : Group Housin	g Block C		
Floors	1 Stilt Floor	Floor	Upper Floors -5		Orlzin.	
IIo			- F-F	-	Buryare	Farking Floors
Use		Area (m²)	Area (m²)	Level		Area (m2)
Residential Design				10,01		Trea (m²)
residential Building	1	1172.30	4860.10	Stilt Floor	ı	1170 30
Set Boots ()						1112.00
Set Backs (m)		To follow a	To follow as shown in Sanction Dlan Con-	Dlan Cana		
			The state of the s	I Iall Copy		

The state of the s				The secondary	T WOOTH S.	,	
FIGORS	1 Stilt Floor	Floor	Uppe	Upper Floors -5		Double	1
Ilaa			2010	C- STOOT T		Parkin	Farking Floors
Coc	1	Area (m^2)		Area (m2)	I over		
Pasidontial Day 11:				, ,	TOACT		Area (m²)
susing pullding	ī	1172.30		4860.10 Stilt Floor	Stilt Floor		1170 00
					TOOT TITOOT	1	11/2.30
Set Backs (m)				60			
		To follow:	of chart	in Compting	To follow as shown in Sanction Dlan Co		

Group Housing Block E		TITOTTO	i Group Housin	Block E		
Floors	1 Stil	1 Stilt Floor	[Inner Floors 5		:	
11-2			C-STOOL TOOL		Parkin	Parking Floors
Use		A				0 0 0 0 0
		Area (m-)	Area (m ²)	Level		A +00 (m2)
Residential Building		117000				1117 (TIT)
Similar pulling	ı	11/2.30	2916.06	Stilt Floor	1	1170 20
						TT/ 2.00
Set Backs (m)						
		To follow a	To follow as shown in Sanction Dlan Conv.	Dlan Cana		

			T	Т	T						T	T					_	
	<u> </u>																	
Labour Cess Charges Rs. 19, 63, 24,0/-, D.D.No. 933052, Dt.14.11.2019.	Building Permit Fee	DETAILS OF FEES PAID (RS.) TOTAL	No. of Trees	No. of RWHPs			(Height (m)	127		101101 (III-2)	Tot 1ot (-2)	Net Area(ma)		Koad affected area		Site Area (m²)	2.
Rs.19,83,240/-, D.D.N	Rs.24,34,750/-	PAID (RS.) TOTAL:	1		E Block - 9M	D Block -14.95M	C Block -14.95M	B Block -14.95M	A Block -14.95M	Club house - 9M	2540.76 Sq Mts	19011.49 Sq Mts (i		East side- 437.86 Sq Mts		West side- 442.24 Sq Mts	24,214.58 Sq mts	
0/-, DD:No.933052, D: o. 933053, Dt.14.11.20	2 Labour Cess											19011.49 Sq Mts (including club house)		Sq Mts		Sq Mts		
t:14.11.2019. 019.	Rs.19,83,240/																	

- じ The validity of permission is Six years from the date of HMDA order. The work shall be completed within the stipulated time and commencement of work within (18) months. If the work is not completed within the stipulated period a fresh application shall be filed prior to the expiry of the permission and the further work be stopped until permission is granted. The applicant should follow the Fire Service Department norms as per the Act 1999. No deviation from the approved plan shall be made without the written permission of the
- $\omega \nu$ Commissioner Medchal Municipality..
- 4
- 9 5) The approved plan shall always kept at the work spot and be produced as and when required by the inspecting officers of the Medchal Municipality.

 The owners / Developers shall provide water supply drainage and sewerage disposal system to be provided / facilitated to the proposed building, as per the following ocondistions.

 With regard to water supply, drainage and sewerage disposal system to be provided / facilitated to the proposed building, the Executive Authority shall ensure the following.
- The location of water supply source distance within the site preferably at preferably at 100 & sewerage disposal source are located at appropriate to 100 feet distance so as to avoid contamination.
- nearby bore-well. Water shall be disinfected by adding p.m of residual chlorine in the sump / overhead tanks depth of the bore and size shall be limited to to the minimum depth and size of existing adding hypo-solution to maintain 0.3 to 0.4
- Where main Panchayat drains exist in vicinity of site, insist on conseverage to main existing drain by laying a sewer pipe of diameter connecting tree 200mm treated
- overflow where where such Panchayatdrain to a natural drain or nala wit yatdrain exist, nala with a sev sewer insist pipe on on connecting the of dia deter 150mm the treated sewerage
- Before allowing the overflow mentioned in serore allowing the overflow mentioned in (iii) & (iv) above ensure the sewers effluent treatment plant as per National Building Code 2005 constructed with contact bed, duly covered and ventilated for treatment and shall ensure that no edurainage over flows on the road or public place. sewerage effluent a fixed
- prevent chokage of sewers / drains, the last premises shall be provided with safety pads /gates. chokage last inspection chamber within the site
- should clean that septic tank effluent treatment plant periodically by themselves,
- and cart away the sludge, etc., to an unobjectionable place Since eventually the public sewerage and water supply systems are expected to be systematically added / extended by the Hyderabad Metropolitan Water Supply & Sewerage Board to the outlaying areas of Hyderabad, the proposed building owners shall pay proportionate pro-rata charges to Metropolitan Hyderabad Water Supply & Sewerage board for the above facilities as and when demanded by the Hyderabad Water Supply & Sewerage Board
- 7 centre etc cost by Panchayat. approved plans applicant should ensure that the minimum width of approach road as indicated in the tech. roved plans and area affected in the road widening is taken over from the applicant free of the Panchayat. The said road is developed and maintained as Black topped road with proper tech.
- 8 The owner should ensure that the proposed building / complex is constructed strictly as per the technically approved Industrial Builing Permission plans. No deviation, misuse or violation of minimum setbacks, common parking floor / violation and other balcony projections shall not be
- 9) National Building Code, 2005 owner shall ensure that all fire safety Requirements are complied in accordance with the
- 10) plantation The owner and u in the periphery to the extent to this si shall ensure that the he should plant trees and maintain the iphery of his site and along the abutting rothin site at a distance of 4 meters between each tree should and maintain them roads, 5 as the ne open avenue
- used or owners/ developers otherwise let out etc., only after: shall construct the proposedbuilding complex to occupied
- =: industrial building Permission through empanelled Architect. After ensuring the conditions proposed building is completed plans and 5 accordance they should with the apply occupancy technically certificate approved
- ≓ Sp mentioned above with regard to are compliedto water the supply satisfaction and sewerage the Executive disposal
- ∄ under Government order Authority.

 After issuing a "Fit for Occupancy" vertificate by the Executive Authority as required G.O.Ms.No.168 MA, dt.07.04.2012
- 12) That accordance the applicant with the national Building Code of 2005 responsible for structural safety and the safety requirement
- 13) sq.mtrs referenc applicant of area) per the standards develop Rain (each Water harvesting harvesting pit should be o s in the developed every under 1000
- 14) That the applicant should erect tempor the plot during construction to stop security of the pedestrians and neighbours. temporary environmental scheme to avoid pollution spilling ð 약 ensure materials safety outside and

-) That the with in the applicant premises. shall made provisions for errection of Transformer and Garbage chat
- materials / debris on cant / builder / s on public road. constructor _ developer shall not keep their construction
- area earmarked for parking of vehicles should not be converted for any other
- authority would be displayed at the copy of an authority would be displayed at the construction. That the applicant should follow the cond Services Department.

 This permission does not have public norm. released by HMDA and local
- 20) 19) copy of approved plan as postruction site for public view the conditions, safety me measures SE per the A.P.Fire

public purpose as per law. not bar any public agency including HMDA to acquire the

land

for

ADDITIONAL CONDITIONS:

- The Owner / Developers shall ensure the safety
 The Owner/Developers shall ensure a
- b) The Owner/Developers construction workers for the dura duration of construction. of construction workers, comprehensive insi insurance policy 으
- workers sanitary measures shall be provided. 0 9 large the projects where hygienic ₹ Š proposed temporary to temporarily h shelter with house the th drinking construction and
- (p The Owner/Developers shall be responsible for the safety of construction workers.
- e withdraw the said permissions said conditions are not adhered; HMDA Local Authority can
- J 7 comply the conditions laid down the G.O.Ms.No.168 MA, dt:07-04-12.
- g) If applicant not be shall a part to any such dispute / litigation dispute dispute litigation responsible for arises the s s in future, settlement regarding the of the same, the ownership HMDA or of a a land the employees land
- き permission any materialfacts The HMDA obtained reserve or rule. γď the false right statement to cance the or permission if it misrepresentation īs 9 ß. found suppression that the 약
- i) The documents plans may withdraw without notice applicant and ULC is the aspects whole and Ξ; responsible any litigation ≕ any the discrepancy technically ⊒. approved the ownership d building
- ij applicant / the building. developer are the whole responsible ≕; anything happens while
- $\overline{}$ 1999. applicant shall construct the applicant should follow the ET P as per the proposal submitted, Fire Service Department norms SB per the
- m) The developed as open space with greenery. earmarked Ξ. the site layout plan shall be maintained and
- 巴 construction is pen permitted in the said open space space earmarked in the site layout plan shall not be altered and
- o) All Roads shall be develop change in the Circulation pattern and developed parking area earmarked is permitted. as per the Internal Pattern approved. No
- 2 2 ţ be In case maintained cancelled. ₹ Se S. per noticed the that the (
 e approved Open plan, space n, the and Building the internal circ circulation sion shall Pattern deemed are

Commissioner Municipal Council Gundlapochampally

0

Sanjanas Courtyard Represented by Sri.T.Srinivas Reddy & Sri.K.Rohith Reddy, Villa No: 160, Palm Meadows, Kompally,Hyderabad,Telangana.

Savisma 20/11/20A

Copy submitted to The Metropolitan (

Commissioner, , HMDA, Tarnaka, Hyderabad, for favour 으 kind information