

″ —3.11 — **4.52** 41.44 Sq.Mts VENTILATION SHAFT 4.50 4.50 4.54— 4.50 ----4.50 4.50 TOT-LOT 130.05 Sq.Mts 4.50 4.56 **VENTILATION SHAFT** 4.50 4.50 4.50 4.50 4.50 4.50 **VENTILATION SHAFT** 4.50 4.50 4.50 NORTH EXIS.12.00 Mt WIDE ROAD STILT FLOOR PLAN (SCALE 1:100) **BALCONY CALCULATIONS TABLE** FLOOR NAME TOTAL AREA SIZE

PROJECT TITLE :PLAN SHOWING THE PROPOSED CONSTRUCTION OF RESIDENTIAL BUILDING IN GHMC APPROVED LAY-OUT VIDE PROCEEDING NO. 138021/10/08/2017/HO/519 DATE: 18-06-2019, CONSISTING OF CELLAR+STILT+5 UPPER FLOORS ON PLOT NO: 1, 2 PART, 45, 46 & 47 IN SY.NO.506 PART, 507 PART, 508/B, 509 PART, 515/A, 516/1 & 517/A, SITUATED AT SHANKARAIAH GOUD ENCLAVE, KAPRA CIRCLE UNDER GHMC, MEDCHAL-MALKAJGIRI DIST.

BELONGS TO: 1. Sri. Y. PRANAY GOUD S/o. Sri. Y. RAJU THROUGH IT'S D.A-CUM-G.P.A HOLDER M/s. SRI RATHI CONSTRUCTIONS, REPRESENTED BY IT'S M.P 1. SRI MURALI NARAYAN RATHI S/O. SRI RADHESHAM RATHI, 2. Mr. SRIKRISHNA RATHI S/O. SRI RADHESHAM RATHI.

W3.H11.5 W3.H11.5 W2.H11.5 TOILET | TOILET | 1.3X2.4 | 1.3X2.4 LIV/DIN 5.51X3.66 UTILITY 3.19X1.22 LIV/DIN 5.53X4.03 1023

> TYPICAL - 1, 3, 4& 5 FLOOR PLAN (Proposed) (SCALE 1:100)

																FLOOR NAME	SIZE	TOTAL ARE/
																TYPICAL - 1, 3, 4& 5 FLOOR PLAN	1.33 X 5.21 X 1 X 4	212.56
																	1.31 X 3.61 X 1 X 4	
																	1.33 X 3.30 X 3 X 4	
(R	ESIDENTIAL)																1.33 X 3.89 X 2 X 4	
OOTILDOLL OF CONTINUE															1.33 X 4.26 X 1 X 4			
	TOTAL	DEDUCTIONS		ADDTIONS		NET BUA	TOTAL	TNMTS.	PARKING		NET	BUILDING NAME NAME	NAME	LXH	NOS		1.33 X 2.93 X 1 X 4	
	BUA	CUTOUT	VSHAFT	STAIR	RAMP	RESI.	NET BUA		AREA	STACK	PARKING	A (RESIDENTIAL)	D2	0.75 X 2.10	340		1.33 X 3.58 X 1 X 4	
	1804.56	5.70	48.95	19.75	137.59	0.00	157.34	00	1595.58	1	1595.58	A (RESIDENTIAL)	D1	0.90 X 2.10	210		1.33 X 3.00 X 1 X 4	
	1783.15	5.70	0.00	19.75	137.59	0.00	157.34	00	1620.15	1	1620.15	A (RESIDENTIAL)	MD	1.00 X 2.10	65	SECOND FLOOR PLAN	1.33 X 5.21 X 1	53.14
	1581.51	0.00	0.00	0.00	0.00	1581.51	1581.51	13	0.00	0	0.00	SCHEDULE OF JOINERY			SECOND FLOOR FLAIN		33.14	
	1581.51	0.00	0.00	0.00	0.00	1581.51	1581.51	13	0.00	0	0.00					1.31 X 3.61 X 1		
												BUILDING NAME	NAME	LXH	NOS		1.33 X 3.30 X 3	
	1581.51	0.00	0.00	0.00	0.00	1581.51	1581.51	13	0.00	0	0.00	A (RESIDENTIAL)	V	0.60 X 1.00	170		1.33 X 3.89 X 2	
	1581.51	0.00	0.00	0.00	0.00	1581.51	1581.51	13	0.00	0	0.00	A (RESIDENTIAL)	W1	1.00 X 1.50	145		1.33 X 4.26 X 1	
	1581.51	0.00	0.00	0.00	0.00	1581.51	1581.51	13	0.00	0	0.00	A (RESIDENTIAL)	W2	1.00 X 2.45	10		1.33 X 2.93 X 1	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	00	0.00	0	0.00	A (RESIDENTIAL)	W3	1.50 X 1.50	200		1.33 X 3.58 X 1	
	11495.26	11.40	48.95	39.50	275.18	7907.55	8222.23	65	3215.73		3215.73	, ,						
G	1											A (RESIDENTIAL)	W5	1.50 X 1.80	05		1.33 X 3.00 X 1	
	11495.26	11.40	48.95	39.50	275.18	7907.55	8222.23	65	3215.73		3215.73	A (RESIDENTIAL)	W4	1.80 X 1.50	35	TOTAL	-	265.70
	11435.20	11.40	40.35	39.50	213.10	1901.00	0222.23	05	JZ 15.73		3213.73							

BUILDING USE/SUBUSE DETAILS

BUILDING NAME | BUILDING USE | BUILDING SUBUSE BUILDING TYPE FLOOR DETAILS A (RESIDENTIAL) | Residential | Residential Apartment Bldg |

1. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act. 2. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act. 3. Occupancy Certificate is compulsory before occupying any building. 4. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy 5. Prior Approval should be obtained separately for any modification in the construction. 6. Tree Plantation shall be done along the periphery and also in front of the premises. 7. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate. 8. Rain Water Harvesting Structure (percolation pit) shall be constructed. 9. Space for Transformer shall be provided in the site keeping the safety of the residents in view.

the supervision of Qualified Technical Personnel.

10. Garbage House shall be made within the premises 11. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted. 12. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future 13. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost with out claiming any compensation at any time as per the undertaking submitted. 14. Strip of greenery on periphery of the site shall be maintained as per rules. 15. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended. 16. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976. 17. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.

18. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained. 19. No front compound wall for the site abutting 18 mt. road width shall be allowed and only Iron grill or Low height greenery hedge shall be allowed. 20. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is 21. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2005. 22. The mortgaged builtup area shall be allowed for registration only after an Occupancy Certificate is produced. 23. The Registration authority shall register only the permitted built-up area as per sanctioned plan. 24. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned 25. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under

26. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under

the supervision of Qualified Technical Personnel. 27. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be 28. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever 29. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.(i) Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.(ii) Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.(iii) An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.(iv) Insurance Policy for the completed building for a minimum period of three years . 30. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005

like; i)To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts. ii)Provide Fire resistant swing door for the collapsible lifts in all floors. iii)Provide Generator, as alternate source of electric supply. iv)Emergency Lighting in the Corridor / Common passages and stair case. v)Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190- 1992. vi) Manually operated and alarm system in the entire buildings; vii) Separate Underground static water storage tank capacity of 25, 000 lits. Capacity. viii)Separate Terrace Tank of 25,000lits capacity for Residential buildings; ix)Hose Reel, Down Corner. x)Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts. xi)Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety. xii)Transformers shall be protected with 4 hours rating fire resist constructions. xiii) To create a joint open spaces with the neighbours building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in

31. The Builder/Developer shall register the project in the RERA website after the launch in July 2018 32. If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees. 33. Sanctioned Plan shall be followed strictly while making the construction. 34. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view. 35. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.

PLOT NO. 1 2 PART 45 46 AND 47 SURVEY NO 506PART 507 PART 508/B 509PART 515/A 516/1 AND 517/A SITUATED AT , MEDCHAL BELONGING TO: Mr./Ms./Mrs Y PRANAY GOUD THR OUGH ITS DA CUM GPA HOLDER SRI MURALI NARAYAN RATHI AND SRI KRISHNA RATHI D THRIPURANTHAKA REDDY


LICENCE NO: CA/97/21434

APPROVAL NO: 1/C1/05441/2021

SHEET NO.: 2/3

Layout Plan Details 1/C1/01738/2021 Building Permission PROJECT TYPE: NATURE OF DEVELOPMENT : SUB LOCATION: New Areas / Approved Layout Areas STREET NAME: DISTRICT NAME MEDCHAL STATE NAME : MADAL : PLOT USE : PLOT SUB USE PLOT NEAR BY NOTIFIED RELEGIOUS STRUCTURE : NA LAND USE ZONE : Residential LAND SUBUSE ZONE ABUTTING ROAD WIDTH: 1 2 PART 45 46 AND 47 506PART 507 PART 508/B 509PART 515/A 516/1 AND 517/A SURVEY NO: NORTH SIDE DETAIL: ROAD WIDTH - 12.00 SOUTH SIDE DETAIL: PLOT No. - 2 PART EAST SIDE DETAIL : ROAD WIDTH - 12.00 WEST SIDE DETAIL : PLOT No. - NEGHIBOUR PLOT AREA DETAILS : AREA OF PLOT (Minimum) DEDUCTION FOR NET PLOT AREA SPLAY AREA NET AREA OF PLOT 3147.46 VACANT PLOT AREA PROPOSED COVERAGE AREA ( 56.61 % ) RESIDENTIAL NET BUA BUILT UP AREA MORTGAGE AREA EXTRA INSTALLMENT MORTGAGE AREA PROPOSED NUMBER OF PARKINGS

Approval No.:



ISO\_A0\_(841.00\_x\_1189.00\_MM)

TOTAL NO OF BLDG 1

BUILDING: A (RESIDENTIAL)

FLOOR NAME

