

HYDERABAD METROPOLITAN DEVELOPMENT AUTHORITY

Swarna Jayanthi Complex, 4th floor, West Wing Ameerpet, Hyderabad - 500 038

PLANNING DEPARTMENT

Letter No.874/MSB/SKP/Plg/HMDA/2022

Dt:23-01-2023

Sy.No. 83/1 Plot No. 2 Knowledge City, ORWELL-I Raidurg Hyderabad 500081 M/s Eden Buildcon Private Limited Ground Floor Serlilingampally Mandal

- Sub:blocks with 2basements +3stilts +38 upper floors and Amenities block with 2 cellars + 3 stilt+ 5 upper floors in plot no.1 Empire –I Ventures in Sy Nos. 239 & 240 situated at tokanat cillary. HMDA- Plg.Dept --240 situated at kokapet village, Plans approved Approval of Multi storied Residential apartment consisting of - Reg. Gandipet Mandal, R.R. district in an extent of
- Ref:-Application of M/s Eden Buildcon Private Limited Date: 31.03.2022
- Minutes of High Rise building Committee dt: 08-07-2022. Note Orders of Metropolitan Commissioner, HMDA Dt.21.09.2022.
- This Office Lr.No.874/MSB/SKP/Plg/HMDA/2022 Dt. 28.09.2022
- 7.05.4 Application of M/s Eden Buildcon Private Limited Date: 30.09.2022

- Note Orders of Director Planning-I, HMDA Dt. 05.11.2022. This Office Lr.No.874/MSB/SKP/Plg/HMDA/2022 Dt. 18.11.2022 Application of M/s Eden Buildcon Private Limited Dt. 17.12.2022 paid DC charges and submitted post dated cheques and other relevant documents

 \Rightarrow conditions examined kokapet village, The proposal submitted by you for Multi storied Residential apartment consisting of 6 regulations 3 stilt+ 5 upper floors in plot no.1 Empire –I Ventures in Sy Nos. blocks with 2basements +3stilts +38 upper floors with and the reference Gandipet Mandal Building ð the notified permission R.R. district in an extent of Ac.9.5 Master Plan, and S hereby issued and Amenities block with 2 cellars + 239 & 240 situated at subject Building ਰ Rules has following been and

The state of the s	
Permit No.	874/MSB/SKP/Pig/HMDA/2022 Dt.23.01.2023
	M/s Eden Buildcon Private Limited
	Sy.No. 83/1 Plot No. 2
Owner/Applicant	Owner/Applicant Knowledge City, ORWELL-I
Address	Ground Floor Serlilingampally Mandal
	Raidurg Hyderabad 500081

7 Nature of construction at kokapet village, Gandipet Mandal, R.R. district in an extent of Ac.9.5 blocks with 2basements +3stilts +38 upper floors 3 stilt+ 5 upper floors in plot no.1 Empire -I Ventures in Sy Nos. 239 & 240 situated : Approval of Multi storied Residential apartment consisting of and Amenities block with 2 cellars

Fee Payment Details

	Fees / Charges	Payable	Paid
No.			
_	DC & other charges ,	24,10,13,227/-	24,10,13,227/-
	Publication , Local body		
	charges & 1 st instalment		
	of city level impact fees		
2	FSID charges	20,96,263/-	20,96,263/-
ω	Environmental impact 1,21,60,820/-	1,21,60,820/-	1,21,60,820/-
	fee		

City Level Impact Fees in instalments The applicant submitted post dated cheques as detailed below towards payment of

Ŋ	4	ω	2	_	SI.No
6	57	4	ω	2	Instalment Due Date
13.06.2025	13.12.2024	13.06.2024	13.12.2023	13.06.2023	Due Date
1,80,69,496/-	1,80,69,496/-	1,80,69,496/-	1,80,69,496/-	1,80,69,496/-	Amount in Rs.
086383	086382	086381	086380	086379	Cheque No
FEDERAL BANK & MADHAPUR	Bank & Branch				

- ယ The applicant has made simple mortgage of 10% of area **25590.1Sq Mtrs** in favor of MC,HMDA as per rule 25 (d) of G.O. Ms No.168 Dt: 07.04.2012.The same is executed at Sub-Register Gandipet, vide Doc No.**12537/2022 date.26.10.2022** at joint Sub-Registrar Gandipet.
- 4 in favor of date.26.10.2022 at joint Sub-Registrar Gandipet. The applicant has made additional simple mortgage of 5% of area 12828.60Sq Mtrs S. executed MC,HMDA towards security deposit for availing installment facility. The executed at Sub-Register Gandipet, vide Doc No. 12536/2022
- <u>a</u> released before grant of occupancy certificate by the HMDA as per rule 26 of G.O. Ms No. 168 MA dt. 07.04.2012.
- <u>b</u> of permission letter as per G.O.Ms.No.62, dt.21-03-2020. The building plans are valid for a period of FIVE (5) YEARS from the date of issue per latest amendment 으 Building rules 2012 vide
- 0 ensure the following. provided regard to water / facilitated to the proposed building the Municipal Commissioner shall supply, drainage and sewerage disposal system to
- distance so as to avoid contamination. located at appropriate The location of water supply source & distance within the site preferably sewerage disposal source at 100 are
- **;=**: sump / overhead tanks. adding hypo-solution to maintain 0.3 to 0.4 p.m of residual chlorine in the The depth of the bore and sizes shall be limited to the minimum depth size of existing nearby bore-well. Water shall be disinfected

- ≓ connecting the treated sewerage to main existing drain by laying a sewer pipe of diameter ranging from 200mm. to 300mm. Where main Municipality drains exist in vicinity of site,
- ζ. treated sewerage overflow to a natural drain or nala with a sewer pipe of diameter 150mm. case where such Municipality drain exist, insist on connecting the
- < of 1985 (Annexure - covered and venti tank constructed on as per ISI standard specification (ISI) Code No.2470 of 1985 (Annexure - I) and constructed with a fixed contact bed, duly Before allowing the overflow mentioned in (iii) & (iv) above ensure the sewerage of the proposed building is invariably 1st into a common septic road or public place. Commissioner shall ensure that no effluent / drainage over flows on the ventilated ο̈́ primary treatment. he
- ≤. within the site / premises shall be provided with safety pads / gates To prevent chokage of sewers / drains, the last inspection chamber
- ≦: The party should clean that septic tank periodically by themselves, and cart way the sludge, etc., to an unobjectionable place.
- **≦**: All the above shall be All the above shall be supervised and inspected by the Municipal Commissioner concerned for compliance during the construction stage.
- Ξ rata charges to Hyderabad Metropolitan Water Supply & Sewerage board for the above facilities as and when demanded by the Hyderabad Hyderabad, the proposed building owners shall pay proportionate pro-Metropolitan Water Supply & Sewerage Board to the outlaying areas of expected to be systematically added Water Supply & Sewerage Board eventually the public sewerage and water supply systems Metropolitan Water Supply & extended by the Hyderabad
- <u>a</u> The Municipal Commissioner should ensure that the applicant undertakes to abide by the conditions, which may be imposed, in terms of G.O.Ms.No.168 MA, dt.07-
- <u>e</u> shall be made at foundation stage, plinth level and first floor and subsequent floor is constructed strictly as per the approved building plans and mandatory inspection The Municipal Commissioner should ensure that the proposed building / complex other balcony projections shall not be allowed violations of minimum setbacks, common parking floor / stilt marking / violation and level as required under G.O.Ms.No.168 MA, dt.07-04-2012 deviation, misuse or
- J complied in accordance with the National Building Code, 2005 The Municipal Commissioner shall ensure that all fire safety Requirements are
- 9 occupied used or otherwise let out etc., only after; The Municipal Commissioner shall allow the proposed building complex ð be
- approved building plans; The proposed building is completed in accordance with the technically
- \equiv After ensuring all the above conditions at (a) to (i) are complied
- (iii) After ensuring the conditions with regard to water supply and sewerage satisfaction of the Municipal Commissioner. system as mentioned in (d) above are complied Ö
- (iv) After issuing a "Fit for Occupancy" certificate by the HMDA as required as required under Government order No. 168 MA, dt. 07-04-2012.

- ع prominent place at the site which shall show the plan and specify the mentioned in this office letter, so as to facilitate public in the matter. The Municipal Commissioner shall ensure that the developer display a board at a conditions
- =That the applicant is responsible for structural safety and the safety requirement in accordance with the National Building Code of 2005.
- =reference as per plan enclosed applicant shall develop Rain Water harvesting structures in the site under
- ろ safety and security of the pedestrians and neighbours That the applicant should erect temporary scheme to avoid plot during construction to stop environmental pollution to spilling of materials ensure
- =house with in the premises That the applicant shall made provisions for erection of Transformer and Garbage
- 3 construction materials / debris on public road applicant / builder / constructor _ developer shall not keep their
- ュ enable to permit him to proceed further by inspection of site by after completion of first floor roof level and then all the roofs are laid so as That the applicant should ensure to submit a compliance report to HMDA soon
- 0 It is also hereby ordered that the copy of approved plan as released by HMDA and local authority would be displayed at the construction site for public view.
- <u>p</u> plan. If any modifications are necessary prior approval should be obtained That the construction should be made strictly in accordance with this sanctioned
- 9 coming for Occupancy Certificate applicant shall obtain clearance from T.S. Fire complex under the provisions <mark></mark> T.S. Fire Services Services Dept. Act 1994 for the before
- J וחסא היייי אפוויויא מספא not bar any pubic agency including HMDA to lands for public purpose as per law. acquire

ADDITIONAL CONDITIONS:

- a The Owner / Developers shall ensure the safety of construction workers
- <u>5</u> construction workers for the duration of construction. Developers shall ensure a comprehensive insurance policy 으
- 0 with proper hygienic temporary shelter with drinking water and sanitary measures shall be provided Owner / Developers shall temporarily house the construction workers on the site
- <u>a</u> Owner / Developers shall be responsible for the safety of construction workers
- <u>e</u> withdraw the said permission case above said conditions are not adhered; HMDA / Local Authority can

installations as stipulated in National Building Code of India, 2005 like: The Owner / Developer shall be responsible to provide all necessary Fire Fighting

- ب mtrs and height clearance of 5 mtrs To provide one entry and one exit to the premises with a minimum width of 4.5
- 2) Fire resistant swing door for the collapsible lifts in all floors
- ω Provide Generator, as alternate source of electric supply.
- Emergency Lighting in the corridor / common passages and stair cases

- 5 with minimum of four numbers fire extinguishers per floor and 5 kgs Two numbers water type fire extinguishers for every 600 Sq.Mtrs of floor area
- 6 extinguishers minimum 2 Nos. at Generator and transformer area shall be per I.S.I specification No.2190-1992
- 7 Manually operated and alarm system in the entire buildings
- ∞ Separate Underground static water storage tank capacity 으 25 000 स्ड
- 9 Separate Terrace tank of 25,000 lits capacity for Residential Buildings
- 10) Hose Reel, Down Comer
- 1 Automatic Sprinkler system is to be provided if the basement area exceeds 200
- 12) ensure electrical fire safety: Electrical wiring and installation shall be certified by the electrical engineers ð
- <u>13</u>) ownership) rules, 1987. Transformer Rule shall be protected with 4 hours rating fire resistant constructions 3 <u></u> 으 A.P **Apartments** (Promotion of construction
- <u>1</u>4) maneuverability of fire vehicles. No parking or any constructions shall be made മ joint open spaces with the neighbouring building / premises for

Other Conditions to be complied by Owner / Developer:

- The applicant shall follow the conditions mentioned in various NOCS issued by State EC22B039TG117764 Dated. Level Environmental Impact Assessment Authority (SEIAA) vide No. Department 16.07.2022, Airport Authority of India and Fire Service SEIAAEC <u>N</u>0.
- 2 JNTU/CEH/CIVIL/PC/7185/2022 Dt.19.10.2022 The applicant has submitted Structural clearance certificate from JNTU vide letter No
- ယ applicant has submitted Drainage/ Sewerage network plan and Undertaking of cellar area as per (13(c-xi) in G.O.M.S 168 M.A φ
- 4. with bank guarantee (BG) No. IN-KA85748018349158U6 dated. 16.11.2022 The applicant has submitted Bank guarantee for solar water heating and solar lighting
- Ģ Generator room, cellar floor and not for other purposes. .04.2012 on Rs.100/- Non-Judicial stamp paper applicant area has Sewerage Treatment Plant (STP), for utilities submitted and non-habitation purpose the undertaking stating that, they will utilize as Electrical installations, Laundry per ike G.O.Ms.No.168 A/C Plant room, 10% M A
- <u>ტ</u> connection till to produce the Occupancy Certificate from Sanctioning Authority. SB and T.S. Transco are requested to not to provide the permanent
- 7 planning, design and supervision of qualified and competent technical personnel electrical installations work of the building services like sanitation, plumbing, fire safety requirements and other utility services shall be executed under the
- ∞ applicant shall provide refuse-chute along with proper garbage disposal systems.
- 9 supply for or water supply the applicant should approach to HMWS upply for bulk supply or to provide water treatment plan & SB department for water

- 10. If any cases are pending in court of law with regard to the site under reference and have adverse orders, the permission granted shall deem to withdrawn and cancelled.
- 11. The Rainwater harvesting from the roof tops may also be incorporated, to store water and also make special provisions for storm water drains
- 12. The gardening etc applicant shall provide the STP and the recycle water shall be utilized for
- municipal solid waste strictly in accordance with the solid waste Management Rule 2016. the Prescribed Parameters. Further, such plans should duly provide for a and comprehensive system of collection, transportation and disposal of
- 14. The applicant / developer and structural Engineer and Architect are sole responsible if Apartments and after in the site under reference any loss of human life or any damage occurs while constructing the Residential
- and their amendments from time to time. To comply the conditions laid down in the G.O.Ms.No.168 MA & UD, dt.07-04-2012
- Service Department applicant shall follow the conditions mentioned by Airport Authority of India and
- 17. The HMDA resume the right to cancel the permission, if it is found that the permission is obtained by false statement or misinterpretation or suppression of any material facts
- 18. In any disputes litigation arises in future, regarding the ownership of a land, schedule HMDA or its employees shall not be part to any such disputes / litigations of boundaries etc., the applicant shall responsible for the settlement of the same
- 19. In case it is noticed that the open space and the internal circulation pattern are construction as per extant law cancelled and the local body shall be authorized to take necessary action against the maintained as per the approved plan, the Building Permission shall be deemed to be
- The applicant shall construct the sump, septic tank and water harvesting the specifications pits per
- 21. The applicant should follow the conditions imposed by Fire Service in the provisional
- 22. Any conditions laid by the authority are applicable

Yours faithfully, Sd/for Metropolitan Commissioner Director Planning – I

Encl:

1) Two sets of plans

Copy to:

information. The Municipal Commissioner Narsingi Municipality Gandipet Mandal R.R. District for

//t.c.f.b.o./

Divisional Accounts Officer (SJ)
Planning