



SLUM REHABILITATION AUTHORITY

Administrative Building, Anant Kanekar Marg, Bandra(E), Mumbai: 400051

**Intimation of Approval under Sub regulation of Regulation 33(10)
Development Control and Promotion Regulations -2034 For Greater Mumbai**

No. K-E/PVT/0244/20200312/AP/S2

Sale Building no. 2

Dated: **51 JUN 2023**

To,

M/s. Gyan S.P. Developers L.L.P.
1 to 4, Shkula Bhavan, Mumbadevi Road,
Tambakata, Mumbai 400003.

With reference to your Notice, letter u/no. **580** dated **25/05/2023** and delivered on **25/05/2023** and the Plans Sections Specifications and Description and further particulars and details of your Building at **Proposed S.R. Scheme under Reg. 33(10) of DCPR 2034 on plot bearing CTS No. 45 (Pt.), 48 and 48/1 to 37 of Village Majas Part 1, Taluka - Andheri, at Bandrekar wadi, Jogeshwari (East), Mumbai:- 400060** furnished to me under your letter, dated **25/05/2023**. I have to inform you that the proposal of construction of the building of work proposed to be erected or executed is hereby approved under Section 45 of the Maharashtra Regional & Town Planning Act, 1966 as amended up-to-date subject to the following conditions :

**A. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH
BEFORE COMMENCEMENT OF THE WORK UPTO PLINTH LEVEL**

- A.1) That the Commencement Certificate under section 44/69 (1) of the MR & TP Act shall be obtained before starting the proposed work.
- A.2) That the compound wall shall be constructed, after getting the plot demarcated from the concerned authority, on all sides of the plot clear of the road side drain without obstructing the flow of rain water from the adjoining holding, to prove possession of holding before starting the work as per DCPR-2034 Regulation No.37 (24).
- A.3) That the structural Engineer shall be appointed, and the Supervision memo as per Annexure - 5 of DCPR - 2034 shall be submitted by him.
- A.4) That the Structural design and calculations for the proposed work accounting for system analysis as per relevant IS code along with plan shall be submitted before C.C.

Subject to your so modifying your intention as to comply the aforesaid mentioned conditions and meet by requirements. You will be at liberty to proceed with the said building or work at anytime before the _____ day of _____ 20 but not so as to contravene any of the provisions of the said Act as amended as aforesaid or any rule, regulations of bye-law made under that Act at the time in force.

Your attention is drawn to the special Instructions and Notes accompanying this Intimation of Approval


Executive Engineer, (S.R.A.)

SPECIAL INSTRUCTIONS

- (1) IN CASE OF PRIVATE PLOTS THIS INTIMATION OF APPROVAL GIVES NO RIGHT TO BUILD UPON LAND WHICH IS NOT YOUR PROPERTY
- (2) Under Section 151 & 152 of M.R & T.P. Act 1966, as amended the Chief Executive Officer, Slum Rehabilitation Authority has empowered the Dy.Ch. Engineer (S.R.A.)/ Executive Engineer (S.R.A.) to exercise, perform and discharge the powers, duties and functions conferred and imposed upon and vested in the C.E.O. (S.R.A.) by section of the said Act.
- (3) Proposed date of commencement of work should be communicated to this office.
- (4) One more copy of the block plan should be submitted to the Collector, Mumbai / Mumbai Suburbs District as the case may be.
- (5) Necessary permission for Non-agricultural use of the land shall be obtained from the Collector, Mumbai/ Mumbai Suburban District before the work is started. The Non- agricultural assessment shall be paid at the rate that may be fixed by the Collector, under the Land Revenue Code and Rules thereunder.

Attention is drawn to the notes accompanying this Intimation of Approval

- 5) That the minimum plinth height shall be 30 cm. above the surrounding ground level or in areas subject to flooding the height of plinth shall be at least 60 cm. above the high flood level.
- 6) That the low lying plot shall be filled up to a reduced level of atleast 92 T.H.D. or 15 cm. above adjoining road level whichever is higher with murum, earth, boulders etc. and shall be leveled, rolled, consolidated and sloped towards road.
- 7) That the internal drainage layout shall be submitted & got approved from concerned Asst. Engineer (SRA) and the drainage work shall be executed in accordance with the approved drainage layout.
- 8) That the existing structure proposed to be demolished shall be demolished with necessary phase program by executing agreement with eligible slum dwellers.
- 9) That the Registered site supervisor through Architects/Structural Engineer shall be appointed before applying for C.C. & quarterly report from the site supervisor shall be submitted through the Architect/Structural Engineer certifying the quality of the construction work carried out at various stages of the work.
- 10) That no construction work shall be allowed to start on the site unless labour insurance is taken out for the concerned labours and the same shall be revalidated time to time. And the compliance of same shall be intimated to this office.
- 11) That the Registered Undertaking from the Developer and Society shall be submitted for the following
 - i) Not misusing part/pocket terrace/Free of FSI.
 - ii) Not misusing stilt.
 - iii) Not misusing Refuge Area.
 - iv) To demolish the excess area if constructed beyond permissible F.S.I.
 - v) Handing over setback land free of compensation alongwith the plan.
 - vi) To demolish the Transit Camp, Site Office, Temporary structures, etc. constructed outside on site within one month of Rehab OC & may be directed by SRA.
- 12) The Structural designs and the quality of materials and workmanship shall be strictly as per conditions laid down in Regulation 45 of DCPR 2034 amended up to date.

- 13) That you shall submit the NOC's as applicable from the following concerned authority in the office of Slum Rehabilitation Authority at a stage at which it is insisted upon by the concerned Executive Engineer (SRA).

Sr. No.	NOC's	Stage of Compliance
1	A.A & C 'K/E' Ward	Before Plinth C.C.
2	H.E. from MCGM	Before Plinth C.C.
3	Tree Authority	Before Plinth C.C.
4	Dy. Ch. Eng. (SWD)- W.S. Regarding Internal SWD	Before Further C.C.
5	Dy.Ch.Eng.(S.P.) (P & D)	Before Plinth C.C.
6	Dy. Ch. Eng.(Roads)-W.S.	Before Further C.C.
7	P.C.O.	Before Plinth C.C.
8	BEST/ TATA/ Reliance Energy /MSEB/ Electric Co.	Before Further C.C.
9	Civil Aviation Authority	Before Further C.C.
10	E.E. (T & C) of MCGM / Consultant for Parking Layout	Before Further C.C.
11	CFO NOC	Before Further C.C.
12	MOE & F (if required)	Before C.C. beyond 20000 sq. mtr. of constructed.

- 14) That the design and construction of the proposed building will be done under supervision of registered Structural Engineer as per all relevant I.S. Codes including seismic loads as well as under the supervision of Architect and licensed Site Supervisor.
- 15) That the registration of Society shall be submitted.
- 16) That the C.C. shall be released as per the co-relation Rehab Component & sale BUA as may be decided by SRA.
- 17) That you shall take proper precautions for safety like barricading, safety nets etc. as directed by Safety Engineer/Structural Engineer, Geotech Consultant towards workers, occupants, adjoining structures etc. and you & your concerned team shall be responsible for safety.

- 18) That you shall submit concurrence for 5% Amenity Space as proposed from MCGM before asking further C.C.
- 19) That you shall install CC TV Cameras with direct feed to SRA Server at site as may be directed by I.T. Dept. SRA.

B. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE: -

- 1) That a plan showing the dimensions of the plinth and the available open spaces certified by the Architect shall be submitted and the same shall be got checked & certified by the concerned Sub Engineer (SRA).
- 2) That the stability certificate for work carried out upto plinth level/stilt level shall be submitted from the Lic. Structural Engineer.
- 3) That the quality of construction work of bldg. shall be strictly monitored by concerned Architect, Site supervisor, Structural Engineer, Third Party Quality Auditor and Project Management Consultant. The periodical report as regards to the quality of work shall be submitted by Architect/L.S. along with test result.
- 4) That the C.C. of last 10% sale area shall not be released till the outside transit camp is demolished.
- 5) That the NOC from Airport Authority shall be submitted before further C.C.

C. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE GRANTING O.C. TO ANY PART OF THE PROPOSED BUILDING.

- 1) All the conditions of Letter of Intent shall be complied with at stages as directed by SRA or before asking for occupation certificate of sale/composite building.
- 2) The Building Completion Certificate in prescribed Performa certifying work carried out as per specification shall be submitted.
- 3) That some of the drains shall be laid internally with C.I. pipes.
- 4) That you shall develop the layout access/D.P. Road/setback land including providing streetlights as per the remarks/specifications MCGM. And submit the completion certificate from E.E. (Road Construction) as per the remarks.
- 5) That the dustbin shall be provided as per requirement.
- 6) That carriage entrance over existing SWD shall be provided and charges if any for the same shall be paid to MCGM before requesting occupation.
- 7) That the surface drainage arrangement shall be provided in consultation with E.E. (SWD) as per the remarks and a completion certificate shall be obtained and submitted before requesting for occupation certificate/B.C.C.

- 8) That the requirements from the M.T.N.L./ Reliance Energy /concerned electric Supply Co. shall be complied and complied with before asking occupation permission.
- 9) That the Architect/L.S. shall submit the debris removal certificate before requesting for occupation permission.
- 10) That 10'-0" wide paved pathway up to staircase shall be provided.
- 11) That the surrounding open spaces, parking spaces and terrace shall be kept open and unbuilt upon and shall be levelled and developed before requesting to grant permission to occupy the building or submitted the B.C.C. whichever is earlier.
- 12) That the name plate/board showing Plot No., Name of the Bldg. etc. shall be displayed at a prominent place.
- 13) That the N.O.C. from Inspector of Lifts, P.W.D. Maharashtra, shall be obtained and submitted to this office.
- 14) That the drainage completion Certificate from E.E. (S.P.) (P & D) for provision of septic tank/soak pit/STP shall be submitted.
- 15) That stability Certificate from Structural Engineer in prescribed Performa 'D' along with the final plan mounted on canvas shall be submitted.
- 16) That the N.O.C. from the A.A. & C. 'K/E' Ward shall be obtained and the requisitions, if any shall be complied with before O.C.C.
- 17) That the list of slum dweller to be accommodated in the building shall be submitted in duplicate before submitting BCC.
- 18) That completion certificate from C.F.O. shall be submitted.
- 19) That you shall submit P.R. Card and CTS plan thereby clearly earmarking the rehab plot and sale plot and built up area as per the approved layout.
- 20) That the completion certificate from E.E. (M&E) of MCGM for Ventilation/Stack parking/Mechanical Parking System shall be submitted.
- 21) That the completion certificate from Tree Authority of MCGM shall be submitted.
- 22) That the Rain Water Harvesting system should be installed/ provided as per the direction of U.D.D. Govt. of Maharashtra under No. TPB/432001/2133/CR-230/01/UD-11 dtd. 10/03/2005 and the same shall be maintained in good working conditions all the time, failing which penalty of Rs. 1000/- per annum for every 100 sq.mt. of built-up area shall be levied.

- 23) That you shall pay Rs. 100/- per eligible slum dwellers towards issue of Identity Cards as per circular no. 137 dtd. 01.08.2012 before OCC to Rehab Building/Composite Building.

D. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE B.C.C.

- 1) That certificate under Section 270A of B.M.C. Act. shall be obtained from K.E.'s department regarding adequacy of water supply.
- 2) That you shall have to maintain the rehab building for a period of 3 years from the date of granting occupation to the rehab bldg.
- 3) That you shall have to maintain the electro mechanical systems such as water pumps, lifts, etc. for a period of ten years from the date of issue of Occupation Certificate to the Rehabilitation / Composite building.

NOTES:

1. That C.C. for sale building shall be controlled in a phasewise manner as decided by CEO (SRA) in proportion with the actual work of rehabilitation component as per Circular No. 98 & 104.
2. That no occupation permission of any of the sale wing/sale building/sale area shall be considered until Occupation Certificate for equivalent Rehabilitation area is granted.
3. That CEO (SRA) reserves right to add or amend or delete some of the above or all the above mentioned conditions if required, during execution of Slum Rehabilitation Scheme.


Executive Engineer-K/E
Slum Rehabilitation Authority