

23. CUSTODY

This Agreement is executed in duplicate. The original shall be with the Developer and the duplicate shall be with the Owners/First Party.

- This Agreement shall not be terminated unilaterally by any of the parties herein and the appointment of Developer shall be irrevocable, other obligations undertaken by the Developer.
- .25. The Stamp duty and the Registration Fees of this Joint Development Agreement is borne and paid by the Developer herein.

26. **CONSTRUCTION SPECIFICATIONS:**

RCC framed structure with solid block walls with ROBO sand 1. Structure

6" thick cement solid blocks exterior walls and 4" thick Cement Walls solid block for internal walls, cement solid block for internal walls.

Doors Main Door – Teak wood frame with compressed modular door with

teak wood shutter

Other doors – Sal wood frames with water proof moulded doors or

water proof laminated doors French Door: 02 Track UPVC

4. Locks Main Door: Godrej with S.S. fittings

Bed Room: Lakshmi lock with S.S. fittings

Rope Stanforther

Rope SUSDES - P.

Midne Rashi

Moghana

8803

ಈ ದಸ್ತಾರೇಜು ಹಾಳೆಯನ್ನು ಸಂಘದ ಉಪನಿಯಮ ಸಂಖ್ಯೆ 5(9) ರ ಪ್ರಕಾರ ಮುದ್ರಿಸಲಾಗಿದೆ.

2019-20

ದಸಾವೇದು ಹಾಳೆ Document Sheet

ಕರ್ನಾಟಕ ರಾಜ್ಯ ನೋಂದಣಿ ಮತ್ತು ಮುದ್ರಾಂಕ ಇಲಾಖಾ ನೌಕರರ ವಿವಿಧೋದ್ದೇಶ ಸಹಕಾರ ಸಂಘ ನಿಯಮಿತ



The Karnataka State Registration and Stamps Department Official's Multipurpose Co-Operative Society Ltd.

ಈ ಹಾಳೆಯನ್ನು ಯಾವುದೇ ದಸ್ತಾವೇಜಿಗೆ ಉಪಯೋಗಿಸಬಹುದು This sheet can be used for any document

ಚೆಲೆ: ರೂ. 2/-(GST EXTRA)

Windows

UPVC three track aluminium with bug mesh

6. Flooring

Vitrified flooring in all rooms and 4" skirting

(size 800 x 800 mm) Size premium quality for living area bedroom and kitchen, antiskid tiles for toilets, balconies and utilities

7. Kitchen platform 30 mm thick black granite platform top and stainless steel sink. Glazed tiles dado upto 2 feet height above the platform. Electrical provision for chimney, Aqua Guard, Refrigerator and Grinder. Washing machine point in utility area, provision of Gas pipe connection from utility to kitchen

8: Toilets

Ceramic glazed wall tiles dado upto 7 feet height wall mounted commode of Jaquar or equivalent wash basin (white colour) of Parryware/Jaguar/Cera or equivalent make ... single level diverter with head shower of Parryware/Jaguar/Cera or equivalent make and provision for geyser ...

9. Electrical work

Concealed copper wiring of ISI standard make, provision of adequate light points and fan power points. Modular switches (Anchor/Roma)/equivalent make and fan power point

10. Plastering

External walls – two coat sponge finish, with lime rendering smooth finish, internal walls - smooth plastering with wall care putty rendering

11. Paints

Interior Walls: One coat of primer & two coats of Emulsion paint with smooth finish

K.P. Showards

Pool Stores P.

TIML

Roshi

Moghana

8803 2019-2n ಈ ದಸ್ತಾವೇಕು ಹಾಳೆಯನ್ನು ಸಂಘದ ಉಪನಿಯಾ ಸಂಖ್ಯೆ 5(9) ರ ಪ್ರಕಾರ ಮುದ್ರಿಸಲಾಗಿದೆ. ದಸಾವೇಜು ಹಾಳೆ ಕರ್ನಾಟಕ ರಾಜ್ಯ ನೋಂದಣಿ ಮತ್ತು ಮುದ್ರಾಂಕ ಇಲಾಖಾ ನೌಕರರ ವಿವಿಧೋದೇಶ ಸಹಕಾರ ಸಂಘ ನಿಯಮಿತ The Karnataka State Registration and Stamps Department Official's Multipurpose Co-Operative Society Ltd. ಈ ಹಾಳೆಯನ್ನು ಯಾವುದೇ ದಸ್ತಾವೇಜಿಗೆ ಉಪಯೋಗಿಸಬಹುದು This sheet can be used for any document ಚೆಲೆ : ರೂ. 2/-(GST EXTRA)

Exterior Walls: One coat of primer & two coats of weather proof

paint. Apex Grills enamel paint

Main Door: Teak polish, Bedroom and bathroom doors: Enamel

paints

12. TV/Telephone g points

Individual TV & Telephone points in Main Hall and Master Bedrooms and A.C. point in Master Bedroom

13. Compound walls & Gate

14.Water

Water deep tube well

15.Parapet wall

3 feet

16. Underground Sump

17. Common Overhead Tank

18. Common Lifts - Johnson/Kone/Teknick or equivalent make

19. Power Backup for all common areas and for each flat (except AEH points) and intercom

20. Amenities: Gym, Party Hall, Children's play area, 24 hours security

Note: 2.25% FAR will be used for construction of the residential apartment, along with

approx 125 covered car parking spaces in the project

K.P. Sterpoffe

LOS STUS I. P.