

*Indicative image

SPECIFICATIONS FOR

PURVA - ATMOSPHERE AT THANISANDRA, BANGALORE



PURAVANKARA LIMITED

#130/1, ULSOOR ROAD

BANGALORE



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 1 OF 16

Date: NOVEMBER 2018 REVISION: RO

DESIGN

Aswath Prasad Vice President - Architecture Suresh H M Senior Manager - Design (Services) Sreeramachandra Murthy DGM – Design (Services) Shiva Kumar L Sr. VP St. Design

PROCUREMENT & CONTRACTS

QA & PE

Srikanth Srinivasan
President – Procurement & Contracts

Kandasamy V Vice President – QA & PE



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 2 OF 16

Date: NOVEMBER 2018 REVISION: RO

1. STRUCTURE

- 1.1. RCC framed Structure Seismic zone compliant
- 1.2. Parking: Basement /Surface as per design
- 1.3. Typical floors to have apartments
- 1.4. Staircases & lifts in each residential block connected to all the levels
- 1.5. Residential Floor to floor height 3.05 m

2. FINISHES

2.1. FLOORING

2.1.1. Lobbies at Parking level / Ground floor : Vitrified tiles/ Granite / Marble as per architect s design

Passages leading to the Lifts

2.1.2. Typical floor lobby : Vitrified tiles

2.1.3. Foyer /Living/Dining/ Bedrooms / Dress : Vitrified tiles

2.1.4. Master bed room : Laminated wood - flooring laid on hard Concrete screed

2.1.5. Kitchen / Utility : Vitrified tiles



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 3 OF 16

Date: NOVEMBER 2018 REVISION: RO

2.1.6. Balcony/Sit outs : Anti-skid Ceramic tiles

2.1.7. Toilets : Anti-skid Ceramic tiles

2.1.8. Maid's room / EWS units : Ceramic tiles

2.1.9. Staircase - parking level to first Apartment level : Granite

2.1.10. Staircase – typical floors : Kota / Tandoor stone

2.1.11. STP : Ceramic Tiles

2.2. **WALLS**

2.2.1. All Internal walls & ceilings : Gyp /Cement Plastered & Painted in Plastic Emulsion

2.2.2. Kitchen : 2ft Height rough plastered surface



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 4 OF 16

Date: NO	VEMBER 2018 REVISION: RO		
2.2.3.	Toilets	:	Glazed / Matt - ceramic dado tiles up to false ceiling
2.2.4.	Lift wall cladding	:	Granite / Vitrified tile / textured paint / lacquered glass / GRC jaali as per architects
			Design.
2.2.5.	Exterior Fascia of building	:	Painted with external grade/ Emulsion Paint & Textured painted surfaces / Dry
			Cladding / GRC members in selective places as per Elevation / Architect's design
2.3. <u>CEILI</u>	<u>INGS</u>		
2.3.1.	All Internal Ceilings	:	finished with Gypsum & painted in emulsion
2.3.2.	Toilets	:	Modular Grid False Ceiling
2.3.3.	Entrance Lobby of the Tower / Wings	:	Gyp Board false ceiling with Trap door
2.3.4.	Typical floor Lift lobby/Corridor	:	Gyp board - False Ceiling with Trap door
2.4. <u>HAN</u>	<u>DRAILS</u>		
2.4.1.	Staircases	:	MS Railings as per Architect s design (service staircases)
2.4.2.	Balcony/ Sit out	:	SS Railing with laminated / tempered glass panels as per Architect's design



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 5 OF 16

Date: NOVEMBER 2018 REVISION: RO

3. <u>FIXTURES & FITTINGS</u>

3.1. DOORS

3.1. <u>DOO</u>	<u>K2</u>		
3.1.1.	Main door	:	FRAME: Engineered / solid wood frame with Architrave -PU lacquer polished in
			matt finish
			SHUTTER: Natural wood veneer finished Paneled shutter with PU lacquer polished
			in matt finish with Good Quality Iron mongery
3.1.2.	Bed Room Doors	:	FRAME: Engineered / Solid wood frame with Architrave - PU polished in matt finish
			SHUTTER: Engineered shutter with Natural wood veneer on either side
			PU lacquer polished in matt finish with Good Quality Iron mongery
3.1.3.	Toilet Doors	:	FRAME: Engineered/ solid wood frame with Architrave - PU polished in matt finish
			SHUTTER: Engineered shutter with Natural wood veneer on outside with laminate
			finish inside with Good Quality Iron mongery
3.1.4.	Kitchen – maid room entry	:	FRAME: Engineered/ solid wood frame with Architrave - PU polished in matt finish
			SHUTTER: Engineered shutter with Natural wood veneer on outside with laminate
			finish inside with Good Quality Iron mongery



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 6 OF 16

Date: NOVEMBER 2018 REVISION: RO

3.1.5.	Living/Dining to Balcony / Sit out	:	3 track glazed UPVC frames with Sliding shutters, with insect mesh
3.1.6.	Maid room / EWS unit	:	FRAME: Engineered/ solid wood frame - PU polished in matt finish
			SHUTTER: Engineered shutter with teak wood veneer on outside with laminate
			finish inside with Good Quality Iron mongery
3.1.7.	Maid room / EWS toilet door	:	FRAME: Engineered/ solid wood frame - PU polished in matt finish
			SHUTTER: Engineered shutter with teak wood veneer on outside with laminate
			finish inside with Good Quality Iron mongery
3.1.8.	Basement / Lobby entrance door	:	UPVC Framed – Glazed door

3.2. WINDOWS & VENTILATORS

3.1.9. Terrace door

3.1.10. Staircase doors

3.2.1. Windows : Glazed, 3 track Aluminum / UPVC frames with Sliding shutters with insect mesh and Safety bars as per Architects design

Frame and shutter in Mild steel

2-hour fire rated doors



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 7 OF 16

Daie. NOVEMBER 2010 REVISION. R	Date:	NOVEMBER 2018	REVISION: RO
---------------------------------	-------	---------------	--------------

3.2.2. Ventilators

Glazed, Aluminum / UPVC frames with Louvers/Openable shutter to access service shafts, with provision for Exhaust fan

3.3. PLUMBING / SANITARY FITTINGS

ALL TOILETS

- CP fixtures : ARTIZE / KOHLER / GROHE / KLUDI fixtures for EWC, Washbasin & shower areas

- EWC : White colored-TOTO/KOHLER/DURAVIT wall Mounted EWC with seat cover,

Flush Valve, Health Faucet

- Wash basin : White colored - TOTO/KOHLER/DURAVIT Counter washbasin with basin mixer

Provisions : provision for geyser (electrical & plumbing lines)

Floor trap : tile topped cockroach trap at health faucet and shower locations

- Maids / EWS toilets : HINDWARE wall mounted EWC with JAQUAR CP fittings



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 8 OF 16

Date: NOVEMBER 2018 REVISION: RO

KITCHEN

- Exclusive Kitchen water lines : ultra-filtered water in kitchen for drinking and cooking

- Provisions : for Water Purifier (Electrical & plumbing lines)

UTILITY

- Floor trap : Cockroach trap - if required as per design

- Two way bib cock : ARTIZE / KOHLER/GROHE / KLUDI – Two way bib cock for washing machine

3.4. **ELECTRICAL WORKS**

3.4.1. General Electrical works : ISI certified cables, wiring through PVC Conduits concealed in walls & ceilings, with

Modular switches - PANASONIC/ SCHNEIDER / LEGRAND / MK HONEYWELL

3.4.2. Provisions for AC : Provision of Power point for AC in Living / Dining and bed rooms



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 9 OF 16

Date:	NOVEMBER 2018	REVISION: RO

3.4.3.	DG – power back up	:	100% Back up for common area Lighting, pumps, Lifts & fire services based on standard
			Diversity factors, backup power as in electrical matrix

3.4.4. Elevators KONE / MITSUBISHI / SCHINDLER Lifts with AUTOMATIC RESCUE DEVICE (ARD) with emergency call Facility to Security cabin.

3.5. OTHER SERVICES / INFRASTRUCTURE

3.5.6. Ultra filtered water

3.5.1.	Services	:	STP , WTP & OWC as per Requirements
3.5.2.	Intercom point	:	Living /Dining of each apartment to Security except EWS units
3.5.3.	CCTV	:	At designated locations – as per design
3.5.4.	Provision for WiFi	:	Provision for a point – for connecting to WiFi at living/Dining (modem/device not included)
3.5.5.	Digital lock	:	Digital lock from YALE or SAMSUNG for Main door

: Ultra filtered water to kitchen through separate lines for drinking & cooking purpose

PURAVANKARA®

SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 10 OF 16

Date: NOVEMBER 2018 REVISION: RO

AMENITIES

CLUB HOUSE

(Exclusive club house on 34th floor of Tower 1)

- Viewing gallery as per design in selective places
- Lobby / Reception
- Multipurpose hall
- o Gymnasium
- Yoga / Aerobics
- o Games Room-cards, carom & chess
- Café space provision only
- Squash court

OTHER FACILITIES

- Car wash point
- Car Charging point
- o Driver's & Disabled toilet 1 per tower 3 nos
- o Children s play area with EPDM
- 2 nos Out door tennis courts
- o Open Air Gym
- Half Basket Ball Court
- Festival Plaza
- Pet Park
- Meditation deck
- Tree court

- Swimming pool including toddlers pool associated with shower, change room & Steam room
- Crèche / Office



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 11 OF 16

Date: NOVEMBER 2018 REVISION: RO

PLUMBING MATRIX - 2 BED ROOM AND 3 BED ROOM APARTMENTS

								PLU	MBING POI	NTS & FIX	(TURE - 2	BHK APA	RTMENTS							
			E	WC			WA	ASH BASI	N			SHO	WER				KITCHE	V	UT	ILITY
S		EWC WALL MOUNTED WITH FLUSH VALVE	HEALTH FAUCET	ANGULAR STOP COCK FOR HEALTH FAUCET	FLOOR TRAP GRATING WITH COCKROACH TRAP	WASH BASIN WITH BOTTLE TRAP	SINGLE LEVER BASIN MIXER	PILLAR COCK FOR WASH BASIN	ANGULAR STOP COCK FOR WB	SINGLE LEVER CONCEALED DIVERTOR WITH BATH SPOUT	RAIN SHOWER WITH ARM	SHOWER HEAD WITH ARM	ANGULAR STOP COCK PROVISION FOR TOILET GEYSER	BIB COCK FOR COLD WATER	FLOOR TRAP GRATING WITH COCKROACH TRAP	ANGULAR STOP COCK PROVISION FOR MIXER	ANGULAR STOP COCK PROVISION FOR FOR WATER PURIFIER	ANGULAR STOP COCK PROVISION FOR INSTANT GEYSER	2 WAY BIB COCK FOR UTILITY WASHING M/C	FLOOR TRAP GRATING WITH COCKROACH TRAP
:	MBR TOILET	1	1	1	1	1	1	0	2	1	1	0	1	0	1					
:	COMMON TOILE	Г 1	1	1	1	1	0	1	1	1	1 0		1	0	1					
	KITCHEN															2	1	1		
-	UTILITY																		1	1

									PLU	MBING POI	NTS & FIX	TURE - 3	ВНК АРА	RTMENTS							
				E	WC			WA	SH BASI	N			SHO	WER				KITCHE	V	UT	TLITY
S		LOCATION	EWC WALL MOUNTED WITH FLUSH VALVE	HEALTH FAUCET	ANGULAR STOP COCK FOR HEALTH FAUCET	FLOOR TRAP GRATING WITH COCKROACH TRAP	WASH BASIN WITH BOTTLE TRAP	SINGLE LEVER BASIN MIXER	PILLAR COCK FOR WASH BASIN	ANGULAR STOP COCK FOR WB	SINGLE LEVER CONCEALED DIVERTOR WITH BATH SPOUT	RAIN SHOWER WITH ARM	SHOWER HEAD WITH ARM	ANGULAR STOP COCK PROVISION FOR TOILET GEYSER	BIB COCK FOR COLD WATER	FLOOR TRAP GRATING WITH COCKROACH TRAP	ANGULAR STOP COCK PROVISION FOR MIXER	ANGULAR STOP COCK PROVISION FOR FOR WATER PURIFIER	ANGULAR STOP COCK PROVISION FOR INSTANT GEYSER	2 WAY BIB COCK FOR UTILITY WASHING M/C	FLOOR TRAP GRATING WITH COCKROACH TRAP
	L ME	BR TOILET	1	1	1	1	1	1	0	2		1	0	1	0	1					
		ED ROOM OILET	1	1	1	1	1	0	1	1	1	1 0 1		1	0	1					
	3 CC	OMMON TOILET	1	1	1	1	1	0	1	1	1	0	1	1	0	1					
	i kī	ITCHEN															2	1	1		
	5 UT	TILITY																		1	1



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 12 OF 16

Date: NOVEMBER 2018 REVISION: RO

PLUMBING MATRIX - 3 BED ROOM AND 4 BED ROOM APARTMENTS

								PLUMB	ING POINTS	& FIXTU	RE - ЗВНК	+ MAID	APARTMEN	NTS						
			E	wc			WA	ASH BASI	N			SHO	WER				KITCHE	V	UT	TLITY
SL. No.	LOCATION	EWC WALL MOUNTED WITH FLUSH VALVE	HEALTH FAUCET	ANGULAR STOP COCK FOR HEALTH FAUCET	FLOOR TRAP GRATING WITH COCKROACH TRAP	WASH BASIN WITH BOTTLE TRAP	SINGLE LEVER BASIN MIXER	PILLAR COCK FOR WASH BASIN	ANGULAR STOP COCK FOR WB	SINGLE LEVER CONCEALED DIVERTOR WITH BATH SPOUT	RAIN SHOWER WITH ARM	SHOWER HEAD WITH ARM	ANGULAR STOP COCK PROVISION FOR TOILET GEYSER	BIB COCK FOR COLD WATER	FLOOR TRAP GRATING WITH COCKROACH TRAP	ANGULAR STOP COCK PROVISION FOR MIXER	ANGULAR STOP COCK PROVISION FOR FOR WATER PURIFIER	ANGULAR STOP COCK PROVISION FOR INSTANT GEYSER	2 WAY BIB COCK FOR UTILITY WASHING M/C	FLOOR TRAP GRATING WITH COCKROACH TRAP
1	MBR TOILET	1	1	1	1	1	1	О	2	1	1	0	1	0	1					
2	BED ROOM TOILET	1	1	1	1	1	0	1	1	1	0	1	1	0	1					
3	COMMON TOILET	1	1	1	1	1	0	1	1	1	0	1	1	0	1					
4	MAID'S / EWS TOILET	1	1	1	1	0	0	0	0	0	0	0	0	1	0					
5	KITCHEN															2	1	1		
6	UTILITY																		1	1

								PLUMBI	NG POINTS	& FIXTU	RE - 4BHK	+ MAID A	PARTMEN	ITS						
			E	wc			WA	SH BASI	Z			SHO	WER				KITCHE	N	UT	ILITY
SL No		EWC WALL MOUNTED WITH FLUSH VALVE	HEALTH FAUCET	ANGULAR STOP COCK FOR HEALTH FAUCET	FLOOR TRAP GRATING WITH COCKROACH TRAP	WASH BASIN WITH BOTTLE TRAP	SINGLE LEVER BASIN MIXER	PILLAR COCK FOR WASH BASIN	ANGULAR STOP COCK FOR WB	SINGLE LEVER CONCEALED DIVERTOR WITH BATH SPOUT	RAIN SHOWER WITH ARM	SHOWER HEAD WITH ARM	ANGULAR STOP COCK PROVISION FOR TOILET GEYSER	BIB COCK FOR COLD WATER	FLOOR TRAP GRATING WITH COCKROACH TRAP	STOP COCK PROVISION PROVISIO		PROVISION FOR INSTANT	2 WAY BIB COCK FOR UTILITY WASHING M/C	FLOOR TRAP GRATING WITH COCKROACH TRAP
1	MBR TOILET	1	1	1	1	1	1	o	2	1	1	0	1	0	1					
2	BED ROOM TOILET	1	1	1	1	1	0	1	1	1	0	1	1	0	1					
3	COMMON TOILET	1	1	1	1	1	0	1	1	1	0	1	1	0	1					
4	MAID'S / EWS TOILET	1	1	1	1	0	0	0	0	0	0	0	0	1	0					
5	KITCHEN															2	1	1		
6	UTILITY																		1	1



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 13 OF 16

Date: NOVEMBER 2018 REVISION: RO

ELECTRICAL POINT MATRIX - EWS, 2 BED ROOM, 3 BED ROOM & 4-BEDROOM APARTMENTS

	PURAVANKARA ELECTRICAL POINTS MATRIX-PURVA THANISANDRA																								
								PUR	AVAN	KARA	ELECTR	ICAL P	OINTS A	MATRIX-	PURVA	THANIS	SANDRA	1							
						ELEC	TRICAL	POINT M	ATRIX	- EW	S UNIT,	EB LO	AD:1k	W, DG	- BACK	UP:1k	W, EB-S	UPPLY-	1-PHA	SE					
SI	LOCATION \	DISTRIBUTION	BELL	BUZZER	CEILING	WALL	2 W A Y	WASHBASIN	CEILING	DATA	TELEPHON	TV POINT	INTERCOM	6A -	6A -	6A -	6A/16 A -	6 A	16 A	16 A	16 A -	6/16A	6A SOCKET	6/16A SOCKET	6A SOCKET
No	DESCRIPTION	BOX	PUSH		LIGHT	LIGHT	LIGHT	- MIRROR	FAN	POINT	E POINT			SOCKET -	SOCKET -	SOCKET -	SOCKET-	SOCKETS	SOCKET -	SOCKET -	SOCKET	SCOKET	FOR TV	FOR KITCHEN	FOR DATA
								LIGHT						EXHAUST	CHIMNEY	GAS LEAK	WATER	EXTRA	AC	WASHING	GEYSER	FOR		APPLIANCES	
														FAN		DETECTOR	PURIFIER			MACHINE		FRIDGE			
1	LIVING	1				1			1		1	1	1					1					1		
2	TOILET				1									1							1				
		1	0	0	1	1	0	0	1	0	1	1	1	1	0	0	0	1	0	0	1	0	1	0	0
L																									
	ELECTRICAL POINT MATRIX - 2 BHK APARTMENTS, EB LOAD: 4 kW, DG - BACK UP: 2kW, EB-SUPPLY- 3-PHASE LOCATION DISTRIBUTION BELL BUZZER CEILING WALL 2 WAY WASHBASIN CEILING DATA TELEPHON TV POINT INTERCOM 6A- 6A- 6A- 6A- 6A- 6A- 16A- 16A- 16A- 6/16A 6A SOCKET 6/16A SOCKET 6A SOCKET																								
SI	LOCATION \	DISTRIBUTION	BELL	BUZZER	CEILING	WALL	2 W A Y	WASHBASIN	CEILING	DATA	TELEPHON	TV POINT	INTERCOM	6A -	6A -	6A -	6A/16 A -	6 A	16 A	16 A	16 A -	6/16A	6A SOCKET	6/16A SOCKET	6A SOCKET
No	DESCRIPTION	BOX	PUSH		LIGHT	LIGHT	LIGHT	- MIRROR	FAN	POINT	E POINT			SOCKET -	SOCKET -	SOCKET -	SOCKET-	SOCKETS	SOCKET -	SOCKET -	SOCKET	SCOKET	FOR TV	FOR KITCHEN	FOR DATA
								LIGHT						EXHAUST		GAS LEAK		EXTRA	AC	WASHING	GEYSER	FOR		APPLIANCES	
	EVITO AVIOE													FAN		DETECTOR	PURIFIER			MACHINE		FRIDGE			
1	ENTRANCE		,																						
	(OUTSIDE) FOYER	1	ļ ļ		1																				
2	LIVING	I			2	2			1	1	1	1	1					2	1				1		1
1	DINING			1	2	2			1		l l		l l					2	'				'		ı
5	LIVING BALCONY				1				-																
6	KITCHEN/UTILITY				2									1	1	1	1	2		1		1		2	
7	MASTER BED ROOM				1	1	1		1	1	1	1		'	·		<u> </u>	2	1	'		'	1		1
8	MBR TOILET					1		1						1				2			1	t			
9	BED ROOM-2					1	1		1	1	1	1						2	1				1		1
10	COMMON TOILET					1		1						1				1			1				
11	PASSAGE					1																			
		1	1	1	9	9	2	2	4	3	3	3	1	3	1	1	1	13	3	1	2	1	3	2	3



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 14 OF 16

Date: NOVEMBER 2018 REVISION: RO

		•			ELECT	RICAL	POIN	MATRIX	- 3.0	BHK A	PARTM	ENTS ,	EB LOA	D:5 kV	V,DG-	BACK	UP:3k	W, EB SU	PPLY-	3-PHASE			•	•	
SL.	LOCATION \	DISTRIBUTION	BELL	BUZZER	CEILING	WALL	2 W A Y	WASHBASIN	CEILING	DATA	TELEPHON	TV POINT	INTERCOM	6A -	6A -	6A -	6A/16 A -	6 A	16 A	16 A	16 A -	6/16A	6A SOCKET	6/16A SOCKET	6A SOCKET
No	. DESCRIPTION	BOX	PUSH		LIGHT	LIGHT	LIGHT	- MIRROR	FAN	POINT	E POINT			SOCKET -	SOCKET-	SOCKET -	SOCKET-	SOCKETS	SOCKET -	SOCKET -	SOCKET	SCOKET	FOR TV	FOR KITCHEN	FOR DATA
								LIGHT						EXHAUST	CHIMNEY	GAS LEAK	WATER	EXTRA	AC	WASHING	GEYSER	FOR		APPLIANCES	
														FAN		DETECTOR	PURIFIER			MACHINE		FRIDGE			
1	ENTRANCE																								
	(OUTSIDE)		1																						
2	FOYER	1			1																				
3	LIVING				2	2			1	1	1	1	1					2	1				1		1
4	DINING			1	2	2			1									2							
5	LIVING BALCONY				1																				
6	KITCHEN/UTILITY				2									1	1	1	1	2		1		1		2	
7	MASTER BED ROOM					2	1		1	1	1	1						2	1				1		1
8	MBR TOILET					1		1						1				2			1				
9	BED ROOM-2				1	1	1		1	1	1	1						2	1				1		1
10	TOILET-2					1		1						1				1			1				
11	BED ROOM-3					1	1		1	1	1	1						2	1				1		1
12	TOILET-3					1		1						1				1			1				
13	PASSAGE					1																			
		1	1	1	9	12	3	3	5	4	4	4	1	4	1	1	1	16	4	1	3	1	4	2	4



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 15 OF 16

Date: NOVEMBER 2018 REVISION: RO

		•	ELEC	TRICA	LPOIN	IT MA1	RIX -	3.0 BHK 0	RANI	D APA	RTMENT	S + MA	IDROO	M , EB	LOAD:	5 kW , I	DG - BA	CK UP:	3kW, E	B SUPPL	Y- 3-PI	HASE			
SL.	LOCATION \	DISTRIBUTION	BELL	BUZZER	CEILING	WALL	2 W A Y	WASHBASIN	CEILING	DATA	TELEPHON	TV POINT	INTERCOM	6A -	6A -	6A -	6A/16 A -	6 A	16 A	16 A	16 A -	6/16A	6A SOCKET	6/16A SOCKET	6A SOCKET
No	DES CRIPTION	BOX	PUSH		LIGHT	LIGHT	LIGHT	- MIRROR	FAN	POINT	EPOINT			SOCKET-	SOCKET-	SOCKET -	SOCKET-	SOCKETS	SOCKET -	SOCKET -	SOCKET	SCOKET	FOR TV	FOR KITCHEN	FOR DATA
								LIGHT						EXHAUST	CHIMNEY	GAS LEAK	WATER	EXTRA	AC	WASHING	GEYSER	FOR		APPLIANCES	
														FAN		DETECTOR	PURIFIER			MACHINE		FRIDGE			
1	ENTRANCE																								
ı	(OUTSIDE)		1																						
2	FOYER	1			1																				
3	LIVING				2	2			1	1	1	1	1					2	1				1		1
4	DINING			1	2	2			1									2							
5	LIVING BALCONY				1																				
6	KITCHEN/UTILITY				2									1	1	1	1	2		1		1		2	
7	MASTER BED ROOM					2	1		1	1	1	1						2	1				1		1
8	MBR TOILET					1		1						1				2			1				
9	BED ROOM-2				1	1	1		1	1	1	1						2	1				1		1
10	TOILET-2					1		1						1				1			1				
11	BED ROOM-3					1	1		1	1	1	1						2	1				1		1
12	TOILET-3					1		1						1				1			1				
13	PASS AGE					1																			
14	MAIDROOM	1				1			1		1	1	1					1					1		
15	MAIDROOM TOILET				1									1							1				
		2	1	1	10	13	3	3	6	4	5	5	2	5	1	1	1	17	4	1	4	1	5	2	4



SPECIFICATIONS FOR PURVA-ATMOSPHERE AT THANISANDRA - BANGALORE

PAGE 16 OF 16

Date: NOVEMBER 2018 REVISION: RO

					ELECT	RICAL	. POIN	MATRIX	- 4.0	BHK A	APARTM	ENTS .	EB LOA	D : 6 kV	V . DG -	BACK	UP : 3k	W. EB SU	PPLY-	3-PHASE					
SL.	LOCATION \	DISTRIBUTION	BELL		CEILING			WASHBASIN							6A -	1	6A/16 A -		16 A	16 A	16 A -	6/16A	6A SOCKET	6/16A SOCKET	6A SOCKET
No.	DES CRIPTION	BOX	PUSH		LIGHT	LIGHT		- MIRROR			EPOINT			SOCKET -	SOCKET -	SOCKET -	SOCKET-	SOCKETS	SOCKET -	SOCKET -	SOCKET		FOR TV	FOR KITCHEN	FOR DATA
								LIGHT						EXHAUST	CHIMNEY	GAS LEAK	WATER	EXTRA	AC	WASHING	GEYSER	FOR		APPLIANCES	
														FAN		DETECTOR	PURIFIER			MACHINE		FRIDGE			
1	ENTRANCE																								
	(OUTSIDE)		1																						
2	FOYER	1			1																				
3	LIVING				2	2			1	1	1	1	1					2	1				1		1
4	DINING			1	2	2			1									2							
5	LIVING BALCONY				1																				
6	KITCHEN/UTILITY				2									1	1	1	1	2		1		1		2	
7	MASTER BED ROOM					2	1		1	1	1	1						2	1				1		1
8	MBR TOILET					1		1						1				2			1				
9	MBR DRESSING				- 1													1							
10	BED ROOM-2				1	1	1		1	1	1	1						2	1				1		1
11	TOILET-2					1		1						1				1			1				
12	BED ROOM-3				1	1	1		1	1	1	1						2	1				1		1
13	TOILET-3					1		1						1				1			1				
14	BED ROOM-4					1	1		1	1	1	1						2	1				1		1
_	TOILET-4					1		1						1				1			1				
16	PASSAGE					1																			
		1	1	1	11	14	4	4	6	5	5	5	1	5	1	1	1	20	5	1	4	1	5	2	5