




F.S.I. AREA / FLOOR AREA TABLE				(IN SQ.MT)
BLOCK	A+B	C	D	TOTAL
1ST FLOOR	531.42	408.26	408.26	1347.94
2ND FLOOR	531.42	408.26	408.26	1347.94
3RD FLOOR	531.42	408.26	408.26	1347.94
4TH FLOOR	531.42	408.26	408.26	1347.94
5TH FLOOR	531.42	408.26	408.26	1347.94
6TH FLOOR	531.42	408.26	408.26	1347.94
7TH FLOOR	531.42	408.26	408.26	1347.94
8TH FLOOR	531.42	408.26	408.26	1347.94
9TH FLOOR	531.42	408.26	408.26	1347.94
10TH FLOOR	531.42	408.26	408.26	1347.94
11TH FLOOR	531.42	408.26	408.26	1347.94
12TH FLOOR	531.42	408.26	408.26	1347.94
13TH FLOOR	531.42	207.32	207.32	946.06
TOTAL	6908.46	5106.44	5106.44	17121.34



[illegible]

REQ. PERCOLATING WELL:-
PLOT AREA:- 1500 TO 4000 SQ. MTS.
1 PERCOLATING WELL
PLOT AREA = 4281.00 / 4000.00 SQ. MTS.
= 1.07 NO. REQ. SAY 2 NOS.
PROVI. 2 NO. PERCO. WELL


TREE PLANTATION:-
PLOT AREA = 4281.00 SQ. MTS.
200 SQ. MTS. / 5 TREE
4281.00 X 5 / 200 = 107.03 NOS.
PROVI. 108 NO. TREES

DUST-BIN PROVIDE NOTES (RESIDENCE):-
1 NOS. OF COMMINUTED IN EACH OF 80 LITRES CAP.
DUST-BIN BE PROVIDED FOR 8 UNIT IN MARGINAL OF
PROVIDED = 8 UNITS / 1BIN / 80 LITRES CAPACITY.
REQUIRED = 204 UNITS / 8UNITS / 1 = 25.50 NOS. REQ.
PROVI. 26 NOS. DUST-BIN 80 LITRE CAP.

LIFT CALCULATION:-			
REQ.LIFT CALCULATION			
= 1 LIFT REQUIRED PER 30 UNITS			
ABOVE SECOND FLOOR			
BLOCK	UNITS	REQ.LIFT 6 PASSENGER	PROV.LIFT 10 PASSENGER
A	44	02	02
B	44	02	02
C	42	02	02
D	42	02	02




FIRE HYDRANT LEGEND		
SR.	SYMBOL	DISCREPTION
1		FIRE HYDRANT SYSTEM PIPE MAIN
2		SINGLE HANDED HYDRANT VALVE
3		SLUICE VALVE
4		NON RETURN VALVE
5		LANDING HYDRANT VALVE
6		FIRE HOSE BOX
7		FIRST AID HOSE REEL
8		DCP & CO-2
9		TWO WAY SIAMESE CONNECTION
10		RISE OR DROP
11		REDUCER
12		COURT YARD HYDRANT VALVE
13		SPRINKLER



SCRUTINIZE COPY
NO 667ADLX./2./22.
TDO, BPSP, AMC

COLOUR NOTES:-		
F. P. BOUNDARY		ROAD
PROP. WORK		PERCOLATION WELL
PROP. DRAIN-LINE		COM.BIN.
COMMON PLOT		TREE
BASEMENT LINE		SPRINKLER
		   

ENGINEER:- SHRI HARI DEVELOPERS <i>Regd. mem. no. 240/2004</i> PARTNERS Vipulbhai N. Gondaliya & Others Dev. 1039101222	COW:- <i>As</i> VIREN D. PAREKH STRUCTURAL DESIGNER AMC LIC NO. 001SE10102500342 402, Haukik Arcade, Nr. Mansi Cross Road, Vastropur, Ahmedabad-380015.
--	--

DEVELOPER:-	STR. ENGINEER:-
 KAPIL RAVI CHETIPALLY (BE CIVIL) AMC LIC NO. - 001SR03012711188 32, New Arvindnagar Society Part-1, Bapunagar, Ahmedabad-380024	

S.O.R.:-

યદ્યપિ વિગત રૂને યદ્યપિ મૂલવિશ્વવિદ્યાલયના તમામ કામો.
 સમય/સમય/સમય/સમય તા. ૧૬-૧૧-૧૦ થી તમામ અનુષ્ઠાન સંબંધિત
 જાહેરાતો મોટા ભાગે મુજબની જાહેરાતો બાંધકામમાં તમામ વિગતો સંબંધિત
 કામો મુજબની કરતો.

મહારાષ્ટ્રના સરકારી કાર્યોમાં, નાના નાના
કુલવંશના હોઈ, તે વસુદાનુ કામને બી. યુ. પરમીટના
અધીનમાં સેવકવાને રહેશે.




RESPONSIBILITY (G.O.D.C.R-2017 C.I. NO. 4.3.4.4.4.51) :-
 APPROVAL OF DRAWINGS AND ACCEPTANCE OF ANY STATEMENT, DOCUMENTS, OR STRUCTURAL REPORT, STRUCTURAL DRAWINGS, PROGRESS CERTIFICATE OR BUILDING COMPLETION CERTIFICATES SHALL NOT DISCHARGE THE OWNER, ARCHITECT, ENGINEER, CONTRACTOR, INSURER,

DEVELOPER, OWNER FROM THEIR RESPECTIVE CONTRACTS, AGREEMENTS AND THE LAWS OF TORT AND LOCAL ACTS.
LIABILITY (C.G.D.C. 8-2047 C.L. No. 332)-
NOTWITHSTANDING ANY DEVELOPMENT PERMISSION GRANTED UNDER THE ACT AND
THESE REGULATIONS, ANY PERSON UNDERTAKING ANY DEVELOPMENT WORK SHALL
CONTINUE TO BE WHOLLY AND SOLELY LIABLE FOR ANY INJURY OR DAMAGE OR
LOSS WHATSOEVER THAT MAY BE CAUSED TO ANY ONE IN OR AROUND THE AREA
DURING SUCH CONSTRUCTION AND NO LIABILITY WHATSOEVER IN THIS REGARD
SHALL BE CAST ON THE AUTHORITY

Ahmedabad Municipal Corporation


Case No. : BHNTS/EZ/100522/CDCGRV/AE079/R0/M1

Zone: EAST

Plan Approved as per terms and conditions mentioned in the Commencement Certificate

Page Number: _____
Date: 26/07/2024
CH. H. S.


 T.D. Sub Inspector (B.P.S.P.)
 T.D. Inspector (B.P.S.P.)
 Asst. T.D.O. (B.P.S.P.)
 



F.S.I. AREA / FLOOR AREA TABLE			(IN SQ.MT.)	
BLOCK	A+B	C	D	TOTAL
1ST FLOOR	531.42	408.26	408.26	1347.94
2ND FLOOR	531.42	408.26	408.26	1347.94
3RD FLOOR	531.42	408.26	408.26	1347.94
4TH FLOOR	531.42	408.26	408.26	1347.94
5TH FLOOR	531.42	408.26	408.26	1347.94
6TH FLOOR	531.42	408.26	408.26	1347.94
7TH FLOOR	531.42	408.26	408.26	1347.94
8TH FLOOR	531.42	408.26	408.26	1347.94
9TH FLOOR	531.42	408.26	408.26	1347.94
10TH FLOOR	531.42	408.26	408.26	1347.94
11TH FLOOR	531.42	408.26	408.26	1347.94
12TH FLOOR	531.42	408.26	408.26	1347.94
13TH FLOOR	531.42	207.32	207.32	946.06
TOTAL	6908.46	5106.44	5106.44	17121.34



[illegible]

REQ. PERCOLATING WELL:-
PLOT AREA:- 1500 TO 4000 SQ. MTS
1 PERCOLATING WELL
PLOT AREA = 4281.00 / 4000.00 SQ. MTS
= 1.07 NO. REQ. SAY 2 NOS.
PROVI. 2 NO.PERCO. WELL

TREE PLANTATION:-
PLOT AREA = 4281.00 SQ. MTS.
200 SQ. MTS. = 5 TREE
4281.00 X 5 / 200 = 107.03 NOS
PROVI. 108 NO. TREES

DUST-BIN PROVIDED NOTES (RESIDENCE):-
1 NOS. OF COMMUNITY BIN EACH OF 80 LITRES CAPACITY SHALL BE PROVIDED IN UNIT IN MARGINAL OF PROVIDED = 8 NOS. / BIN / 80 LITRES CAPACITY
REQUIRED = 204 UNITS / BUNITS / (= 25.50 NOS. REQUIRED)
PROVIDED = 204 UNITS / BUNITS / (= 25.50 NOS. REQUIRED)

LIFT CALCULATION:-			
REQ.LIFT CALCULATION			
= 1 LIFT REQUIRED PER 30 UNITS			
ABOVE SECOND FLOOR			
BLOCK	UNITS	REQ.LIFT 6 PASSENGER	PROV.LIFT 10 PASSENGER
A	44	02	02
B	44	02	02
C	42	02	02
D	42	02	02



LAY - OUT PLAN
[SCALE :- 1.00 CM. = 2.00 MT.]

SCRUTINIZE COPY
NOA6081.D115./7./22.
TDO, BPSP, AMC

