

BUA SUMMARY REHAB WINGS TOTAL BUA =).1).3).2).4
TOTAL BASE BUA = 24009 TOTAL FUNGIBLE = 6369 TOTAL MHADA BUA = 4855 TOTAL MHADA BASE BUA = 3596 TOTAL MHADA FUNGIBLE = 1258 TOTAL SALE COMM. BUA = 175).1).3).2).4
TOTAL FUNGIBLE = 6369 TOTAL MHADA BUA = 4855 TOTAL MHADA BASE BUA = 3596 TOTAL MHADA FUNGIBLE = 1258 TOTAL SALE COMM. BUA = 175	3.7
TOTAL MHADA BUA = 4855 TOTAL MHADA BASE BUA = 3596 TOTAL MHADA FUNGIBLE = 1258 TOTAL SALE COMM. BUA = 175	3.4
TOTAL MHADA BASE BUA = 3596 TOTAL MHADA FUNGIBLE = 1258 TOTAL SALE COMM. BUA = 175	3.4
TOTAL MHADA BASE BUA = 3596 TOTAL MHADA FUNGIBLE = 1258 TOTAL SALE COMM. BUA = 175	3.4
TOTAL MHADA FUNGIBLE = 1258 TOTAL SALE COMM. BUA = 175	3.7
TOTAL MHADA FUNGIBLE = 1258 TOTAL SALE COMM. BUA = 175	3.7
	2
	2
	2
	0
Market Ma	
BORN SUPERIOR OF THE RESIDENCE	
TOTAL SALE RESI. BUA = 1248	6
TOTAL SALE RESI BASE BUA = 1248	_
	.0
REHAB BUA 24099.	3
REHAB BASE BUA 18988	_
REHAB FUNGIBLE BUA 5110.	1
	_

BUA SUMMARY SALE WINGS

12045.75

211.59

330,31

9.94

3.89

52488.9

Fitness

Pocket

terrace

Excess

Society

office

Excess

1790.2 1853.9 2306.04 3722.5

TOTAL BUA

WING	AREAIN SO	3M	
A	9620.26		
8	9768.49		
GREHAB	6134.53	The second	
C MHADA	4855.25	Market Market	
TOTAL	30378.52	The state of the s	No.
	STATISTICS.		
THE REAL PROPERTY.	THE RES		
TOTAL BU	SUMMARY		- CANADA
REHAB WI	VGS	30378.52	E SEA
SALEWING	38	52488.99	
TOTAL BUZ		82867.51	No. of the last

de di	-				200		THE ST	SAL	E	SUMM/	ARY							
		OWER-1					IOWER-2		н		1	OWER-3					THEO 4	Direction of the last of the l
HOOR	BASE	FUNCIBLE	TOTAL BUA		FLOOR	BASE	FUNGBLE	TOTAL BULA		FLOOR	BASE	FUNCIBLE	TOTALBUA		ROOR	BASE	FUNGBLE	-
bound	207.91	0.00	207.91	1	Sround	218.78	0.00	218.78		Ground	0.00	0.00	0	_	Ground	0.00	0.00	TOTAL BUA
at	417.31	0.00	417.31	1	Int.	376.60	0.00	376.60	1	fut	534.03	0.00	534.03	_	ist	538.72	0.00	0.00
nd	417.31	0.00	417.31	2	bed	378,00	0.00	370.60		2nd	534.03	0.00	534.03		and	538.72	0.00	538.72
d	417.31	0.00	417.31	3	led	376.00	0.00	370.00		3rd	534.03	0.00	534.03		Section .	538.72		530.72
th	417.31	0.00	417.31		101	376.60	0.00	370.00	-	4th	534.03	0.00	534.03		ETC.	536.72	0.00	538.72
	417.31	0.00	417.31	9	ith	376.60	0.00	370.00		5th	534.03	0.00	534.03		W	538.72	0.00	538.72
	417.31	0.00	417.31	0	ith realist	376.60	0.00	376.60	10	6th	534.03	0.00	534.03	=;		538.72	0.00	538.72
3	321.66	0.00	321.86	7	Th .	282.23	0.00	282.23	10	7th	410,60	0.00	410.00		700	396.96	0.00	538.72
	417.31	0.00	417.31	8	Title .	376.60	0.00	376.60	18	Ath	534.03	0.00	534.03	=:	th	538.72	0.00	396.96
	417.31	0.00	417.31	9	Hh.	376.60	0.00	376.60		90.	534.03	0.00	534,03	=:	-	530.72	0.00	538.72
X01	417.31	0.00	417.31	1	0th	376.00	0.00	376.60	•	1001	534.03	0.00	534.03		700		0.00	536.72
101	417,31	0.00	417.31	1	10	376.60	0.00	376.00		110	534.03	0.00	534.03		100 110	538.72	0.00	538.72
191	417.31	0.00	417.31	1 1	2th	376.60	0.00	376.60		12th	534.03	0.00	534.03		2m	538.72	0.00	538.72
the	417.31	0.00	417,31	1	3th	376.60	0.00	376.60	1	13th	534.03	0.00	534.03		3th	538.72	0.00	530.72
the in the	321.66	0.00	321.00	1-	4th	282.23	0.00	282.23	-	1401	410.8G	0.00	410.89				0.00	538.72
de la	417.31	0.00	417.31	1	50	376.00	0.00	376.90	-	15th	534.03	0.00	534.03		4th	396.96	0.00	398.96
De Colonia	417.31	0.00	417.31	1	Gth .	376.60	0.00	376.00	н	1001	534.03	0.00	534.03		501	538.72	0.00	538.72
Ds.	417.31	0.00	417.51	1	701	376.60	0.00	376.00	-	17th	534.03	0.00	534.03	_	88)	538.72	0.00	538.72
	417.31	0.00	417.31	_	881	376.60	0.00	376.00	-	10th	534.00	0.00	534.03	_	78	538.72	0.00	538.72
8	417,31	0.00	417.31		9th	370.00	0.00	376.60	-	190	534.03	0.00	534.03	_	801	538.72	0.00	538.72
h	417.31	0.00	417.31		001	376.80	0.00	376.60		20th	534.03	0.00	534.03	_	901	536.72	0.00	530.72
st	375.53	0.00	375.53	21	fal	339.18	0.00	339.18		21st	485.28	0.00	485.28	_	Oth	538.72	0.00	538.72
nd.	417.31	0.00	417.31		2nd	376.60	0.00	376.00		22nd	534.03	0.00	534.03		Tal 2nd	477.43	0.00	477.43
int.	417.31	0.00	417.31		3rd	376.00	0.00	376.60		23ed	534.03	0.00	534.03			538.72	0.00	538.72
TAIL.	95/2.96	0.00	9572.96		OTAL	8654.42	0.00	8654.42		TOTAL	11967.26	0.00	11967.26		Gred .	538.72	0.00	538.72
				-						TOTAL .	11007.20	0.00	11907.20		CITAL	12045.75	0.00	12045.75
	T	OWER-5				-	THE PARTY OF											
HOO	BASE	FUNCIBLE	TOTAL BUA	100	LOOR	BASE	OWER-6	A CONTRACT OF THE PARTY.		The second		WER-7			1000		TOWER-8	112.57
bund	0.00	0.00	0.00		Pound		FUNGIBLE	TOTAL BUIL		FLOOR	BASE	FUNGRILE	AUB ATOT	F	LOOR	BASE	FUNGIBLE	TOTAL BUTA
	447.57	0.00	447.57	11		0.00	0.00	0.00		Circund	0.00	0.00	0.00	- 0	round	0.00	0.00	0.00
	447.57	0.00	447.57	21		463,40	0.00	463.49		1st	576.51	0.00	576.51		nt	345.32	0.00	345.32
_	447.57	0.00	447.57			463,40	0.00	463,49	100	2nd	570,51	0.00	5/6.51	2	nd	345.32	0.00	345.32
	447.57	0.00	447.57	31		463.40	0.00	463.40		3rd	570.51	0.00	576.51	3	rei	345.32	0.00	345.32
	0.00	0.00	0.00	_		463.49	0.00	463.49		40	576.51	0.00	578.51	10 4	Un in column 2	345.32	0.00	345.32
	0.00	0.00	0.00	50		0.00	0.00	0.00		50	0.00	0.00	00.0	5	(t)	345.32	0.00	345.32
	0.00	0.00	0.00	60		0.00	0.00	0.00		68	0.00	0.00	0.00	6	th I	345.32	0.00	345.32
	0.00	0.00	0.00	7		0.00	0.00	0.00		701	0.00	0.00	0.00	7	the contract of	269.39	0.00	269.30
	0.00	0.00		100		0.00	0.00	0,00		Bith	0.00	0.00	000			345.32	0.00	345.32
h	0.00		0.00	98		0.00	0.00	0.00		901	0.00	0.00	0.00	9	th Control	345.32	0.00	345.32
	0.00	0.00	0.00	10		0.00	0.00	0.00		10th	0.00	0.00	0.00	- 1	00h	345.32	0.00	345.32
	0.00	0.00	0.00	11		0.00	0.00	0.00		11h	0.00	0.00	0.00	1	10	345.32	0.00	345,32
	0.00	0.00	0.00	12		0.00	0.00	0.00	_	12h	0.00	0.00	0.00	= 1	2th	0.00	0.00	0.00
		0.00	0.00	13		0.00	0.00	0.00		130	0.00	0.00	0.00		3th	0.00	0.00	0.00
	0.00	0.00	0.00	14		0.00	0.00	0.00		14h	0.00	0.00	0.00		48h	0.00	0.00	0.00
	0.00	0.00	0.00	15		0.00	0.00	0.00	_	15h	9.00	0.00	0.00		101	0.00	0.00	0.00
	0.00	0.00	0.00	16		0.00	0.00	0.00		100:	0.00	0.00	0.00		len .	0.00	0.00	0.00
	0.00	0.00	0.00	17		0.00	0.00	0.00	_	17h	0.00	0.00	0.00		Th	0.00	0.00	0.00
	0.00	0.00	0.00	18		0.00	0.00	0.00		18h	9.00	0.00	0.00		Mh	0.00	0.00	0.00
	0.00	0.00	0.00	19	(th	0.00	0.00	0.00		19th	0.00	0.00	0.00	- 6	10.	0.00	0.00	0.00

0.00 2306.04	TOTAL	0.00 3722.50	0.00	0.00 3722.50	
The A	Addre	ss by	GS, Ba	andra	
Towe	er C (1	ower	3), Sa	nction	ed

-			_	ACTION OF THE PERSON OF T	EARLY S		REHABE	JNGI BUJ	A comment		-
A	L BASE BU	A	100	52488.	99		TOTAL RE	ACCUPANT AND RESTAURT OF THE PARTY.		-	
A	L FUNGIBL	EBUA	119	0.	00		MHADA B	ASE BUA			
Ī			1000	ACTIVITY ADS			WHADA FI	JNGI BU	A		
۸١	LBUARES	1		FORCO	20		TOTAL MI	ADA BU	1		
_	Charles of the Control of the Contro			52062.	30	1	SALE RES	SI BASE B	MA		
A	L BASE BU	ARESI		52062.	30	5	SALE RES	FUNG	BUA		
Ą	L FUNGI BI	UARESI	U.S	0.	00		OTAL SA	LERESI	BUA		
ì						8	SALE CON	MM BASE	BUA		
		ALL REPORTS OF REAL PROPERTY.				1	ALE COM	M FUNG	BUA	-	
Ŋ	BUACON	MM		426.	69	i	OTAL SA	LECOM	BUA		
Ą	BASE BU	ACOMM		426.	69		OTAL SA	LEBUA		de la constantina	
_	FUNGI BU		=	0	00	Γh	e Ad	dres	s by	GS	. B
	- I ONO DO	DACOIVIIVI		U.							
						ГО	wer	CITO	owe	r 3)	,
ì	WING WISE	SUMMARYS	SALE	WINGS			tal n	•			
ı	Wing	Area in sqm		N. Partie		10	taili		CIO	PAR	OPMG 5
ı	1	9572.96		N. P. C. C.				CAMPLET	TOWER-1	TAWER 3	TOME
ı	2	8654.42			00			LESS DIAN 45 SQ.MES	1000		
		A REPORT OF THE PROPERTY AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PE	Street, St.	Sand Street			5 TO 100	45-60	24	51 54	
	3	11987.26			100		W/	60-00	66	43	

							STAL HARM	S PROVIDED	POR RESIDE	MUNCS
numk	er c	ot U	nits			12-15				
		PARU	UNG STAT	INNENT AS	PER DOR 20	BA FOR SA	LE (TOWE	-1234	5676	8)
CARPET	TOWER I	The same of	THE REAL PROPERTY.	NO.	OF TEHEN	ENT	rastrumen		Name and Address of the Owner, where	PA
LESS THAN		To Make S	TOMER-3	TENNEHE-6	TOWERS	TOMER-6	TOMES: 2	TOWER 6	TOTAL	REC
45 SQ.MIS	L. C. C.							1000		10
45-60	24	9 94					12		91	18
60-00	56	43	35	133	4			21	_	TE
ABOVE 90			Vis		- 7			11	308 92	and the last
TOTAL	90	90		133	36	16	24	32		-10
MOTORS	7			- 130		ZIN		34	491	
				TOTAL MA	EKINO NEO	UMED	LI BUIL	P-00-1		
					ISAV	11 73 1			THE REAL PROPERTY.	
of the Eastern										
-	- 1	ARKING S	TATEMENT	(MECHANIC		OCR 2004 F	OR SALE (T	OWER-1	22426	TE.
MULTUP	WWW.	Transport of	-	*****	SHOP	-		4417 (1907)		PAR
10000	TOWER'S	IOME#12	TUMER-0	TOWER-4	TOWER 6	TOWER-8	TOWER-7	TOWER-II	TOTAL	REC
PARRONG SPACE FOR EVERY 40 SO MTS OF FLOOR AREA UP TO 600 SQMF		218.78							426.69	No. of the last
TOTA:	207.91	218.78	-					No.	420.03	
METCH'S				5.6	NISK JAI PAR	IKINID 2 Nes		MOT	unc 201	
	-			TOTAL PAR	KEND IV. CO.	MED				-
				The Co	DAY	-				
				TOTAL PW	FOUND - (F	+01				
			TOTAL PA	THOMAS REO	UNIED FOR	BALEBUR	DING.			-
ALC: U				CIONG PHO	THE RESERVE AND ADDRESS OF THE PERSON.					
								No.		
		TOYA	L PARKING	PERCHIPE	AS PERM	EGULATION	W={D+H	Name of Street		
-				AL PARION					-	
									-	-

				REHAB	EXISTING TEN	ENT FUNGER	LE STATEMEN	T = 1		Real Property	120
Sr. No.	Actions on Nove	35 % confidencent on Existing Carpet Area in Sq. Mt.	Carpet	SQLEEK	Actual Ratio Carpet area to BUA in Sq. Mt.	Required BUA in Sq. Mt.	Eligible fungible in BUA Sq. Mt.	Eligible perminible BUA in Sq. ML	proposed carpet area	Proposed BUA in Sq. Mt. (P Line)	Area Kept in abeyance
180	1	2	3	4	5	6	7	8	9	10	11
		(1 x 35%)	(1+2)			(4 x 5)		A COLUMN			No. of Concession, Name of Street, or other party of the last of t
							(1x1x35%) + (2x5x35%)	617			
1	20.22	7.08	27.30	35.00	1.20	(2.00	14.70	56.70	47.86	57.43	0.00
			The same			Rebub T/s -					
				Per	missibale BU/	A por T/s = 56	.70 sq.nit,				
-				P	roposed BUA	per T/s - 57	All aug mit.				
	Mark Mark					lept in abeyan			THE PERSON	-	Marie Contract

9	SR. NO.	FLOORS	MHADA FLAT NO.	C.A.	BUA
	1	1ST FLOOR	01,02	48.82	56.05
	2	1ST TO 23RD FLOOR	103, 105,106, 107,108	27.88	32 26
	3	1ST TO 23RD FLOOR	104	34.72	39.16
	4	TOTAL FLAT'S	140		

AREA = 48.82 x 2 FLATS = 97.64 SQ.MT. (A) TYP FLOOR FLAT NO. 3,5,6,7 & 8 = 5 FLATS x 1ST TO 23RD FLOOR AREA = 27.88 x 115 FLATS = 3208.20 SQ.MT. (B) TYP. FLOOR FLAT NO. 4 = 23 FLAT'S. (1ST TO 23RD FLOOR) AREA = 34.72 x 23 FLATS = 798.56 SQ.MT. (B) TOTAL AREA (A + B + C) = 4102 40 SQ MT. AS PER OFFER LETTER MHADA CARPET AREA = 4102.40 SQ.MT.

FORM - II

CONTENT OF SHEET SALE AND REHAB SUMMARY, PARKING REQUIREMENT AND STATEMENT, REHAB TENANT STATEMENT.

DESCRIPTION OF PROPOSAL AND PROPERTY

PROPOSED MHADA CARPET AREA = 4102.40 SO MT

PROPOSED REDEVELOPMENT OF ON PLOT BEARING C.T.S. NO. 418/24 T > 38(PT).
418/45 TO 62, 418/76 TO 79,418/93 TO 117, 418/13 TO 167, 418/23 TO 225, 418/230 TO
293, 418/312 TO 359, 418/361 TO 365, 418/465 TO 465, 418/461, 418/500 TO 536, 418/25/5 549 TO
558, 418/552 TO 553, 418/556 TO 564, 418/57) TO 559, 418/394, 418/608, 418/615 T > 628 OF
BANDRA (E)), VILLAGE NIRMAL NAGAR MUMBAL-400051.

NAME OF OWNER

2.00

604 Nos

M/S TEN X REALTY LIMITED AND CRD REALTORS PVT. LTD. POKHARAN ROAD, JEKEGRAM, THANE - 40-41-10

STAMP OF RECIEPT OF PLANS STAMP OF APPROVAL OF ME ANS



NORTH NAME, ADDRESS & SIGNATURE OF ARCHITECT

Total 23 floors
The Address by GS, Bandra Tower C (Tower 3)

PARKING STATISHENT AS PER OCK 2008 FOR REHAB (TOWER A. BUILT UP BHICK A COPTICE PARKING MG AREA TOWER & TOWER G TOYAL RECEMBED CAR BUA SUMMARY PROJECT 5110.60 24099.3 3596.4 1258.7 4855.2 53310.9 601.9 TOTAL PARKING (A-9-C) TOTAL PARENTS REQUIRED FOR RESIDE BUILDIN

महाराष्ट्र गृहनिर्माण व क्षेत्रविकास प्राधिकरण MAHARASHTRA HOUSING AND AREA DEVELOPMENT AUTHORITY





Building Permission Cell, Greater Mumbai / MHADA

(A designated Planning Authority for MHADA layouts constituted as per government regulation no. TPB/4315/167/CR-51/2015/UD-11 dt.23 May, 2018.)

INTIMATION OF APPROVAL (IOA)

No.MH/EE/BPCell/GM/MHADA-97/1319/2023. Dated:- 1 9 DFC 2023

Ten-x Reality Limited & CRD Realtors Pvt. Ltd. (Joint Developer) CA to Niramal Nagar CHS-1, Association Ltd. Nirmal Nagar, Bandra (E) Mumbai- 400051.

Sub:- Proposed redevelopment of on plot bearing C.T.S. No. 418/ 24 to 38(pt), 418/45 to 62, 418/ 76 to 79,418 /93 to 117, 418/136 to 167, 418/223 to 225, 418/230 to 293, 418/322 to 359, 418/361 to 365, 418/445 to 465, 418/461, 418/500 to 536, 418/ 549 to 550, 418/ 552 to 553, 418/556 to 564, 418/573 to 589, 418/594, 418/608, 418/615 to 628 of Bandra (E)), Village Nirmal Nagar, Mumbai – 400051.

Ref:- MHADA File no.MH/EE/BP/GM/MHADA-97/1319/2023.

- Zero FSI IOA issued on.26.07.2023
- Amended Zero FSI IOA issued on.08.09.2023.
- Temporary Transit Camp issued on.14.09.2023.
- Concession approved by Hon'ble VP on.30.10.2023.
- Architect application for IOA dated, 05.12.2023.

Dear Applicant,

With reference to your Notice U/S 45 (1) (ii) of MRTP Act 1966 submitted with letter dated.10.07.2023 and the plans, Sections Specifications and Description and further particulars and details of your Proposed redevelopment of on plot bearing C.T.S. No. 418/24 to 38(pt), 418/45 to 62, 418/76 to 79,418/93 to 117, 418/136 to 167, 418/223 to 225, 418/230 to 293, 418/322 to 359, 418/361 to 365, 418/445 to 465, 418/461, 418/500 to 536, 418/549 to 550, 418/552 to 553, 418/556 to 564, 418/573 to 589, 418/594, 418/608, 418/615 to 628 of Bandra (E), Village Nirmal Nagar, Mumbai — 400051. furnished to this office under your letter, dated.05.12.2023, I have to inform you that I may approve the building or work proposed to be erected or executed, and I therefore hereby formally intimate to youU/S 45 (1) (ii)of the MRTP Act1966 as amended upto date, my approval by reasons thereof subject to fulfillment of conditions mentioned as under:-

1/8

Fax No.: 022-26592058 Website: www.mhada.maharashtra.gov.in

A: CONDITIONS TO BE COMPILED WITH BEFORE STARTING THE WORK.

- That the commencement certificate U/s-44/69(1) of MRTP Act shall be obtained.
- That structural Engineer shall be appointed and supervision memo of as per appendix-IX of D.C. Regulation – 5(3) (9) shall be submitted by him.
- The structural Design and calculations for the proposed work accounting for system analysis as relevant IS code along with plan shall be submitted before C.C.
- 4. Janata Insurance Policy shall be submitted.
- That the requisitions of clause 49 of DCPR 2034 shall be complied with and records of quality of work, verification report, etc. shall be maintained on site till completion of the entire work. Bore well shall be constructed in consultation with H.E./MCGM.
- That the work shall be carried out between 10:00AM to 06:00PM as per circular u/no. CHE/DP/7749/GEN dt.07.06.2016.
- Information Board shall be displayed showing details of proposed work, name of owner, developer, architect / LS, R.C.C. consultant etc.
- That the comprehensive undertaking, indemnity and affidavit shall be submitted in the name of Hon'ble V.P. & C.E.O. MHADA.
- The safety measure shall be taken on site.
- That the requisite B.G. and SWM NOC as per policy circular approved by Hon'ble MC U/NO – MGC / F/ 6550 dated:- 11.06.2018 shall be submitted before C.C.
- 11. That the RUT shall be submitted to incorporate a clause in the sale agreement with prospective buyers, that the building is proposed with deficient open space and the developer/prospective buyer will not object to the development on the adjacent plots in future with deficient open spaces.
- 12. That the undertaking from Owner shall be submitted as per the format mentioned in ease of doing business manual version 1.1, stating that no nuisance to the public and inhabitants of the neighborhood shall be caused due to the proposed construction of building under reference.
- That the RUT shall be submitted stating that the electric substation shall not be misused in future.
- 14. That the indemnity bond from owner/developer shall be submitted indemnifying MHADA and its officers against any litigations, claims that may arise due to inadequate size of rooms.
- RUT as per Govt. order of industry energy & labour dept. about the registration of all labours working on site shall be submitted.
- That the debris removal deposit shall be paid before further C.C.
- 17. NOC's Listed below shall be submitted
 - a. Superintendent of Garden (SG)/ Tree NOC for tree Cutting/Transplanting.
 - b. SWD department
 - c. PCO
 - d. H.E.

- e. S.P
- f. A.E.W.W.
- g. A.A & C
- h. S.W.M.
- i. M & E
- j. Water trunk main /aqueduct Remarks. A.A.W.W
- k. MahaNagar Gas
- 18. That the remarks from concerned department for Highway buffer shall be submitted.
- 19. That the pump room, amenities, and other services below existing road shall be relocated by the developer at this own cost and make water supply arrangement to buildings in the layout.
- Basement below realigned layout road of 13.40mt. should be get approval from Architect/Mumbai board/MHADA.

B: CONDITIONS TO BE COMPILED BEFORE FURTHER C.C.

- 1. That the plinth shall be got checked by this office staff.
- 2. That the plinth stability certificate from R.C.C. consultant shall be submitted.
- All the payments as intimated by Building Proposal Cell/MHADA shall be paid and any other outstanding that may be levied by any other Govt. Dept. if any shall be borne by the Society / Applicant.
- 4. That the amended Remarks of concerned authorities / empanelled consultants for the approved plan, if differing from the plans submitted for remarks, if applicable, shall be submitted for:
 - a) S.W.D.,
 - b) Sewerage,
 - c) Water Works,
 - d) Tree authority,
 - e) Hydraulic Engineer,
 - f) PCO,
 - g)NOC from Electric Supply Company.
- That the Material testing report for construction materials used at site shall be taken as per required frequency.
- 6. That the yearly progress report of the work will be submitted by the Architect.
- That N.O.C. from Civil Aviation department shall be obtained for the proposed height of the building.
- 8. That the development charges as per MRTP Act. 1992 shall be paid.

 That the development cess as per offer letter dated .02.06.2023 and mentioned in MHADA NOC shall be paid.

10. That the Further CC above plinth for 29614.24 m2 BUA shall be issued only after execution of tripartite agreement for MHADA Rehabilitation Carpet area of 4102.40 m2.

D: GENERAL CONDITIONS TO BE COMPILED BEFORE O.C.

- That the final N.O.C. from MHADA shall be submitted and requirements therein shall be complied with before submission of B.C.C.
- That the dust bin will be provided on site.
- That 3.00 mt. wide paved pathway upto staircase will be provided.
- 4. That the open spaces as per approval, parking spaces and terrace will be kept open.
- That the letter box of appropriate size shall be provided for all the tenements at the ground floor.
- That the name plate/board showing Plot No., Name of the Bldg. etc. will be displayed at a prominent place.
- That carriage entrance shall be provided as per design of registered structural engineer and carriage entrance fee shall be paid.
- That the waterproofing certificate shall be submitted.
- That the CFO completion certificate shall be submitted.
- 10. That the tree completion certificate shall be submitted.
- 11. That the drainage completion certificate shall be submitted.
- 12. That the Height verification certificate from (MIAL) shall be submitted.
- 13. That the final N.O.C. from A.A. & C. [H/East Ward] shall be submitted.
- 14. That the smoke test certificate shall be submitted.
- 15. That Structural Engineer's final Stability Certificate along with up to date License copy and R.C.C. design canvas plan shall be submitted.
- 16. That every part of the building constructed and more particularly overhead water tank shall be provided with the proper access for the staff of Insecticide Officer with a provision of temporary but safe and stable ladder.
- 17. That Site Supervisor certificate for quality of work and completion of the work shall be submitted in prescribed format.
- 18. That the provision of Rain water harvesting as per design prepared by approved consultant in the field shall be made to the satisfaction of concerned authority
- 270 A Certificate as per MMC Act shall be submitted before asking O.C.
- 20. That the provision for electric charging point for electric vehicle shall be provided at stilt floor before of asking Occupation Certificate.

4/8

- That the Solar Power Generated System shall be provided before asking Occupation Certificate.
- 22. That the Vermiculture bin shall be submitted.
- 23. That the lift completion certificate shall be submitted.

VP & CEO / MHADA has appointed Shri. Rupesh M. Totewar / Executive Engineer to exercise his powers and function of the Planning Authority under section 45 of the said Act.

(Rupesh M. Totewar)

Executive Engineer B.P.Cell (W.S.) Greater Mumbai/ MHADA

SPECIAL INSTRUCTIONS

- This intimation gives no right to build upon ground which is not your property.
- "Every person who shall erect as new domestic building shall cause the same to be built so that every part of the plinth shall be
 - a. Not less than, 2 feet (60 cms.) above the center of the adjoining street at the nearest point at which the drain from such building can be connected with the sewer than existing or thereafter to be- laid in such street.
 - b. Not less than 2 feet (60 cms.) Above every portion of the ground within 5 feet (160 cms.)-of such building.
 - c. Not less than 92 ft.(Town Hall) above Town Hall Datum.
- 3. Your attention is invited to the provision of Section 152 of the Act where by the person liable to pay property taxes is required to give notice of erection of a new building or occupation of building which has been vacant, to the Commissioner, within fifteen days of the completion or of the occupation whichever first occurs. Thus compliance with this provision is punishable under Section 471 of the Act irrespective of the fact that the valuation of the premises will be liable to be revised under Section 167 of the Act, from the earliest possible date in the current year in which the completion on occupation is detected by the Assessor and Collector's Department.
- 4. Your attention is further drawn to the provision about the necessity of submitting occupation certificate with a view to enable the V.P. & C.E.O./ MHADA to inspect your premises and to grant a permission before occupation and to levy penalty for non-compliance if necessary.
- Proposed date of commencement of work should be communicated.
- One more copy of the block plan should be submitted for the Collector, Mumbai Suburbs District.
- That as per MHADA Circular vide no. ET-321, dated.25.10.2023, all precautionary measures shall be taken to control the environment pollution during the building contraction activities.

Attention is drawn to the notes accompanying this Intimation of Approval.

NOTES

- 1. The work should not be started unless objections are complied with.
- A certified set of latest approved plans shall be displayed on site at the time of commencement the work and during the progress of the construction work.
- 3. Temporary permission on payment of deposit should be obtained any shed to house and store for construction purpose, Residence of workmen shall not be allowed on site. The temporary structures for storing constructional material shall be demolished before submission of building completion certificate and certificate signed by Architect submitted along with the building completion certificate.
- Temporary sanitary accommodation on full flushing system with necessary drainage arrangement should be provided on site workers, before starting the work.
- Water connection for constructional purpose from MHADA mains shall not be taken without approval from concerned Executive Engineer of Mumbai Board.
- 6. The owners shall intimate the Hydraulic Engineer or his representative in Wards at least 10 days prior to the date of which the proposed construction work is taken in hand that the water existing in the compound will be utilized for their construction works and they will not use any Municipal Water for construction purposes. Failing this, it will be presumed that Municipal tap water has been consumed on the construction works, and bills preferred against them accordingly.
- 7. The hoarding or screen wall for supporting the depots of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scaffoldings, bricks metal, sand preps debris, etc. should not be deposited over footpaths or Public Street by the owner/ architect /their contractors, etc. without obtaining prior permission from the Ward Officer of the area.
- The work above plinth should not be started before the same is shown to this office Sectional Engineer/Assistant Engineer/Deputy Engineer concerned and acknowledgement obtained from him regarding correctness of the open spaces & dimensions.
- The application for sewer street connections, if necessary, should be made simultaneously with commencement of the work as the Municipal Corporation will require time to consider alternative site to avoid the excavation of the road an footpath.
- All the terms and condition of the approved layout /sub-division should be adhered to and complied with,
- 11. The compound wall or fencing should be constructed clear of the road widening line with foundation below level of bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the work to prove the owner's holding.
- No work should be started unless the existing structures proposed to be demolished are demolished.
- 13. The Intimation of Approval is given exclusively for the purpose of enabling you to proceeds further with the arrangements of obtaining No Objection Certificate from

the Competent Authorities and in the event of your proceeding with the work either without an intimation about commencing the work or your starting the work without removing the structures proposed to be removed the act shall be taken as a severe breach of the conditions under which this Intimation of Approval is issued and the sanctioned will be revoked and the commencement certificate granted under Section 45 of the Maharashtra Regional and Town Planning Act 1966, (12 of the Town Planning Act), will be withdrawn.

14. The bottom of the overhead storage work above the finished level of the terrace shall

not be less than 1.20 Mt. and not more than 1.80 mt.

15. It is to be understood that the foundations must be excavated down to hard soil.

16. The positions of the nahanis and other appurtenances in the building should be so arranged as not to necessitate the laying of drains inside the building.

17. The water arrangement to be carried out in strict accordance with the Municipal

requirements.

18. No new well, tank, pond, cistern or fountain shall be dug or constructed without the

previous permission in writing of the Hon'ble VP/CEO-MHADA.

19. All gully traps and open channel drains shall be provided with right fitting mosquito proof made of wrought iron plates or hinges. The manholes of all cistems shall be covered with a properly fitting mosquito proof hinged cast iron cap over in one piece, with locking arrangement provided with a bolt and huge screwed on highly serving the purpose of lock and the warning pipes of the rabbet pretested with screw or dome shape pieces (like a garden mari rose) with copper pipes with perfections each not exceeding 1.5 mm in diameter. The cistern shall be made easily, safely and permanently accessible be providing a firmly fixed iron ladder, the upper ends of the ladder should be earmarked and extended 40 cms above the top where they are to be fixed as its lower ends in cement concrete blocks.

20. No broken bottles should be fixed over boundary walls. This prohibition refers only to broken bottles to not to the use of plane glass for coping over compound wall.

 Louvers should be provided as required by Bye law No. 5 (b)/b. Lintels or Arches should be provided over Door and Windows opening/c. The drains should be laid as require under Section 234-1(a)/d. The inspection chamber should be plastered inside and outside.

(Rupesh M. Totewar)

Executive Engineer B.P.Cell (W.S.)

Greater Mumbai/ MHADA