

Note: All dimensions are in meters.

STRUCTURAL ENGINEER'S NAME AND SIGNATURE

Project Title


PLAN SHOWING THE PROPOSED


SO_A0_(841.00_x_1189.00_MM)

PROP (BUILDING) KW 1.50 X 0.91 45

BUILDING USE/SUBUSE DETAILS BUILDING NAME BUILDING USE BUILDING SUBUSE BUILDING TYPE FLOOR DETAILS

PROP (BUILDING) Residential Residential Apartment Bldg NA 1 Cellar + 1 Stilt + 5 upper floors





PROJECT TITLE :PLAN SHOWING THE PROPOSED CONSTRUCTION OF RESIDENTIAL BUILDING CONSISTING OF CELLAR + STILT + 5 UPPER FLOORS IN PLOT. NOS. 763,763/1,763/2,763/2 PART,763/3,763/4,763/5 & 763/6 IN SY.NO.54 SITUATED AT HAFEEZPET VILLAGE, SERILINGAMPALLY CIRCLE & MANDAL, GHMC, RANGA REDDY DISTRICT.

BELONGS TO: M/S PREM CONSTRUCTIONS, REP BY M PREMA KUMAR

Rep by M PREMA KUMAR REP BY : PREMCONSTRUCTIONS Repby MPREMAKUMAR APPROVAL NO: 1/C21/04977/2021 LICENCE NO: SHEET NO.: 2/3 PROJECT DETAIL: . Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act. 2. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act. INWARD_NO: 1/C21/15513/2019 3. Occupancy Certificate is compulsory before occupying any building. 4. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy Building Permission PROJECT TYPE : 5. Prior Approval should be obtained separately for any modification in the construction. NATURE OF DEVELOPMENT: 6. Tree Plantation shall be done along the periphery and also in front of the premises. 7. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate. Gram Panchayat Area with Revenue Survey SUB LOCATION: 8. Rain Water Harvesting Structure (percolation pit) shall be constructed. 9. Space for Transformer shall be provided in the site keeping the safety of the residents in view. STREET NAME: 10. Garbage House shall be made within the premises 11. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls DISTRICT NAME : Rangareddy & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per STATE NAME : TELANGANA 12. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future 13. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost with out claiming any PINCODE : compensation at any time as per the undertaking submitted. 14. Strip of greenery on periphery of the site shall be maintained as per rules. 15. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended. PLOT USE : 16. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976. 17. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost. PLOT SUB USE : Residential 18. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained. PLOT NEAR BY NOTIFIED RELEGIOUS STRUCTURE : NA 19. No front compound wall for the site abutting 18 mt. road width shall be allowed and only Iron grill or Low height greenery LAND USE ZONE 20. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is LAND SUBUSE ZONE : NA 21. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2005. ABUTTING ROAD WIDTH 22. The mortgaged builtup area shall be allowed for registration only after an Occupancy Certificate is produced. 763,763/1,763/2,763/2 PART,763/3,763/4,763/5 & 763/6 23. The Registration authority shall register only the permitted built-up area as per sanctioned plan. PLOT NO: 24. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned SURVEY NO: 25. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel. NORTH SIDE DETAIL: Others - NEIGHBOURS LAND 26. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under SOUTH SIDE DETAIL : Others - NEIGHBOURS LAND the supervision of Qualified Technical Personnel. 27. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be Others - NEIGHBOURS LAND EAST SIDE DETAIL : 28. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever WEST SIDE DETAIL: ROAD WIDTH - 9 29. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),a. The AREA DETAILS : construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal AREA OF PLOT (Minimum) 2141.79 action.b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.c. The Owner, Builder, Architect, Structural DEDUCTION FOR NET PLOT AREA Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is SPLAY AREA obtained from GHMC after providing all the regular service connections to each portion of the building and duly Total submitting the following.(i) Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.(ii) Structural Stability Certificate issued by the Structural Engineer duly certifying NET AREA OF PLOT that the building is structurally safe and the construction is in accordance with the specified designs.(iii) An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.(iv) Insurance Policy for VACANT PLOT AREA 1139.26 the completed building for a minimum period of three years. 30. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect COVERAGE and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like; i)To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts. PROPOSED COVERAGE AREA (46.63 %) ii)Provide Fire resistant swing door for the collapsible lifts in all floors. iii)Provide Generator, as alternate source of electric supply. iv)Emergency Lighting in the Corridor / Common passages and stair case. v)Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification RESIDENTIAL NET BUA 4493.20 No.2190- 1992. vi) Manually operated and alarm system in the entire buildings; vii) Separate Underground static water storage tank capacity of 25, 000 lits. Capacity. viii)Separate Terrace Tank of 25,000 lits capacity for Residential buildings; BUILT UP AREA ix)Hose Reel, Down Corner. x)Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts. xi)Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety. xii)Transformers shall be protected with 4 hours rating fire resist constructions. xiii) To create a joint open spaces with the neighbours building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in 31. The Builder/Developer shall register the project in the RERA website after the launch in July 2018 MORTGAGE AREA 452.97 32. If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees. 33. Sanctioned Plan shall be followed strictly while making the construction. EXTRA INSTALLMENT MORTGAGE AREA 34. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view. 35. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false PROPOSED NUMBER OF PARKINGS and fabricated the permission will be revoked U/s 450 of HMC Act 1955.

Project Title

SURVEY NO 54


SITUATED AT

PLAN SHOWING THE PROPOSED

BELONGING TO: Mr./Ms./Mrs


PLOT NO. 763,763/1,763/2,763/2 PART,763/3,763/4,763/5 & 763/6

M/S PREM CONSTRUCTIONS,



intimated to the GHMC.


FIRST FLOOR PLAN (Proposed)



PLOT BOUNDARY
ABUTTING ROAD
PROPOSED CONSTRUCTION EXISTING (To be retained) EXISTING (To be demolished) OWNER'S NAME AND SIGNATURE BUILDER'S NAME AND SIGNATURE ARCHITECT'S NAME AND SIGNATURE STRUCTURAL ENGINEER'S NAME AND SIGNATURE

SO_A0_(841.00_x_1189.00_MM)

Note: All dimensions are in meters.



PROJECT TITLE :PLAN SHOWING THE PROPOSED CONSTRUCTION OF RESIDENTIAL BUILDING CONSISTING OF CELLAR + STILT + 5 UPPER FLOORS IN PLOT. NOS. 763,763/1,763/2,763/2 PART,763/3,763/4,763/5 & 763/6 IN SY.NO.54 SITUATED AT HAFEEZPET VILLAGE,

APPROVAL NO: 1/C21/04977/2021 LICENCE NO: DATE: 01-04-2021 SHEET NO.: 3/3 PROJECT DETAIL: 1. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act. 2. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act. INWARD_NO: 1/C21/15513/2019 4. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy PROJECT TYPE : Building Permission 5. Prior Approval should be obtained separately for any modification in the construction. NATURE OF DEVELOPMENT: 6. Tree Plantation shall be done along the periphery and also in front of the premises. 7. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate. Gram Panchayat Area with Revenue Survey SUB LOCATION: 9. Space for Transformer shall be provided in the site keeping the safety of the residents in view. STREET NAME: 11. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls DISTRICT NAME : Rangareddy & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per STATE NAME : TELANGANA 12. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future 13. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost with out claiming any PINCODE : 15. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall PLOT USE : 16. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976. 17. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost. PLOT SUB USE : Residential 18. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines PLOT NEAR BY NOTIFIED RELEGIOUS STRUCTURE : NA 19. No front compound wall for the site abutting 18 mt. road width shall be allowed and only Iron grill or Low height greenery LAND USE ZONE 20. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is LAND SUBUSE ZONE : NA 21. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped ABUTTING ROAD WIDTH 22. The mortgaged builtup area shall be allowed for registration only after an Occupancy Certificate is produced. 763,763/1,763/2,763/2 PART,763/3,763/4,763/5 & 763/6 23. The Registration authority shall register only the permitted built-up area as per sanctioned plan. PLOT NO: 24. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned SURVEY NO: 25. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under NORTH SIDE DETAIL: Others - NEIGHBOURS LAND 26. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under SOUTH SIDE DETAIL : Others - NEIGHBOURS LAND 27. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be Others - NEIGHBOURS LAND EAST SIDE DETAIL : 28. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever WEST SIDE DETAIL: ROAD WIDTH - 9 29. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),a. The AREA DETAILS : construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal AREA OF PLOT (Minimum) 2141.79 action.b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.c. The Owner, Builder, Architect, Structural DEDUCTION FOR NET PLOT AREA Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.d. The Owner / Builder should not deliver the SPLAY AREA possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.(i) Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.(ii) Structural Stability Certificate issued by the Structural Engineer duly certifying NET AREA OF PLOT that the building is structurally safe and the construction is in accordance with the specified designs.(iii) An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.(iv) Insurance Policy for VACANT PLOT AREA 30. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect COVERAGE and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like; i)To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts. PROPOSED COVERAGE AREA (46.63 %) ii)Provide Fire resistant swing door for the collapsible lifts in all floors. iii)Provide Generator, as alternate source of electric supply. iv)Emergency Lighting in the Corridor / Common passages and stair case. v)Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification RESIDENTIAL NET BUA 4493.20 No.2190- 1992. vi) Manually operated and alarm system in the entire buildings; vii) Separate Underground static water storage tank capacity of 25, 000 lits. Capacity. viii)Separate Terrace Tank of 25,000 lits capacity for Residential buildings; BUILT UP AREA ix)Hose Reel, Down Corner. x)Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts. xi)Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety. xii)Transformers shall be protected with 4 hours rating fire resist constructions. xiii) To create a joint open spaces with the neighbours building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in 31. The Builder/Developer shall register the project in the RERA website after the launch in July 2018 MORTGAGE AREA 452.97 32. If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees. EXTRA INSTALLMENT MORTGAGE AREA 34. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view. 35. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false PROPOSED NUMBER OF PARKINGS

Project Title

SURVEY NO 54

BELONGING TO: Mr./Ms./Mrs

Rep by M PREMA KUMAR

SITUATED AT


REP BY :

PLAN SHOWING THE PROPOSED

PLOT NO. 763,763/1,763/2,763/2 PART,763/3,763/4,763/5 & 763/6

M/S PREM CONSTRUCTIONS,

PREMCONSTRUCTIONS Repby MPREMAKUMAR



3. Occupancy Certificate is compulsory before occupying any building.

8. Rain Water Harvesting Structure (percolation pit) shall be constructed.

14. Strip of greenery on periphery of the site shall be maintained as per rules.

10. Garbage House shall be made within the premises

compensation at any time as per the undertaking submitted.

not be done, failing which permission is liable to be suspended.

and 1.5mts. for Low Tension electrical line shall be maintained.

persons as per provisions of NBC of 2005.

the supervision of Qualified Technical Personnel.


the supervision of Qualified Technical Personnel.

the completed building for a minimum period of three years.

33. Sanctioned Plan shall be followed strictly while making the construction.

and fabricated the permission will be revoked U/s 450 of HMC Act 1955.

TYPICAL - 2, 3, 4& 5 FLOOR PLAN (Proposed) (SCALE 1:100)



BUILDING :PROP (BUILDING) BUILDING NAME NAME LXH NOS BUILDING USE/SUBUSE DETAILS BUILDING NAME | BUILDING USE | BUILDING SUBUSE | BUILDING TYPE | FLOOR DETAILS

Note: All dimensions are in meters.

SO_A0_(841.00_x_1189.00_MM)