

OFFICE OF THE KARIMNAGAR MUNICIPAL CORPORATION

TOWN PLANNING SECTION- KARIMNAGAR

BUILDING PERMIT ORDER

To,

Sri/Smt.

1)DANDE GANGARAM AND THEIR AGREEMENT FOR DEVELOPMENT CUM G.P.A HOLDER
2)M/S. SRI SAI CONSTRUCTIONS

H.NO:3-2-129, PURANIPET, JAGTIAL, JAGTIAL, TELANGANA

Sir / Madam,

Sub: KARIMNAGAR Municipal Corporation - Town Planning section -Permission for construction of 1 Stilt + 5 upper floors Dwellings Detached building. Reg

Ref: 1.Your Application dated: 27 August, 2019 u/s 388, 428 & 433 of TMC Act, 1994.
2.G.O.Ms.No.168, M.A., dt.07-04-2012.
3.G.O.Ms.No.7, M.A., dt.05-01-2016.

FILE No.	:	3011/W50/2019/5231
PERMIT No.	:	3011/W50/2019/5231
DATE	:	26 December, 2019

Your application submitted in the reference has been examined with reference to the rules and regulations in force and permission is hereby sanctioned conditionally as detailed below:

A	APPLICANT AND LICENSED PERSONNEL DETAILS:						
1	Applicant	1)DANDE GANGARAM AND THEIR AGREEMENT FOR DEVELOPMENT CUM G.P.A HOLDER 2)M/S. SRI SAI CONSTRUCTIONS					
2	Developer / Builder	NA			Lic.No.	NA	
3	Licensed Technical Person	GUNTUKA GOPI GOPINATH (Architect)			Lic.No.	ca/2004/33808	
4	Structural Engineer	UTLAPALLI SRI HARI			Lic.No.	357/str/Engineer/TP10/GHMC	
5	Others	NA					
B	SITE DETAILS						
1	Survey / Premises No.	120					
2	Plot No.	134,135		House No.		NA	
3	Layout / Sub Divn. No.	0					
4	Street	THEEGALAGUTTAPALLY G,P AREPALLY R/V, KARIMNAGAR					
5	Ward/Village	WARD 50		Locality		Arepally Road Area_W50	
6	Town / City	NA					
C	DETAILS OF PERMISSION SANCTIONED						
Building - A1 (GANGA RAM) (Height (m): 14.95)							
1	Floors	Ground		Upper floors		Parking floors	
2	Use	No.	Area (m2)	No.	Area (m2)	Level	No. Area (m2)
a	Residential	0	0.00	5	1,486.55	Cellar	0 0.00
b	Commercial	0	0.00	0	0.00	Stilt	1 333.12
c	Others	0	0.00	0	0.00	U.Floors	0 0.00
d	No of floors	1 Stilt + 5 upper floors					
e	Set backs (m)	Front		Rear		Side I	Side II
		3		3.5		3.59	3.5
3	Site Area (m2)	652.71					
4	Road affected area (m2)	0					
5	Net Area(m2)	652.71					
6	Tot-lot (m2)	NA					
7	Height (m)	14.95					
8	No. of RWHPs	2					
9	No. of Trees	NA					
10	Others	NA					
D	DETAILS OF FEES PAID (RS.) TOTAL :						
1	Processing Fee (Building Permission)	10,000.00		SITE APPROVAL FEES		2	12,855.00
3	SUB DIVISION OF PLOT	13,060.00		14% OPEN SPACE CONTRIBUTION CHARGES		4	218,676.64
5	BUILDING PERMIT FEE	111,525.00		DEVELOPMENT CHARGES (BUILT UP AREA)		6	60,014.00
7	DEVELOPMENT CHARGES (LAND)	10,710.00		RAIN WATER HARVESTING CHARGES (DEPOSIT)		8	16,325.00
9	POSTAGE/ ADVERTISEMENT CHARGES	200.00		DEBRIS CHARGES		10	3,500.00
11	COMPOUND WALL CHARGES	2,810.40		1% LABOUR CESS		12	115,806.00
13	VACANT LAND TAX	7,809.88		ENVIROMMENT IMPACT FEES		14	48,448.86
15	33% Compounding fee	32,323.50		Penalization charges		16	97,950.00
TOTAL: 762,014.28							
E	OTHER DETAILS :						
1	Contractor's all Risk Policy No.	NA		Date	-	Valid Upto	-
2	Notarised Affidavit No.	11168/2019		Date	15 October, 2019	Area (m2)	153.15
3	Enter Sr. No. in prohibitory Property Watch Register			11168/2019		Date	15 October, 2019
4	Floor handed over	SECOND FLOOR		S.R.O.	KARIMNAGAR		
F	Construction to be Commenced Before			26 June, 2021			
G	Construction to be Completed Before			26 December, 2025			

The Building permission is sanctioned subject to following conditions:

1. The permission accorded does not confer any ownership rights. At a later stage if it is found that the documents are false and fabricated the permission will be cancelled U/s 450 HMC Act 1955 / 344 Act 1965.

2. If construction is not commenced within 18 months from the date of approval, building application shall be submitted afresh duly paying required fees.

3. Sanctioned Plan shall be followed strictly while making the construction.

4. Sanctioned Plan copy shall be displayed at the construction site for public view.

5. Commencement Notice shall be submitted by the applicant before commencement of the building as per the provisions of **HMC Act 1955 / APM Act 1965.**

6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/r 26B of GO. Ms No.168 M.A., Dt.07/04/2012.

7. Occupancy Certificate is compulsory before occupying any building U/r 26A of GO. Ms No.168 M.A., Dt.07/04/2012.

8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.

9. Prior Approval should be obtained separately for any modification in the construction.

10. Tree Plantation shall be done along the periphery and also in front of the premises.

11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.

12. Rain Water Harvesting Structure (percolation pit) shall be constructed.

13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.

14. Garbage House shall be made within the premises.

15. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted.

16. No. of units as sanctioned shall not be increased without prior approval of **Nagar Panchayat / Municipality / Corporation** at any time in future

17. This sanction is accorded on surrendering of **Road affected portion of the site** to **Nagar Panchayat / Municipality / Corporation** at free of cost without claiming any compensation at any time as per the undertaking submitted / registered gift deed.

18. Strip of greenery on periphery of the site shall be maintained as per rules.

19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.

20. *The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.*

21. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.

22. A safe distance of minimum 3.0M vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5M for Low Tension electrical line shall be maintained.

23. No front compound wall for the site abutting 18M road width shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.

24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.

25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2005.

26. The mortgaged built up area shall be allowed for registration only after an Occupancy Certificate is produced.

27. The Registration authority shall register only the permitted built up area as per sanctioned plan.

28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built up area as per sanctioned plan.

29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.

30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the **Nagar Panchayat / Municipality / Corporation**

31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).

32. As per the undertaking executed in terms of A.P. Building Rules-2012,

a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.

b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severally responsible to carry out and complete the construction strictly in accordance with sanctioned plan.

c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severally held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.

d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from **Nagar Panchayat / Municipality / Corporation** after providing all the regular service connections to each portion of the building and duly submitting the following.

i. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.

ii. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.

iii. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.

iv. Insurance Policy for the completed building for a minimum period of three years.

33. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like;

a. To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts.

b. Provide Fire resistant swing door for the collapsible lifts in all floors.

c. Provide Generator, as alternate source of electric supply.

d. Emergency Lighting in the Corridor / Common passages and stair case.

- e. Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190-1992.
 - f. Manually operated and alarm system in the entire buildings;
 - g. Separate Underground static water storage tank capacity of 25, 000L capacity.
 - h. Separate Terrace Tank of 25,000lits capacity for Residential buildings;
 - i. Hose Reel, Down Corner.
 - j. Automatic Sprinkler system is to be provided if the basement area exceeds 200 Sq.mts.
 - k. Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety.
 - l. Transformers shall be protected with 4 hours rating fire resist constructions.
 - m. To create a joint open spaces with the neighbors building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in setbacks area.
34. The duration of permission is SIX YEARS from date of this order. The work should be completed within the time allowed if the work cannot be completed with the time a fresh application should be made prior to the expiry of the permission and further work be stopped until permission is granted on conditions of G.O.Ms.No.168 MA. Date: 07.04.2012.
35. If any deviation found in the construction the deposited amount of Rain water harvesting pit, will not be re-funded.
36. The Owner/Builder shall strictly comply with the Directions contained in the order of NATIONAL GREEN TRIBUNAL as well as the Ministry Environment and Forest (MoEF) Guidelines, 2010 while raising construction.
37. The Owner/Builder shall cover the building material, stock at site. every builder or owner shall put tarpaulin on scaffolding around the area of construction and the building.
38. The Owner/Builder shall not stock the building materials on the road margin and footpath causing obstruction to free movement of public and vehicles, failing which permission is liable to be suspended.
39. All the construction materials and debris shall be carried in the trucks or other vehicles which area fully covered and protected, so as to ensure that the Construction debris or the construction materials does not get dispersed in to the air or atmosphere or air in any form whatsoever.
40. The dust emissions from the construct site should be completely controlled and all precautions shall be taken in that behalf.
41. The vehicle carrying construction material and debris of any kind shall be cleaned before it is permitted to ply on the road after unloading such materials.
42. Every worker on the construction site and involved in loading, unloading and carriage of construction material and construction debris should be provided with mask helmets, shoes to prevent inhalation of dust particles and safety.
43. Owner and builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction and carry of construction materials and debris reliable to dust emission.
44. Owner/builder shall maintain Muster Roll of all the Employees/workers and make necessary insurance till the work is completed failing which the sanction accorded will be cancelled without further notice.
45. Owner/Builder shall take transport the construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of this orders.
46. Owner/builder shall take appropriate measures and to ensure that the terms and conditions of the earlier order and these orders should strictly be complied with by fixing sprinkles, creation of green air barriers.
47. Owner/builder shall mandate only use well jet in grinding and stone cutting, wind breaking walls around construction site
48. The owner/builder shall make registration of real estate project with Real Estate Regulatory Act (RERA) where the area of land is proposed to be developed is more than 500 sq.m. or no. of Apartments proposed to be developed are more than 8 as required under section 3 of RERA ACT 2016

Proceeding Conditions

1. The Owner / Developers shall ensure the safety of construction workers.

Additional Conditions

1.

The building application is subjected to the payment of Rs.7,52,014/- (Including labour cess Charges, and 33 % LRS Charges ,MINES & geology cess & city level impact fee)
Mortgage Conditions as per GO 168.a) The owner is required to hand over 10% of the built-up area in the ground floor or first floor or them second floor, as the case may be, to the sanctioning authority by way of a Notarized Affidavit.

Yours Faithfully

COMMISSIONER

KARIMNAGAR Municipal Corporation

NOTE: This is computer generated letter, doesn't require any manual signatures.