



Consent For Establishment (CFE)

PCB ID: 99575

Consent No. CTE-115236 Valid
upto: 02/11/2025

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board

- Bangalore Mahadevapura

Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'

Main, 3rd Stage, 2nd Block,

Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar,

Bangalore-560079.

Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)

Consent Order No: CTE-115236

Date: 30/11/2020

To,

The Occupier,

Rekha M

No. 7/31, 2nd Main, Behind
Domlur Telephone Exchange,
Domlur Layout, Domlur, Bengaluru

Sir,

Sub: Consent to Establish new activity under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981

Ref: 1. CFE application submitted by the industry/organization on 03/11/2020 at regional Office - Bangalore Mahadevapura

2. Inspection of the project site by Regional Officer - Bangalore Mahadevapura on 19/11/2020

With reference to the above, it is to be informed that, the Board hereby accords **Consent for Establishment** for new Activity under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 at the location indicated below subject to the following terms & conditions

Location:

Name of the Industry: Rekha M

Address: BBMP Khatha No: 303 Sy. No: 95/7, Varthur Village, Varthur Hobli, Bengaluru

Industrial Area: Not In I.A, Varthur Village,

Taluk: BBMP- W- 149, District: Bangalore Urban

1. This consent for establishment is valid up to 02/11/2025 from the date of issue.
2. The applicant shall not undertake expansion/diversification without the prior consent of the Board.
3. The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under the law.
4. This consent is granted considering the following activities:

Sr	Product Name	Applied Qty/Month	Unit
1	residential building having 9 units with tba of 2569.8 sq.m	2569.8000	MT2



Consent For Establishment (CFE)

PCB ID: 99575

Consent No. CTE-115236 Valid
upto: 02/11/2025

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board

- Bangalore Mahadevapura

Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'

Main, 3rd Stage, 2nd Block,

Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar

Bangalore-560079.

Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)

I. WATER CONSUMPTION:

1. The source of water shall be from **BWSSB** and total water consumption shall be as below.

Particulars	Water consumption(KLD)
Domestic Purpose	7.5

II. WATER POLLUTION CONTROL:

1. The industry shall treat the domestic wastewater from the factory in septic tank with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be designed as per IS 2470 Part – I and Part – II.
- 2(a). The industry shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted. It shall meet the standards specified in Annexure-I & shall be used on land for gardening/greenbelt within the factory premises.
- 2(b). Domestic Sewage shall be discharged to Underground drainage System/ Sewers owned by Local body.

Discharge of effluents under the Water Act:

Sl. No.	Description	Permitted Quantity of discharge in KLD	Mode/Place of disposal
1	Domestic Purpose	6.750	Shall be treated in STP of capacity 7.0 KLD and treated sewage shall be reused for secondary purposes within the premises

III. AIR POLLUTION CONTROL:

1. The Source of emission, Stack height & Air Pollution Control (APC) measures shall be as specified in ANNEXURE-II.

IV. NOISE POLLUTION CONTROL:

1. The industry shall ensure that the ambient noise levels within its premises shall not exceed the limits i.e. 75 dB(A) Leq during day time and 70 dB(A) Leq during night time as specified in the Environment (Protection) Rules.

V. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The industry shall collect, treat and dispose off all solid waste generated from the process other than wastes covered under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008, in such manner so as not to cause environmental pollution.
2. The details of solid waste generated from the proposed plant and mode of disposal shall be as below.

Sr.No	Solid Waste Name/Type	Qty-Unit
1	Organic Waste	0.4500 - M.T
2	Inorganic Waste	0.3000 - M.T
3	Sewage Treatment Plant Sludge	0.0210 - M.T



Consent For Establishment (CFE)

PCB ID: 99575

**Consent No. CTE-115236 Valid
upto: 02/11/2025**

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board

- Bangalore Mahadevapura

Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'

Main, 3rd Stage, 2nd Block,

Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar,

Bangalore-560079.

Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)

VI. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT) RULES 2016:

1. The industry shall apply and obtain authorization under Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016, and comply with the conditions of the authorization. The applicant shall apply for authorization along with the consent for operation (CFO) application under the Rules in Form-I to obtain authorization and comply with conditions.

VII. GENERAL:

1. The industry shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
2. The industry shall not commission the proposed plant for trial or regular production unless necessary Water & air pollution control equipments are installed as specified in the Consent Order.
3. The industry shall ensure that the treatment plant and control equipments are completed and commissioned simultaneously along with construction of the factory and erection of machineries.
4. The industry shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.
5. The industry shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation to the Board.
6. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
7. This CFE does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that is necessary for setting/operation of the plant.
8. The industry shall furnish pointwise compliance to the conditions given under this consent for establishment along with the application for Consent to operate.
9. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration and pay in advance an amount equal to the cost estimated by Competent Agency or Committee.
10. The Project authorities shall apply and obtain prior consent of the Board for any new air pollution sources in future.



Consent For Establishment (CFE)

PCB ID: 99575

Consent No. CTE-115236 Valid
upto: 02/11/2025

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board

- Bangalore Mahadevapura

Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'

Main, 3rd Stage, 2nd Block,

Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar,

Bangalore-560079.

Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)

Please note that this is only consent for establishment issued to you to proceed with the formalities for establishment of the industry and does not give any right to proceed with trial/regular production. For this purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 45 days in advance of commissioning for trial production of the plant.

The receipt of this letter may please be acknowledged.

Consent Fee paid : Rs. 15000

Note:

The following Conditions Nil mentioned above are not applicable.

COPY TO:

1. Master copy (Dispatch).
2. Office copy.



Consent For Establishment (CFE)

PCB ID: 99575

Consent No. CTE-115236 Valid
upto: 02/11/2025

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board

- Bangalore Mahadevapura

Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'

Main, 3rd Stage, 2nd Block,

Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar,

Bangalore-560079.

Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)

Additional Conditions:



Consent For Establishment (CFE)

PCB ID: 99575

Consent No. CTE-115236 Valid
upto: 02/11/2025

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board

- Bangalore Mahadevapura

Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'

Main, 3rd Stage, 2nd Block,

Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar,

Bangalore-560079.

Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)





Consent For Establishment (CFE)

PCB ID: 99575

Consent No. CTE-115236 Valid
upto: 02/11/2025

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board
- Bangalore Mahadevapura
Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'
Main, 3rd Stage, 2nd Block,
Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar,
Bangalore-560079.
Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)

ANNEXURE- I

S/no	Characteristics	Tolerance Limits
1	Colour and Odour	See Note
2	Suspended Solids, mg/l.max	30
3	pH Value	5.5 to 9.0
4	Oil and Grease, mg/l, Max	10
5	Bio-chemical Oxygen Demand, mg/l, max (3 days at 27 deg/Centigrade)	20

Note: All efforts should be made to remove colour and unpleasant odour as far as practicable.

ANNEXURE- II

Chi m.N o.	Chimney attached to	KVA Rating Capacity	Minimum chimney height to be provided above ground level (in Mtr)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Air pollution Control equipment to be installed,in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	100 kVA X 1 No	5	PM(mg/NM3),SO2 (PPM),NOx(PPM)	-,-,-	AEC,N.A	Before commissioning.

Note:

AEC,N.A : Accoustic Enclosures



Consent For Establishment (CFE)

PCB ID: 99575

Consent No. CTE-115236 Valid
upto: 02/11/2025

Industry Colour:
GREEN

Industry Scale: MEDIUM

Karnataka State Pollution Control Board

- Bangalore Mahadevapura

Third Floor, "Nisarga Bhavan", Thimaiah Main Rd, 7th 'D'

Main, 3rd Stage, 2nd Block,

Shivanagar, Opp Pushpanjali Theatre, Basaveshwaranagar,

Bangalore-560079.

Tele : 080-23224002

(This document contains 8 pages including annexure & excluding additional conditions)

LOCATION OF SAMPLING PORTHOLES, THE PLATFORMS, THE ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all Chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to at least eight times the stack or duct diameter downstream from any flow disturbance such as bend, expansion, contraction and visible flame. Further, the selected port has to be at least 2 stack/duct diameter before stack/duct exit or from any other flow disturbance. For rectangular stacks, an equivalent diameter can be calculated using following expression.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 3". Arrangements should be made so that the porthole is closed firmly during the period when it is not used for sampling.
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point off 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.

FOR AND ON BEHALF OF
KARNATAKA POLLUTION
CONTROL BOARD

Annexure III – Additional conditions

1. Proper sanitation shall be provided during construction phase for the workers.
2. The STP and OWC shall be provided in open area above ground level as far as possible.
3. Dual plumbing system shall be provided for recycling the treated sewage for toilet flushing.
4. Rain water harvesting system shall include rain water collection tank and reuse for secondary purposes.
5. The applicant shall submit monthly monitoring reports of ambient air and noise during construction phase.
6. Green Building Codes shall be adopted in design and construction.
7. The applicant shall use treated sewage obtained from neighboring projects or from BWSSB STP for construction purpose.
8. Entire run off from the project area shall be utilized for artificial recharge of ground water table and treated sewage shall not be used for recharging ground water table.
9. **The applicant shall provide 'DANGER' sign board near the STP to maintain safety of the operational personnel & shall maintain operational safety protocol. Proper signages shall be displayed in both Kannada & English at the taps where treated sewage is flowing as not fit for drinking.**
10. **Caution Board at STPs: Whenever there is maintenance and staff gets into STP, especially in the basements, a display Board "Caution-Danger" shall be put up. The gases generated might choke, create breathlessness and may be fatal. During such activities, the person entering shall do so with all protective equipments including the Oxygen portable cylinder with mask. Two more persons shall be watching from outside and shall immediately evacuate the person inside if such situation arises. A minimum of two sets of such protective gear shall always be kept available in working condition**


Environmental Officer
RO-Mahadevapura
