

COLOR INDEX PLOT BOUNDARY ABUTTING ROAD

AREA STATEMENT (BBMP)

Authority: BBMP

Inward_No: PRJ/3550/21-2

Application Type: General

31.Sufficient two wheeler parking shall be provided as per requirement.

and shall get the renewal of the permission issued once in Two years.

Corporation and Fire Force Department every year.

as per solid waste management bye-law 2016.

sanction is deemed cancelled.

Board"should be strictly adhered to

workers engaged by him.

which is mandatory.

management as per solid waste management bye-law 2016.

46.Also see, building licence for special conditions, if any.

(Hosadaagi Hoodike) Letter No. LD/95/LET/2013, dated: 01-04-2013 :

f construction workers in the labour camps / construction sites.

Employment of child labour in the construction activities strictly prohibited.

renewal of the permission issued that once in Two years.

32. Traffic Management Plan shall be obtained from Traffic Management Consultant for all high rise

33.The Owner / Association of high-rise building shall obtain clearance certificate from Karnataka

condition of Fire Safety Measures installed. The certificate should be produced to the Corporation

35. The Owner / Association of high-rise building shall obtain clearance certificate from the Electrical

Inspectorate every Two years with due inspection by the Department regarding working condition of

, one before the onset of summer and another during the summer and assure complete safety in respect of

Electrical installation / Lifts etc., The certificate should be produced to the BBMP and shall get the

36. The Owner / Association of the high-rise building shall conduct two mock - trials in the building

37. The Builder / Contractor / Professional responsible for supervision of work shall not shall not

materially and structurally deviate the construction from the sanctioned plan, without previous

38. The construction or reconstruction of a building shall be commenced within a period of two (2)

footing of walls / columns of the foundation. Otherwise the plan sanction deemed cancelled.

39.In case of Development plan, Parks and Open Spaces area and Surface Parking area shall be

Development Authority while approving the Development Plan for the project should be strictly

41. The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation

42. The applicant/owner/developer shall abide by sustainable construction and demolition waste

44. The Applicant / Owner / Developer shall plant one tree for a) sites measuring 180 Sqm up to 240

45.In case of any false information, misrepresentation of facts, or pending court cases, the plan

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM

Applicant / Builder / Owner / Contractor and the construction workers working in the

construction site with the "Karnataka Building and Other Construction workers Welfare

2. The Applicant / Builder / Owner / Contractor should submit the Registration of establishment and

list of construction workers engaged at the time of issue of Commencement Certificate. A copy of the

same shall also be submitted to the concerned local Engineer in order to inspect the establishment

and ensure the registration of establishment and workers working at construction site or work place.

4.At any point of time No Applicant / Builder / Owner / Contractor shall engage a construction worker

in his site or work place who is not registered with the "Karnataka Building and Other Construction

.Accommodation shall be provided for setting up of schools for imparting education to the children o

2.List of children of workers shall be furnished by the builder / contractor to the Labour Department

1. Obtaining NOC from the Labour Department before commencing the construction work is a must. 5.BBMP will not be responsible for any dispute that may arise in respect of property in question.

6.In case if the documents submitted in respect of property in question is found to be false or

fabricated, the plan sanctioned stands cancelled automatically and legal action will be initiated.

3. The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of

Sqm b) minimum of two trees for sites measuring with more than 240 Sqm. c) One tree for every 240 Sq.m of the FAR area as part thereof in case of Apartment / group housing / multi-dwelling

43. The Applicant / Owners / Developers shall make necessary provision to charge electrical

40.All other conditions and conditions mentioned in the work order issued by the Bangalore

earmarked and reserved as per Development Plan issued by the Bangalore Development Authority.

approval of the authority. They shall explain to the owner s about the risk involved in contravention

years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give

intimation to BBMP (Sanctioning Authority) of the intention to start work in the form prescribed in

Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundation or

of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of

34. The Owner / Association of high-rise building shall get the building inspected by empaneled

in good and workable condition, and an affidavit to that effect shall be submitted to the

Fire and Emergency Department every Two years with due inspection by the department regarding working

agencies of the Karnataka Fire and Emergency Department to ensure that the equipment's installed are

structures which shall be got approved from the Competent Authority if necessary.

EXISTING (To be retained) EXISTING (To be demolished)

PROPOSED WORK (COVERAGE AREA)

VERSION NO.: 1.0.

Plot Use: Residential

Plot SubUse: Apartment

Land Use Zone: Residential (Mair

VERSION DATE: 31/08/2021

Approval Condition :

T SECOND, GF+4UF'.

1.The sanction is accorded for.

demolished after the construction.

to occupy the building.

bye-laws 2003 shall be ensured.

competent authority.

has to be paid to BWSSB and BESCOM if any.

for dumping garbage within the premises shall be provided.

/ untoward incidents arising during the time of construction.

The debris shall be removed and transported to near by dumping yard.

facility areas, which shall be accessible to all the tenants and occupants.

This Plan Sanction is issued subject to the following conditions :

a).Consisting of 'Block - A (A) Wing - A-1 (A) Consisting of BASEMENT FIRST, BASEMEN

3.Car Parking reserved in the plan should not be converted for any other purpose.

2. The sanction is accorded for Apartment A (A) only. The use of the building shall not deviate to any

4.Development charges towards increasing the capacity of water supply, sanitary and power main

5.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space

6. The applicant shall construct temporary toilets for the use of construction workers and it should be

7. The applicant shall INSURE all workmen involved in the construction work against any accident

8. The applicant shall not stock any building materials / debris on footpath or on roads or on drains.

9. The applicant / builder is prohibited from selling the setback area / open spaces and the common

10. The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Es& D) code leaving 3.00 mts. from the building within the premises.

11. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for

12. The applicant shall maintain during construction such barricading as considered necessary to

13.Permission shall be obtained from forest department for cutting trees before the commencement

14.License and approved plans shall be posted in a conspicuous place of the licensed premises. The

prevent dust, debris & other materials endangering the safety of people / structures etc. in

building license and the copies of sanctioned plans with specifications shall be mounted on

15.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the

Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in

responsibilities specified in Schedule - IV (Bye-law No. 3.6) under sub section IV-8 (e) to (k).

17. The building shall be constructed under the supervision of a registered structural engineer. 18.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "COMMENCEMENT CERTIFICATE" shall be obtained.

16.Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and

19. Construction or reconstruction of the building should be completed before the expiry of five years

from the date of issue of license & within one month after its completion shall apply for permission

20. The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the

22. The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintained

1893-2002 published by the Bureau of Indian Standards making the building resistant to earthquake.

25. Facilities for physically handicapped persons prescribed in schedule XI (Bye laws - 31) of Building

visitors / servants / drivers and security men and also entrance shall be approached through a ramp for

27. The Occupancy Certificate will be considered only after ensuring that the provisions of conditions

construction and that the construction activities shall stop before 10.00 PM and shall not resume the

28. The applicant shall ensure that no inconvenience is caused to the neighbors in the vicinity of

work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.

inorganic waste and should be processed in the Recycling processing unit ---- k.g capacity

installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and

30. The structures with basement/s shall be designed for structural stability and safety to ensure for

soil stabilization during the course of excavation for basement/s with safe design for retaining walls and super structure for the safety of the structure as well as neighboring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.

in good repair for storage of water for non potable purposes or recharge of ground water at all

23. The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS

24. The applicant should provide solar water heaters as per table 17 of Bye-law No. 29 for the

26. The applicant shall provide at least one common toilet in the ground floor for the use of the

times having a minimum total capacity mentioned in the Bye-law 32(a).

the Physically Handicapped persons together with the stepped entry.

vide Sl. No. 23, 24, 25 & 26 are provided in the building.

2000 Sqm and above built up area for Commercial building).

21.Drinking water supplied by BWSSB should not be used for the construction activity of the

the second instance and cancel the registration if the same is repeated for the third time.


a frame and displayed and they shall be made available during inspections.

installation of telecom equipment and also to make provisions for telecom services as per Bye-law No.

 64.80
 8724.33
 245.78
 50.17
 3.34
 180.04
 0.30
 292.59
 2380.29
 5571.83
 5571.83
 60

A (A)	MD	1.09	2.10	14
A (A)	MD	1.10	2.10	46
SCHEDULE OF	JOINERY:			
BLOCK NAME	NAME	LENGTH	HEIGHT	NOS
A (A)	V	1.20	1.20	120
A (A)	V1	1.20	1.20	05
A (A)	W1	1.79	1.80	06
A (A)	W1	1.80	1.80	508

FLOOR	SIZE	AREA	TOTAL A	
FIRST FLOOR PLAN	1.10 X 3.50 X 1 X 1	3.86		
	1.10 X 3.61 X 3 X 1	11.94		
	1.10 X 4.22 X 2 X 1	9.30		
	1.10 X 3.56 X 1 X 1	3.93		
	1.10 X 3.56 X 1 X 1	3.94		
	1.10 X 3.50 X 1 X 1	3.86		
	1.10 X 3.81 X 1 X 1	4.21		
	1.10 X 2.69 X 3 X 1	8.91		
	1.10 X 2.69 X 1 X 1	2.97		
	1.10 X 3.15 X 1 X 1	3.48		
	1.10 X 3.51 X 1 X 1	3.85		
TYPICAL - 2, 3& 4 FLOOR PLAN	1.52 X 3.50 X 1 X 3	11.58		
	1.52X 3.61 X 3 X 3	35.82		
	1.52 X 4.22 X 2 X 3	27.90		
	1.52 X 3.56 X 1 X 3	11.79		
	1.52 X 3.56 X 1 X 3	11.82		
	1.52 X 3.50 X 1 X 3	11.58		
	1.52 X 3.81 X 1 X 3	12.63		
	1.52 X 2.69 X 3 X 3	26.73		
	1.52 X 2.69 X 1 X 3	8.91		
	1.52X 3.15 X 1 X 3	10.44		
	1.52 X 3.51 X 1 X 3	11.55		
Total	-	-		



	L.PANDU Rep.by G.P.A Holder M/s.Ishtika Homes PVT.Ltd Rep.by Its Managing Director G.CHIRANJEEVI REDDY No.937, 21st MAIN ROAD, CROSS, J.P.NAGAR 2nd PHASE, BANGALORE.
•	ARCHITECT/ENGINEER /SUPERVISOR 'S SIGNATURE vinod P # 11 3 rd cross Doctors layout chikkalasandra b- 61 BCC/BL-3.6/E-4521/2019-2020
	PROJECT TITLE : PROPOSED RESIDENTIAL APARTMENT BUILDING AT SY.NO.33/1, KATHA NO.134/1/471/33/1,GOLLAHALLI VILLAG UTTARAHALLI HOBLI,BANGALORE. WARD NO.196

DRAWING TITLE: 1635442930-10-10-202104-50-05\$_\$ISHTIKA REVISED ONLINE_2

OWNER / GPA HOLDER'S

OWNER'S ADDRESS WITH ID NUMBER & CONTACT NUMBER:

NORTH

SIGNATURE


This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building licence by the competent authority.

 1
 8789.12
 64.80
 8724.32
 245.78
 50.17
 3.34
 180.04
 0.30
 292.59
 2380.29
 5571.83
 5571.83
 60.00

SANCTIONING AUTHORITY ASSISTANT DIRECTOR DEPUTY DIRECTOR JOINT DIRECTOR







TERRACE FLOOR PLAN

UserDefinedMetric (1600.00 x 890.00MM)_

Approval Condition :

1. The sanction is accorded for.

demolished after the construction.

to occupy the building.

competent authority.

bye-laws 2003 shall be ensured.

has to be paid to BWSSB and BESCOM if any.

This Plan Sanction is issued subject to the following conditions :

for dumping garbage within the premises shall be provided.

/ untoward incidents arising during the time of construction.

The debris shall be removed and transported to near by dumping yard.

facility areas, which shall be accessible to all the tenants and occupants.

a).Consisting of 'Block - A (A) Wing - A-1 (A) Consisting of BASEMENT FIRST, BASEMEN

3.Car Parking reserved in the plan should not be converted for any other purpose.

2. The sanction is accorded for Apartment A (A) only. The use of the building shall not deviate to any

4.Development charges towards increasing the capacity of water supply, sanitary and power main

5.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space

6. The applicant shall construct temporary toilets for the use of construction workers and it should be

7. The applicant shall INSURE all workmen involved in the construction work against any accident

8. The applicant shall not stock any building materials / debris on footpath or on roads or on drains.

9. The applicant / builder is prohibited from selling the setback area / open spaces and the common

10. The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Es& D) code leaving 3.00 mts. from the building within the premises.

11. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for

12. The applicant shall maintain during construction such barricading as considered necessary to

13.Permission shall be obtained from forest department for cutting trees before the commencement

14.License and approved plans shall be posted in a conspicuous place of the licensed premises. The

building license and the copies of sanctioned plans with specifications shall be mounted on

15.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the

the second instance and cancel the registration if the same is repeated for the third time.

Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in

16. Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and

18.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "COMMENCEMENT CERTIFICATE" shall be obtained.

19. Construction or reconstruction of the building should be completed before the expiry of five years

from the date of issue of license & within one month after its completion shall apply for permission

20. The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the

22. The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintained

1893-2002 published by the Bureau of Indian Standards making the building resistant to earthquake.

25. Facilities for physically handicapped persons prescribed in schedule XI (Bye laws - 31) of Building

visitors / servants / drivers and security men and also entrance shall be approached through a ramp for

21.Drinking water supplied by BWSSB should not be used for the construction activity of the

in good repair for storage of water for non potable purposes or recharge of ground water at all

23. The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS

24. The applicant should provide solar water heaters as per table 17 of Bye-law No. 29 for the

26. The applicant shall provide at least one common toilet in the ground floor for the use of the

27. The Occupancy Certificate will be considered only after ensuring that the provisions of conditions

28. The applicant shall ensure that no inconvenience is caused to the neighbors in the vicinity of

work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.

construction and that the construction activities shall stop before 10.00 PM and shall not resume the

29.Garbage originating from Apartments / Commercial buildings shall be segregated into organic and

30. The structures with basement/s shall be designed for structural stability and safety to ensure for

soil stabilization during the course of excavation for basement/s with safe design for retaining walls and super structure for the safety of the structure as well as neighboring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.

inorganic waste and should be processed in the Recycling processing unit ---- k.g capacity installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and

times having a minimum total capacity mentioned in the Bye-law 32(a).

the Physically Handicapped persons together with the stepped entry.

vide Sl. No. 23, 24, 25 & 26 are provided in the building.

2000 Sqm and above built up area for Commercial building).

responsibilities specified in Schedule - IV (Bye-law No. 3.6) under sub section IV-8 (e) to (k).

17. The building shall be constructed under the supervision of a registered structural engineer.

a frame and displayed and they shall be made available during inspections.

prevent dust, debris & other materials endangering the safety of people / structures etc. in

installation of telecom equipment and also to make provisions for telecom services as per Bye-law No.

31.Sufficient two wheeler parking shall be provided as per requirement. 32.Traffic Management Plan shall be obtained from Traffic Management Consultant for all high rise structures which shall be got approved from the Competent Authority if necessary. 33. The Owner / Association of high-rise building shall obtain clearance certificate from Karnataka Fire and Emergency Department every Two years with due inspection by the department regarding working condition of Fire Safety Measures installed. The certificate should be produced to the Corporation and shall get the renewal of the permission issued once in Two years. 34. The Owner / Association of high-rise building shall get the building inspected by empaneled agencies of the Karnataka Fire and Emergency Department to ensure that the equipment's installed are in good and workable condition, and an affidavit to that effect shall be submitted to the Corporation and Fire Force Department every year. 35. The Owner / Association of high-rise building shall obtain clearance certificate from the Electrical Inspectorate every Two years with due inspection by the Department regarding working condition of Electrical installation / Lifts etc., The certificate should be produced to the BBMP and shall get the renewal of the permission issued that once in Two years. 36. The Owner / Association of the high-rise building shall conduct two mock - trials in the building , one before the onset of summer and another during the summer and assure complete safety in respect of 37. The Builder / Contractor / Professional responsible for supervision of work shall not shall not materially and structurally deviate the construction from the sanctioned plan, without previous approval of the authority. They shall explain to the owner s about the risk involved in contravention of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of

footing of walls / columns of the foundation. Otherwise the plan sanction deemed cancelled. 39.In case of Development plan, Parks and Open Spaces area and Surface Parking area shall be earmarked and reserved as per Development Plan issued by the Bangalore Development Authority. 40.All other conditions and conditions mentioned in the work order issued by the Bangalore Development Authority while approving the Development Plan for the project should be strictly 41. The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation as per solid waste management bye-law 2016. 42. The applicant/owner/developer shall abide by sustainable construction and demolition waste management as per solid waste management bye-law 2016. 43. The Applicant / Owners / Developers shall make necessary provision to charge electrical 44. The Applicant / Owner / Developer shall plant one tree for a) sites measuring 180 Sqm up to 240 Sqm b) minimum of two trees for sites measuring with more than 240 Sqm. c) One tree for every 240 Sq.m of the FAR area as part thereof in case of Apartment / group housing / multi-dwelling 45.In case of any false information, misrepresentation of facts, or pending court cases, the plan sanction is deemed cancelled. 46.Also see, building licence for special conditions, if any.

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM

38. The construction or reconstruction of a building shall be commenced within a period of two (2)

years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give intimation to BBMP (Sanctioning Authority) of the intention to start work in the form prescribed in

Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundation or

Applicant / Builder / Owner / Contractor and the construction workers working in the construction site with the "Karnataka Building and Other Construction workers Welfare Board"should be strictly adhered to

(Hosadaagi Hoodike) Letter No. LD/95/LET/2013, dated: 01-04-2013 :

2. The Applicant / Builder / Owner / Contractor should submit the Registration of establishment and list of construction workers engaged at the time of issue of Commencement Certificate. A copy of the same shall also be submitted to the concerned local Engineer in order to inspect the establishment and ensure the registration of establishment and workers working at construction site or work place. 3. The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of workers engaged by him. 4.At any point of time No Applicant / Builder / Owner / Contractor shall engage a construction worker in his site or work place who is not registered with the "Karnataka Building and Other Construction workers Welfare Board".

1.Accommodation shall be provided for setting up of schools for imparting education to the children o f construction workers in the labour camps / construction sites. 2.List of children of workers shall be furnished by the builder / contractor to the Labour Department which is mandatory. 3. Employment of child labour in the construction activities strictly prohibited. 4. Obtaining NOC from the Labour Department before commencing the construction work is a must. 5.BBMP will not be responsible for any dispute that may arise in respect of property in question. 6.In case if the documents submitted in respect of property in question is found to be false or fabricated, the plan sanctioned stands cancelled automatically and legal action will be initiated.

PROPOSED WORK (COVERAGE AREA) EXISTING (To be retained) EXISTING (To be demolished) AREA STATEMENT (BBMP) VERSION NO.: 1.0. VERSION DATE: 31/08/2021 PROJECT DETAIL: Authority: BBMP Plot Use: Residential Inward_No: PRJ/3550/21-22 Plot SubUse: Apartment Application Type: General Land Use Zone: Residential (Main) Proposal Type: Building Permission Plot/Sub Plot No.: 134/1/471/33/1 Nature of Sanction: NEW City Survey No.: 33/1 Location: RING-III Khata No. (As per Khata Extract): 134/1/471/33/1 Locality / Street of the property: GOLLAHALLI VILLAGE, UTTARAHALLI Building Line Specified as per Z.R: NA HOBLI, BANGALORE. Zone: Bommanahalli Ward: Ward-196 Planning District: 321-Anjanapura AREA OF PLOT (Minimum) NET AREA OF PLOT COVERAGE CHECK Permissible Coverage area (55.00 %) Proposed Coverage Area (51.16 %) Achieved Net coverage area (51.16 %) Balance coverage area left (3.84 %) Permissible F.A.R. as per zoning regulation 2015 (2.5 Additional F.A.R within Ring I and II (for amalgamated plot -) Allowable TDR Area (60% of Perm.FAR) Premium FAR for Plot within Impact Zone (Total Perm. FAR area (2.50) Residential FAR (100.00%) Proposed FAR Area Achieved Net FAR Area (2.50) Balance FAR Area (0.00) BUILT UP AREA CHECK

COLOR INDEX PLOT BOUNDARY ABUTTING ROAD

Proposed BuiltUp Area

Achieved BuiltUp Area

Substructure Area Add in BUA (Layout Lvl


Block Nar	ne	Block Use	Bloc	Block SubUse		Structure	Block Land Use Category		
A (A)		Residential Apartment		Bldg upt	o 15.0 mt. Ht.	R			
Block	d Parking(Ta	,	Area	units		3			
Name	Туре	SubUse	(Sq.mt.)	Reqd.	Prop.	Regd./Unit	Car Regd.	Prop	
A (A)	Residential	Apartment	50 - 225	1	-	1	60	-	
	Total :		-	-	-	-	60	76	

Vehicle Type	F	Reqd.	Achieved		
	No.	Area (Sq.mt.)	No.	Area (Sq.mt.)	
Car	60	825.00	76	1045.00	
Visitor's Car Parking	6	82.50	0	0.00	
Total Car	66	907.50	76	1045.00	
TwoWheeler	-	82.50	0	0.00	
Other Parking	-	-	-	1335.29	
Total		990.00		2380.	

| Terrace | Floor | 1218.91 | 16.20 | 1202.71 | 33.46 | 6.69 | 0.00 | 8.07 | 0.06 | 0.00 | 0.00 | 0.00 | 1154.43 | 1154.43 | 12 | Floor | 1218.91 | 16.20 | 1202.71 | 33.46 | 6.69 | 0.00 | 8.07 | 0.06 | 0.00 | 0.00 | 0.00 | 1154.43 | 1154.43 | 12 |
 Floor
 1218.91
 16.20
 1202.71
 33.46
 6.69
 0.00
 8.07
 0.06
 0.00
 0.00
 1154.43
 1154.43
 12
 Blocks Total: 8789.13 64.80 8724.33 245.78 50.17 3.34 180.04 0.30 292.59 2380.29 5571.83 5571.83 60

BLOCK NAME	NAME	LENGTH	HEIGHT	NOS
A (A)	D2	0.75	2.10	125
A (A)	D1	0.90	2.10	134
A (A)	MD	1.09	2.10	14
A (A)	MD	1.10	2.10	46

A (A)	V1	1.20	1.20	05	
A (A)	W1	1.79	1.80	06	
A (A)	W1	1.80	1.80	508	
Balcony Calculatio	ns Table				
FLOOR	SIZ	ZE	AREA	TOTAL AREA	
FIRST FLOOR PLAN	1.10 X 3.50 X	X1X1	3.86	60.25	
	1.10 X 3.61 X	X 3 X 1	11.94		
	1.10 X 4.22 X	(2X1	9.30		
	1.10 X 3.56 X	X1X1	3.93		
	1.10 X 3.56 X	X1X1	3.94		
	1.10 X 3.50 X	X1X1	3.86		
	1.10 X 3.81 X	X1X1	4.21		
	1.10 X 2.69 X	X 3 X 1	8.91		
	1.10 X 2.69 X	X1X1	2.97		
	1.10 X 3.15 X	X1X1	3.48		
	1.10 X 3.51 X	X1X1	3.85		
TYPICAL - 2, 3& 4 FLO PLAN	OOR 1.52 X 3.50 X	X1X3	11.58	180.75	
	1.52X 3.61 X		35.82		
	1.52 X 4.22 X	K2X3	27.90		
	1.52 X 3.56 X	K1X3	11.79		
	1.52 X 3.56 X	K1X3	11.82		
	1.52 X 3.50 X		11.58		
	1.52 X 3.81 X	X1X3	12.63		
	1.52 X 2.69 X		26.73		
	1.52 X 2.69 X		8.91		
	1.52X 3.15 X	1 X 3	10.44		
	1 52 X 3 51 X	X 1 X 3	11.55		



OWNER / SIGNATUR	/ GPA HOLDER'S RE
NUMBER L.PANDU Re Managing Dir	ADDRESS WITH ID & CONTACT NUMBER: pp.by G.P.A Holder M/s.Ishtika Homes PVT.Ltd Rep.by Its rector G.CHIRANJEEVI REDDY No.937, 21st MAIN ROAD,9th NAGAR 2nd PHASE, BANGALORE.
/SUPERV vinod P # 11	CT/ENGINEER /ISOR 'S SIGNATURE 3 rd cross Doctors layout chikkalasandra b- 61 E-4521/2019-2020

PROPOSED RESIDENTIAL APARTMENT BUILDING AT SY.NO.33/1, KATHA NO.134/1/471/33/1, GOLLAHALLI VILLAGE, JTTARAHALLI HOBLI,BANGALORE. WARD NO.196 DRAWING TITLE: 1635442930-10-10-202104-50-05\$_\$ISHTIKA REVISED ONLINE_2 SHEET NO: 4

SANCTIONING AU	THORITY:		This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building licence by the competent authority.		
ASSISTANT / JUNIOR ENGINEER / TOWN PLANNER	ASSISTANT DIRECTOR	DEPUTY DIRECTOR	JOINT DIRECTOR		
				NORTH	

				STAIRC HEAD R	CASE M/C	2.60 Substituting 1.50 Substit			STAIRCASI HEAD ROO	E -	2.60 MOOW J/M			
TERRACE FLOOLVL LVL +14.95 M				 										
FOURTH FLOOR LVL + 12.05 M	CH.BED ROOM	CH.BED ROOM DRAWING CORRIDO	DRAWING TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING	TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING	TOILET CH.BED ROOM	
-2.90	CH.BED ROOM	CH.BED ROOM DRAWING CORRIDO	DRAWING TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING	TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING	TOILET CH.BED ROOM	
SECOND FLOOR LVL+6.25 M	CH.BED ROOM	CH.BED ROOM DRAWING CORRIDO	DRAWING TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING	TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING	TOILET CH.BED ROOM	
FIRST FLOOR LVL+3.35 M	CH.BED ROOM	CH.BED ROOM DRAWING CORRIDO	DRAWING TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING R	TOILET CH.BED ROOM	CH.BED ROOM	TOILET		DRAWING	TOILET CH.BED ROOM	NGL S
GROUND FLOOR LVL+0.45 M	TOILET	ED ROOM TOILET DRAWING CORRIDO	DRAWING TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING	DRAWING	TOILET CH.BED ROOM	CH.BED ROOM	TOILET	DRAWING COR	DRAWING		3.54 NGT 8
6.17			++	-	-		+++	<u> </u>		 			+	
BASEMENT-1 LVL-2.95 M	CAR PARKING	CAR PARKING	CAR PARKING ————————————————————————————————————	CAR PARKING		CAR PARKING		CAR PARKING	CAR PARKING		CAR PARKING	CAR PARKING	G CAR PARKING	
63				CAR PARKING		CAR PARKING		CAR PARKING	CAR PARKING		CAR PARKING	CAR PARI	KING CAR PARKING	

	STAIRCASE HEAD ROOM	STAIRCASE HEAD ROOM	
			NGL 99.71
AV.GL 96.17			AV.GL 96.17
NGL 92.63	ELEVATION FROM	<u>и NORTH</u>	

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

UserDefinedMetric (1600.00 x 890.00MM)_

Accuracy of Scrutiny Report and Drawing is subject to accuracy of end-user provided data, 3rd party software/hardware/services, etc. We are not liable for any damages which may arise from use, or inability to use the Application.