




PERCOLATING WELL CALC.

NET PLOT AREA OF F.P. NO: 95 = 1806.00 SQ. MT.
REQD. PERCOLATING WELL = 1 NO.
PROVIDED PERCOLATING WELL = 1 NO.

TREE PLANTATION CALC.
NET PLOT AREA OF F.P. NO: 95 = 1806.00 SQ. MT.
PROVIDED TREE = 46 NO.

COMMON PLOT AREA CALC.		
COMMON PLOT		
1. 15.66 X 9.37	=	146.73 SQ.MT.
2. 22.34 X 2.26 X 0.5	=	25.24 SQ.MT.
3. 6.68 X 9.37 X 0.5	=	31.30 SQ.MT.
TOTAL		= 203.27 SQ.MT.
PROVIDED COMMON PLOT AREA = 203.27 SQ.MT.		

FIRE HYDRANT LEGEND		
SR.	SYMBOL	DISCUPTION
1		FIRE HYDRANT PRE MAIN
2		SLUICE VALVE
3		NON RETURN VALVE
4		COURT YARD HYDRANT VALVE
5		LANDING HYDRANT VALVE
6		HOSE BOX
7		FIRST AID HOSE REEL
8		AIR RELEASE VALVE
9		TWO WAY BYPASS CONNECTION
10		RISE OR DROP

1. HYDRANT SYSTEM:

ON/OFF switches located near the hose reel or hydrant outlet at each floor. The fire alarm system shall be installed in the premises where a fire service vehicle can approach easily. A permanent hydrant point comprising of 63 mm dia zone of hydrant valves should be installed at the terrace level. The overhead tank shall be of a capacity of not less than 20,000 liters. The Underground tank shall be of not less than 1,00,000 liters.

2. FIRE LIFT

The Fire Lift and all the lifts should have a provision of ground automatically in case of emergency failure. Each building should have at least one lift as a Fire Lift and if the building is divided into two or more parts then each should have a Fire Lift. Lift-well should have towers to pressurize the lift-well so connected that it will automatically operate when alarm call point is operate, so that it prevents the lift well getting smoke logged.

3. FIRE ALARM

Fire alarm call point to be installed at each floor with sounders capable of being heard all throughout the building.

4. FIRE EXTINGUISHERS

One Carbon Dioxide (CO2) type extinguisher of 4.5 kg. with ISI mark, and one extinguisher of 1 kg. Dry Chemical Powder (DCP) type extinguisher with ISI mark to be installed on each floor in case of commercial building. One Carbon Dioxide (CO2) type extinguisher of 4.5 kg. with ISI mark OR Two Carbon Dioxide (CO2) type extinguisher of 2 kg. with ISI mark capacity on alternate floors in case of residential building. If the building is divided into two or more parts then each part should have these extinguishers installed.

COMMUNITY BIN (CONTAINER) CALC. :-

TOTAL NO. OF UNITS = 44 NO.
CONTAINER REQD. = PER 1 UNIT = 1 NO. (10 LIT. CAP.)
MAX. CAP. OF CONTAINER = 80 LIT.
80.0 LIT. = 8 UNIT = 1 CONTAINER (80 LIT. CAP.)
= 44 / 8 = 5.5 NO. CONT. REQD. SAY 6 CONT.
PROVIDED CONTAINER = 6 NO.

LIFT PROVIDED

3 LIFT PROVIDED WITH 10 PERSON CAP
(SAY 30 PERSONS) 1 LIFT IS FIRE LIFT
1 LIFT PROVIDED 2 WHEELER VEHICLE LIFT

5. STAIRCASE:

The staircase has to be open from at least one or two sides but if the staircase is in the centre core of the building it has to be pressurized to prevent it from getting smoke logged. The Riser/Down-comer should be located in the staircase or close to it in make it easily approachable in case of Fire from the floor below or above.

6. BASEMENT:

The basement of the building, if any, or more should be protected with Automatic Sprinkler system with at least one sprinkler head for actual fire fighting purpose. Additionally be protected by a Hydrant outlet and two 25 mm. bore hose reel-hoses with 8 mm. bore nozzles at each basement level.

7. LIGHTNING ARRESTER:

A lightning arrester should also be installed and be properly earthed to prevent damage to the building when the lightning strikes.

8. PHOTO LUMINESCENT (AUTO GLOW) SIGNAGES :-

If the building falls in a confined area or if it has an enclosed staircase or is not well lit up on the inside, then adequate photo luminescent (auto glow) signages should be displayed at each floor / landing / pathway / stair-end along all exit routes leading to the ground level. The signage should indicate the lighting, fire safety equipment present on the respective floor/landing/pathway/stair-end and along all exit routes leading to the ground level.

9. ELECTRIC POWER SUPPLY TO THE ENTIRE FIRE-SAFETY SYSTEM
Electricity supply to the fire pump, fire alarm system, staircase pressurization system and fire lift should be made available from the main Electrical supply (i.e. from Electrical power supply of the company). This is to ensure availability of power supply to the fire protection & Safety system even after the main electrical supply to the building is switched off at the time of fire.

10. INDIVIDUAL FIRE SAFETY SYSTEM

FIRE SAFETY SYSTEM SHOULD BE PROVIDED IN INDIVIDUAL SHOW ROOM BY OWNER

IMPORTANT INSTRUCTIONS:

After inspection of a low-rise building by the fire service authority, if the fire officer concerned feels in need for additional fire prevention/protection measures / ventilation system required or equipment (i.e. - Passive system / Suppression system / Fire door - Window / Detection system / Active system / Sprinkler / Drencher etc.) as per Fire load / Fire risk / Fire hazard / Public gathering / Potential / Occupancy / Confined area, those additional measures / equipment have to be implemented / installed.

GENERAL NOTES RELATED TO CGDCR-2017

- IT IS CERTIFIED THAT PLAT UNDER REFERENCE IS SURVEYED BY ME AND THE DIMENSIONS OF ALL SIDES OF PLOT AND PLOT AREA AS SHOWN IN PLAN ARE MEASURED BY ENGINEER ON RECORD AND IN ACCORDANCE WITH OWNERSHIP/REVENUE RECORD.
- ENGINEER IS FULLY RESPONSIBLE FOR LEAVING OPEN MARGINAL SPACE AND MARGIN.
- THE DEPTH AND POSITION OF EXISTING MAINLINE MAIN HOLE IS VERIFIED BY ME ON SITE AND PREMISES CAN GET ORANGE CONNECTION.
- IT IS CERTIFY THAT ACCORDING TO C.G.D.C.R.-2017, ALL REQUIREMENTS OF THE BUILDING ARE CHECKED AND NECESSARY ACTIONS ARE TAKEN.
- IT IS CERTIFY THAT ACCORDING TO THE CLAUSE NO. 4.4.3 OF THE C.G.D.C.R.-2017, THE STRUCTURE OF THE BUILDING IS DESIGNED AS PER THE NORMS OF THE INDIAN STANDARDS.
- DESIGN OF STAIRCASE AND RAILING IS PROVIDED AS PER THE PROVISION OF THE CLAUSE NO. 13.1.1 AND 13.1.13 OF C.G.D.C.R.-2017
- LIFT IS PROVIDED AS PER THE PROVISION OF THE CLAUSE NO. 13.12 OF C.G.D.C.R.-2017
- WATER TANK IS PROVIDED AS PER THE PROVISION OF THE CLAUSE NO. 13.6 OF C.G.D.C.R.-2017
- LETTER BOX FOR EACH UNIT SHALL BE PROVIDED AT GROUND FLOOR LEVEL FOR EACH UNIT.
- WATER TANK FOR FIRE SAFETY REQUIREMENT PROVIDED AS PER FIRE PREVENTION AND FIRE SAFETY ACT-2016
- ELECTRICAL INFRASTRUCTURE SHALL BE PROVIDED AS PER CLAUSE NO. 13.11 OF C.G.D.C.R.-2017
- DRINKING WATER FACILITY FOR DISABLED PERSONS IS PROVIDED AS PER CLAUSE NO. 13.6.7 OF C.G.D.C.R.-2017
- DRAINAGE FACILITY IS PROVIDED AS PER THE CLAUSE NO. 13.10 OF C.G.D.C.R.-2017
- SIGNAGES OF THE PARKING PLACE IS TO BE PROVIDED AS PER THE PROVISION OF THE CLAUSE NO.13.7 OF C.G.D.C.R.-2017
- ENTRANCE OF THE BUILDING IS PROVIDED AS PER THE CLAUSE NO.13.1.6 OF C.G.D.C.R.-2017
- THE PAVING OF BUILDING UNIT/FINAL PLOT AS PER THE PROVISION OF THE CLAUSE NO.13.1.3 OF C.G.D.C.R.-2017
- THE STRUCTURAL DESIGN OF BUILDING IS AS PER NORMS OF SPECIFIED IN THE INDIAN STANDARD AND NECESSARY ACTION SHALL BE TAKEN FOR THE STRUCTURAL SAFETY DURING CONSTRUCTION.
- RAIN WATER STORAGE TANK AND RAIN WATER HARVESTING SYSTEM SHALL BE PROVIDED AS PER CLAUSE NO.17.2 OF C.G.D.C.R.-2017
- COMMUNITY BIN PROVIDED AS PER THE PROVISION OF THE CLAUSE NO.17.2.4 & 17.2.5 OF C.G.D.C.R.-2017
- TREE PLANTATION IS PROVIDED AS PER THE CLAUSE NO.17.4 OF C.G.D.C.R.-2017
- SHILAJ ASSISTED WATER HEATING SYSTEM SHALL BE PROVIDED AS PER CLAUSE NO.17.5 OF C.G.D.C.R.-2017
- FIRE SAFETY SYSTEM IS PROVIDED AS PER CHAPTER 14 OF C.G.D.C.R.-2017
- FIRE SAFETY PROVISION SHALL BE MADE AS PER FIRE PREVENTION AND LIFE SAFETY MEASURES REGULATION-2013
- MAINTENANCE AND UPGRADEMENT OF BUILDING IS AS PER CHAPTER NO.19 OF C.G.D.C.R.-2017
- MARGINAL SPACE & BASEMENT SLAB SHALL HAVE LOAD BEARING CAPACITY OF 60 TONNES PER SQUARE METER SHALL BE PROVIDED AS PER CHAPTER NO.14 OF C.G.D.C.R.-2017 AND FIRE PREVENTION AND LIFE SAFETY ACT-2016
- ROOF TOP SHILAJ ENERGY INSTALLATION & GENERATION SHALL BE PROVIDED AS PER CLAUSE NO.17.5.1 OF C.G.D.C.R.-2017
- THE GLAZED SURFACE AREA OF THE EXTERNAL FACADE SHALL BE NON REFLECTIVE AND PROVIDED UP TO MAX OF 50 % OF THE TOTAL SURFACE AREA OF EACH FAÇADE WITH THE PROVISION OF SAFETY RAILING UP TO SILL LEVEL AS PER CLAUSE NO.13.13 OF C.G.D.C.R.-2017



AREA TABLE

FLOOR	USE	NO. OF UNIT	BUILT UP AREA	F.S.I. AREA
3rd BASEMENT	PARKING	---	1158.60	---
2nd BASEMENT	PARKING	---	1158.60	---
1st BASEMENT	PARKING	---	1158.60	---
GROUND FL.	EQUIPMENT ROOM	---	15.07	---
	FIRE CONTROL ROOM	---	12.81	---
FIRST FL.	PARKING	---	111.72	---
SECOND FL.	RESIDENCE	02	511.72	442.70
THIRD FL.	RESIDENCE	02	511.72	442.70
FOURTH FL.	RESIDENCE	02	511.72	442.70
FIFTH FL. (WITH REFUGE AREA)	RESIDENCE	02	527.23	442.70
SIXTH FL.	RESIDENCE	02	511.72	442.70
SEVENTH FL.	RESIDENCE	02	511.72	442.70
EIGHTH FL. (WITH REFUGE AREA)	RESIDENCE	02	527.23	442.70
NINTH FL.	RESIDENCE	02	511.72	442.70
TENTH FL.	RESIDENCE	02	511.72	442.70
ELEVENTH FL. (WITH REFUGE AREA)	RESIDENCE	02	527.23	442.70
TWELFTH FL.	RESIDENCE	02	511.72	442.70
THIRTEENTH FL.	RESIDENCE	02	511.72	442.70
FOURTEENTH FL. (WITH REFUGE AREA)	RESIDENCE	02	527.23	442.70
FIFTEENTH FL.	RESIDENCE	02	511.72	442.70
SIXTEENTH FL.	RESIDENCE	02	511.72	442.70
SEVENTEENTH FL. (WITH REFUGE AREA)	RESIDENCE	02	527.23	442.70
EIGHTEENTH FL.	RESIDENCE	02	511.72	442.70
NINETEENTH FL.	RESIDENCE	02	511.72	442.70
TWENTY FL. (WITH REFUGE AREA)	RESIDENCE	02	527.23	442.70
TWENTY ONE FL.	RESIDENCE	02	511.72	442.70
TWENTY TWO FL.	RESIDENCE	02	511.72	442.70
TWENTY THIRD FL. (WITH REFUGE AREA)	RESIDENCE	02	527.23	442.70
STAIR CABIN	---	---	72.19	---
L.M.R. + O.H.W.T.	---	---	47.44	---
PARKING+ FIRE CONTROL ROOM + RESIDENCE	---	44	19978.97	9738.40

The permission is valid only for the purpose mentioned above and further that the permission shall stand revoked as soon as there is change in DPT/FS with reference to the land under reference.



LAYOUT PLAN & ENVIRONMENT MANAGEMENT PLAN		SHEET NO = 01/06
PROP. LAYOUT PLAN SHOWING RESIDENTIAL BUILDING ON F.P. NO: 95 OF DRAFT T.P.S. NO. : 53/A (SHILAJ - THALTEJ - HEBATPUR), R.S.NO. 513/p, MOJE : SHILAJ, TA : GHATLODIYA, DIST. : AHMEDABAD.		
SCALE: 1CM = 1.00 MTR.	USE: RESIDENTIAL (DW-3)	
ZONE: RESIDENTIAL ZONE-II (R2)		
PLOT AREA	SQ.MTR.	1806.00
REQ. COMMON PLOT @ 10% OF PLOT AREA (MINIMUM COMMON PLOT AREA REQ.)		200.00
PROVIDED COMMON PLOT		203.27
PERMISSIBLE BASE F.S.I. = 1:1.2 (1806.00 X 1.2)		2167.20
TOTAL PERMISSIBLE F.S.I. 1:1.8(2913.00 X 1.8)		1083.60
TOTAL UTILIZED F.S.I. (BASE + CHARGEABLE + T.D.R.)		9739.40
UTILIZED CHARGEABLE F.S.I.		1083.60
T.D.R. F.S.I. UTILIZED (9739.40 - 3250.80)		6488.60

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING	STAIR DETAILS
FRD = 1.10 X 2.10 D = 1.20 X 2.10 D1 = 1.00 X 2.10 D2 = 0.80 X 2.10 SD = 3.35 X 2.60 RS = 3.00 X 2.60	W = 1.85 X 1.80 W1 = 2.15 X 1.80 W2 = 2.50 X 1.80 W3 = 1.58 X 1.80 W4 = 0.60 X 1.80 V = 0.60 X 0.60

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL.

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMMON PLOT	
SPRINKLER	BASEMENT LINE	

TRIVENI INFRABUILD
DEEPAKCHANDAN SHAH
DEVILIC NO. : 00101602811129
Expiry: 16/09/2028

FOR, TRIVENI INFRASPACE
PARTNER

DEVELOPER

OWNER

SOR

STR. ENGINEER

DR. DHUVIN DIPAKKUM SHAH
SUPERVISOR GRADE-I (A.M.C.)
REG. NO. : 001SR13032711295
4028 TO 430, SUNRISE SHOPPING MALL,
VASTRAPUR, AHMEDABAD-380015.

MAHESH N. DONSA
C-201, Sampat Residence,
Opp. Niranjan Viji Bungalows,
Bopal, Ahmedabad-380054.
AMC/ER/M001ERH0212290564

ENGINEER

C.O.W.

NIDHIBEN D. PATEL
324, Sakar Apartments,
3/4, Udgam School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-001CWI7082700848

ENGINEER

C.O.W.

MAHESH N. DONSA

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.

ENGINEER

C.O.W.


BUILT UP AREA CALC.	
BASEMENT - 2nd & 3rd	
(1) 24.51 X 46.67	= 1192.90 SQ. MTR.
Less	
1. 0.15 X 46.20 X 0.5	= 4.16 SQ. MTR.
2. 24.51 X 2.46 X 0.5	= 30.15 SQ. MTR.
TOTAL LESS WORK	= 34.31 SQ. MTR.
PROP. BASEMENT - 2 & 3 BUILT UP AREA	
= (1192.90 - 34.31)	= 1158.60 SQ. MTR.

PROVIDED PARKING (2nd CELLAR)	
CAR PARKING	
C1. 4.77 X 28.23	= 134.66 SQ. MTR.
C2. 4.81 X 21.33	= 102.60 SQ. MTR.
Less	
A. 6.74 X 4.09	= 27.57 SQ. MTR.
B. 2.76 X 1.35	= 3.73 SQ. MTR.
TOTAL	= 31.30 SQ. MTR.
TOTAL PROV. CAR PARKING	
= (237.26 - 31.29)	= 205.97 SQ. MTR.
C3. 24.05 X 10.91	= 262.39 SQ. MTR.
Less	
C. 1.30 X 3.05	= 3.97 SQ. MTR.
TOTAL LESS	= 3.97 SQ. MTR.
TOTAL PROV. CAR PARKING	
= (262.39 - 3.97)	= 258.42 SQ. MTR.
TOTAL PROV. MECHANICAL PARKING	
= (258.42 X 1.5)	= 387.63 SQ. MTR.
	= (205.97 + 387.63) = 593.60 SQ. MTR.


Fire Notes.

- All basements parking and HPP shall be fully sprinklered.
- All lower basements should have positive pressure ventilation.
- Electric Cable Shaft should have fire resistant Doors.

PROVIDED PARKING (2nd CELLAR)	
OTHERS PARKING	
O1. 23.87 X (9.04+6.63)/2	= 187.02 SQ. MTR.
O2. 7.38 X 5.90	= 43.54 SQ. MTR.
TOTAL	= 230.56 SQ. MTR.
Less	
D. 7.20 X 1.10	= 7.92 SQ. MTR.
TOTAL PROV. OTHERS PARKING	
= (230.56 - 7.92)	= 222.64 SQ. MTR.



ADJ. - Surv. No. 524




2nd BASEMENT

PROVIDED PARKING (3rd CELLAR)	
CAR PARKING	
C1. 4.77 X 20.34	= 97.02 SQ. MTR.
C2. 4.81 X 20.34	= 97.84 SQ. MTR.
TOTAL	= 194.86 SQ. MTR.
C3. 24.05 X 10.91	= 262.39 SQ. MTR.
C4. 23.87 X (16.94+14.53)/2	= 375.59 SQ. MTR.
TOTAL	= 637.98 SQ. MTR.
TOTAL PROV. MECHANICAL PARKING	
= (637.98 X 1.5)	= 956.97 SQ. MTR.
= (194.86 + 956.97)	= 1151.83 SQ. MTR.
TOTAL PROV. CAR PARKING	
= 1151.83 SQ. MTR.	

PROVIDED PARKING (3rd CELLAR)	
OTHERS PARKING	
O1. 7.38 X 5.11	= 37.71 SQ. MTR.
TOTAL	= 37.71 SQ. MTR.
TOTAL PROV. OTHERS PARKING	
= 37.71 SQ. MTR.	

ADJ. - Surv. No. 524



3rd BASEMENT

The permission is valid only till the DP/TPS remains unaltered and further that the permission shall stand revoked in case there is change in DP/TPS with reference to the land under reference.

Final Plot boundary and allotment of Final plot is Subject to Variation by Town Planning Officer

2nd to 3rd BASEMENT PLAN SHEET No = 03/06

PROP. PLAN SHOWING RESIDENTIAL BUILDING ON F.P. NO: 95 OF DRAFT T.P.S. NO. : 53/A (SHILAI - THALTED - HEBATPUR),R.S.NO. 513/p,MOJE : SHILAI ,TA : GHATLODIYA , DIST. : AHMEDABAD.

SCALE:1CM = 1.00 MTR. USE: RESIDENTIAL (DW-3) ZONE: RESIDENTIAL ZONE-II (R2)

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-01/CW17882799849

ENGINEER

C.O.W.

NOTES:- ELE. DUCT WITH 1.15MTR. H.T. PARA. WALL & ABOVE FRD SHUTTER

SCHEDULE FOR OPENING

FRD= 1.10 X 2.10	W = 1.85 X 1.80	WIDTH :- 2.05 MTR.
D = 1.20 X 2.10	W1 = 2.15 X 1.80	TREAD :- 0.30 MTR.
D1 = 1.00 X 2.10	W2 = 2.50 X 1.80	RISER :- 0.16 MTR.
D2 = 1.80 X 2.10	W3 = 1.58 X 1.80	
SD = 3.35 X 2.60	W4 = 0.60 X 1.80	
R.S. = 3.00 X 2.60	V = 0.60 X 0.60	

FULLY GLASS WINDOW WITH SAFETY GRILL & 0.60 MIN. SILL LVL

COLOUR NOTE

PROP. WORK	PROP. DRAINAGE	TREE
PERCO. WELL	PLOT BOUND.	CONTAINER
ROAD	COMM. PLOT	
SPIRINKLER	BASEMENT LINE	

FOR TRIVENI KUKU INFRASPACE

TRIVENI INFRABUILD
DEEPAKKUMAR CHANDUL SHAH
DEV.LIC. NO. : 001DV16092611129
Expiry: 16/09/2028

DEVELOPER

OWNER

STR. ENGINEER

MAHESH N. DONGA
C-201, Sampat Residencia,
Opp. Nibani Vili Bungalows,
Bopal, Ahmedabad.
AMC/ERH001ERH02122900564

MIDHIBEN D. PATEL
B-294, Sankar Apartment,
B/H. Vidyan School, Drive in Road,
Thaltej, Ahmedabad-380054.
AMC-COW-

The Fourfront Residency Parking Detail

	No of Covered Cars	No of Covered Two Wheelers	Total No of Covered Parking	No of Open Cars	No of Open Two Wheelers	Total No of Open Parking
FF	0	78	78	0	0	0
GF	4	0	4	0	0	0
Basement - 1	7	25	32	0	0	0
Basement - 2	8	27	35	0	0	0
Basement - 3	20	13	33	0	0	0
Total Parking	39	143	182	0	0	0
Area of Parking			3295.02			0

FOR, TRIVENI KUKU INFRASPACE



PARTNER



MAHESH N. DONGA

C-201, Samprat Residence,
Opp. Nilkanth Vill. Bungalows,
Boal, Ahmedabad.

AMC/ERH/001ERH02122900564