

7/17/94 07:22 07/17/94 07:22
JANUARY 1994 07:22 07:22
TO JONAS TO JONAS TO JONAS
7/17/94 07:22 07:22



THESE ARE THE NAMES OF THE
MEN WHO WERE WITH ME
ON THE NIGHT OF THE
MURDER OF MARTIN LUTHER
KING, JR. I AM NOT SURE
IF I CAN REMEMBER ALL
THE NAMES, BUT I WILL
TRY TO LIST THEM AS
BEST I CAN.



LOCATION PLANNING

TO: STANLEY
LABORATORY FROM
JAN 1952 ON
= 13 540 65/20/17/17/47
INDONESIA
* 16000/17 10 44545 10 8
54000/17 2
E INDONESIA

	ACC.	BACON	BULFIN	SPENCER	WADSWORTH	TOFFEE	STANLEY
A. M. W.	789-4 1/2 IN. 1/2	33.5	33.08	33.51	33.54	33.03	34.16
B. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
C. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
D. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
E. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
F. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
G. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
H. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
I. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
J. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
K. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
L. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
M. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
N. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
O. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
P. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
Q. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
R. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
S. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
T. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
U. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
V. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
W. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
X. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
Y. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16
Z. M. W.	789-4 1/2 IN. 1/2	33.5	33.76	33.08	33.54	33.03	34.16

7. AREA TO BE USED	7800 SQ
8. NO. OF TOILETS TO BE	110.00 AD
9. NO. OF BATHS	20.00 B
10. NO. OF SHOWERS	20.00 SH
11. NO. OF SINKS	20.00 S
12. NO. OF TUBS	20.00 T
13. NO. OF CLOSETS	20.00 C
14. NO. OF DRESSING ROOMS	20.00 DR
15. NO. OF KITCHENS	20.00 K
16. NO. OF DINING ROOMS	20.00 D
17. NO. OF LIVING ROOMS	20.00 L
18. NO. OF BED ROOMS	20.00 B
19. NO. OF BATHS	20.00 B
20. NO. OF CLOSETS	20.00 C
21. NO. OF TUBS	20.00 T
22. NO. OF SINKS	20.00 S
23. NO. OF SHOWERS	20.00 SH
24. NO. OF DRESSING ROOMS	20.00 DR
25. NO. OF KITCHENS	20.00 K
26. NO. OF DINING ROOMS	20.00 D
27. NO. OF LIVING ROOMS	20.00 L
28. NO. OF BED ROOMS	20.00 B
29. NO. OF BATHS	20.00 B
30. NO. OF CLOSETS	20.00 C
31. NO. OF TUBS	20.00 T
32. NO. OF SINKS	20.00 S
33. NO. OF SHOWERS	20.00 SH
34. NO. OF DRESSING ROOMS	20.00 DR
35. NO. OF KITCHENS	20.00 K
36. NO. OF DINING ROOMS	20.00 D
37. NO. OF LIVING ROOMS	20.00 L
38. NO. OF BED ROOMS	20.00 B
39. NO. OF BATHS	20.00 B
40. NO. OF CLOSETS	20.00 C
41. NO. OF TUBS	20.00 T
42. NO. OF SINKS	20.00 S
43. NO. OF SHOWERS	20.00 SH
44. NO. OF DRESSING ROOMS	20.00 DR
45. NO. OF KITCHENS	20.00 K
46. NO. OF DINING ROOMS	20.00 D
47. NO. OF LIVING ROOMS	20.00 L
48. NO. OF BED ROOMS	20.00 B
49. NO. OF BATHS	20.00 B
50. NO. OF CLOSETS	20.00 C
51. NO. OF TUBS	20.00 T
52. NO. OF SINKS	20.00 S
53. NO. OF SHOWERS	20.00 SH
54. NO. OF DRESSING ROOMS	20.00 DR
55. NO. OF KITCHENS	20.00 K
56. NO. OF DINING ROOMS	20.00 D
57. NO. OF LIVING ROOMS	20.00 L
58. NO. OF BED ROOMS	20.00 B
59. NO. OF BATHS	20.00 B
60. NO. OF CLOSETS	20.00 C
61. NO. OF TUBS	20.00 T
62. NO. OF SINKS	20.00 S
63. NO. OF SHOWERS	20.00 SH
64. NO. OF DRESSING ROOMS	20.00 DR
65. NO. OF KITCHENS	20.00 K
66. NO. OF DINING ROOMS	20.00 D
67. NO. OF LIVING ROOMS	20.00 L
68. NO. OF BED ROOMS	20.00 B
69. NO. OF BATHS	20.00 B
70. NO. OF CLOSETS	20.00 C
71. NO. OF TUBS	20.00 T
72. NO. OF SINKS	20.00 S
73. NO. OF SHOWERS	20.00 SH
74. NO. OF DRESSING ROOMS	20.00 DR
75. NO. OF KITCHENS	20.00 K
76. NO. OF DINING ROOMS	20.00 D
77. NO. OF LIVING ROOMS	20.00 L
78. NO. OF BED ROOMS	20.00 B
79. NO. OF BATHS	20.00 B
80. NO. OF CLOSETS	20.00 C
81. NO. OF TUBS	20.00 T
82. NO. OF SINKS	20.00 S
83. NO. OF SHOWERS	20.00 SH
84. NO. OF DRESSING ROOMS	20.00 DR
85. NO. OF KITCHENS	20.00 K
86. NO. OF DINING ROOMS	20.00 D
87. NO. OF LIVING ROOMS	20.00 L
88. NO. OF BED ROOMS	20.00 B
89. NO. OF BATHS	20.00 B
90. NO. OF CLOSETS	20.00 C
91. NO. OF TUBS	20.00 T
92. NO. OF SINKS	20.00 S
93. NO. OF SHOWERS	20.00 SH
94. NO. OF DRESSING ROOMS	20.00 DR
95. NO. OF KITCHENS	20.00 K
96. NO. OF DINING ROOMS	20.00 D
97. NO. OF LIVING ROOMS	20.00 L
98. NO. OF BED ROOMS	20.00 B
99. NO. OF BATHS	20.00 B
100. NO. OF CLOSETS	20.00 C

[illegible][illegible]

15	117	-	67	50	
16	118	-	68	50	
17	119	-	69	50	
18	120	-	70	50	
19	121	-	71	50	
20	122	-	72	50	
21	123	-	73	50	
22	124	-	74	50	
23	125	-	75	50	
24	126	-	76	50	
25	127	-	77	50	
26	128	-	78	50	
27	129	-	79	50	
28	130	-	80	50	
29	131	-	81	50	
30	132	-	82	50	
31	133	-	83	50	
32	134	-	84	50	
33	135	-	85	50	
34	136	-	86	50	
35	137	-	87	50	
36	138	-	88	50	
37	139	-	89	50	
38	140	-	90	50	
39	141	-	91	50	
40	142	-	92	50	
41	143	-	93	50	
42	144	-	94	50	
43	145	-	95	50	
44	146	-	96	50	
45	147	-	97	50	
46	148	-	98	50	
47	149	-	99	50	
48	150	-	100	50	
49	151	-	101	50	
50	152	-	102	50	
51	153	-	103	50	
52	154	-	104	50	
53	155	-	105	50	
54	156	-	106	50	
55	157	-	107	50	
56	158	-	108	50	
57	159	-	109	50	
58	160	-	110	50	
59	161	-	111	50	
60	162	-	112	50	
61	163	-	113	50	
62	164	-	114	50	
63	165	-	115	50	
64	166	-	116	50	
65	167	-	117	50	
66	168	-	118	50	
67	169	-	119	50	
68	170	-	120	50	
69	171	-	121	50	
70	172	-	122	50	
71	173	-	123	50	
72	174	-	124	50	
73	175	-	125	50	
74	176	-	126	50	
75	177	-	127	50	
76	178	-	128	50	
77	179	-	129	50	
78	180	-	130	50	
79	181	-	131	50	
80	182	-	132	50	
81	183	-	133	50	
82	184	-	134	50	
83	185	-	135	50	
84	186	-	136	50	
85	187	-	137	50	
86	188	-	138	50	
87	189	-	139	50	
88	190	-	140	50	
89	191	-	141	50	
90	192	-	142	50	
91	193	-	143	50	
92	194	-	144	50	
93	195	-	145	50	
94	19				

REQUIRED TIME

PREPARE: 15 MIN
 REPAIR: 10 MIN

FINISH

15 MIN

EXPERIENCE AREA

1 60 MIN
 2 60 MIN

FINISH

15 MIN

[illegible]

1. **NAME** _____

2. **DATE** _____

3. **TIME** _____

4. **TIME** _____

5. **TIME** _____

6. **TIME** _____

7. **TIME** _____

8. **TIME** _____

9. **TIME** _____

10. **TIME** _____

11. **TIME** _____

12. **TIME** _____

13. **TIME** _____

14. **TIME** _____

15. **TIME** _____

16. **TIME** _____

17. **TIME** _____

18. **TIME** _____

19. **TIME** _____

20. **TIME** _____

21. **TIME** _____

22. **TIME** _____

23. **TIME** _____

24. **TIME** _____

25. **TIME** _____

26. **TIME** _____

27. **TIME** _____

28. **TIME** _____

29. **TIME** _____

30. **TIME** _____

31. **TIME** _____

32. **TIME** _____

33. **TIME** _____

34. **TIME** _____

35. **TIME** _____

36. **TIME** _____

37. **TIME** _____

38. **TIME** _____

39. **TIME** _____

40. **TIME** _____

41. **TIME** _____

42. **TIME** _____

43. **TIME** _____

44. **TIME** _____

45. **TIME** _____

46. **TIME** _____

47. **TIME** _____

48. **TIME** _____

49. **TIME** _____

50. **TIME** _____

51. **TIME** _____

52. **TIME** _____

53. **TIME** _____

54. **TIME** _____

55. **TIME** _____

56. **TIME** _____

57. **TIME** _____

58. **TIME** _____

59. **TIME** _____

60. **TIME** _____

61. **TIME** _____

62. **TIME** _____

63. **TIME** _____

64. **TIME** _____

65. **TIME** _____

66. **TIME** _____

67. **TIME** _____

68. **TIME** _____

69. **TIME** _____

70. **TIME** _____

71. **TIME** _____

72. **TIME** _____

73. **TIME** _____

74. **TIME** _____

75. **TIME** _____

76. **TIME** _____

77. **TIME** _____

78. **TIME** _____

79. **TIME** _____

80. **TIME** _____

81. **TIME** _____

82. **TIME** _____

83. **TIME** _____

84. **TIME** _____

85. **TIME** _____

86. **TIME** _____

87. **TIME** _____

88. **TIME** _____

89. **TIME** _____

90. **TIME** _____

91. **TIME** _____

92. **TIME** _____

93. **TIME** _____

94. **TIME** _____

95. **TIME** _____

96. **TIME** _____

97. **TIME** _____

98. **TIME** _____

99. **TIME** _____

100. **TIME** _____

PAYING STATEMENT BY SETI	
Account Number	Amount
127 18 010	100.00
127 18 011	100.00
127 18 012	100.00
127 18 013	100.00
127 18 014	100.00
127 18 015	100.00
127 18 016	100.00
127 18 017	100.00
127 18 018	100.00
127 18 019	100.00
127 18 020	100.00
127 18 021	100.00
127 18 022	100.00
127 18 023	100.00
127 18 024	100.00
127 18 025	100.00
127 18 026	100.00
127 18 027	100.00
127 18 028	100.00
127 18 029	100.00
127 18 030	100.00
127 18 031	100.00
127 18 032	100.00
127 18 033	100.00
127 18 034	100.00
127 18 035	100.00
127 18 036	100.00
127 18 037	100.00
127 18 038	100.00
127 18 039	100.00
127 18 040	100.00
127 18 041	100.00
127 18 042	100.00
127 18 043	100.00
127 18 044	100.00
127 18 045	100.00
127 18 046	100.00
127 18 047	100.00
127 18 048	100.00
127 18 049	100.00
127 18 050	100.00
127 18 051	100.00
127 18 052	100.00
127 18 053	100.00
127 18 054	100.00
127 18 055	100.00
127 18 056	100.00
127 18 057	100.00
127 18 058	100.00
127 18 059	100.00
127 18 060	100.00
127 18 061	100.00
127 18 062	100.00
127 18 063	100.00
127 18 064	100.00
127 18 065	100.00
127 18 066	100.00
127 18 067	100.00
127 18 068	100.00
127 18 069	100.00
127 18 070	100.00
127 18 071	100.00
127 18 072	100.00
127 18 073	100.00
127 18 074	100.00
127 18 075	100.00
127 18 076	100.00
127 18 077	100.00
127 18 078	100.00
127 18 079	100.00
127 18 080	100.00
127 18 081	100.00
127 18 082	100.00
127 18 083	100.00
127 18 084	100.00
127 18 085	100.00
127 18 086	100.00
127 18 087	100.00
127 18 088	100.00
127 18 089	100.00
127 18 090	100.00
127 18 091	100.00
127 18 092	100.00
127 18 093	100.00
127 18 094	100.00
127 18 095	100.00
127 18 096	100.00
127 18 097	100.00
127 18 098	100.00
127 18 099	100.00
127 18 100	100.00

[illegible][illegible]

77.00' 33.50'

77.00' 33.50'

14 0.6' 2.4' 14.00' 2.00'

15 0.5' 2.0' 13.75' 2.00'

16 0.5' 2.0' 13.50' 2.00'

17 0.5' 2.0' 13.25' 2.00'

18 0.5' 2.0' 13.00' 2.00'

19 0.5' 2.0' 12.75' 2.00'

20 0.5' 2.0' 12.50' 2.00'

21 0.5' 2.0' 12.25' 2.00'

22 0.5' 2.0' 12.00' 2.00'

23 0.5' 2.0' 11.75' 2.00'

24 0.5' 2.0' 11.50' 2.00'

25 0.5' 2.0' 11.25' 2.00'

26 0.5' 2.0' 11.00' 2.00'

27 0.5' 2.0' 10.75' 2.00'

28 0.5' 2.0' 10.50' 2.00'

29 0.5' 2.0' 10.25' 2.00'

30 0.5' 2.0' 10.00' 2.00'

31 0.5' 2.0' 9.75' 2.00'

32 0.5' 2.0' 9.50' 2.00'

33 0.5' 2.0' 9.25' 2.00'

34 0.5' 2.0' 9.00' 2.00'

35 0.5' 2.0' 8.75' 2.00'

36 0.5' 2.0' 8.50' 2.00'

37 0.5' 2.0' 8.25' 2.00'

38 0.5' 2.0' 8.00' 2.00'

39 0.5' 2.0' 7.75' 2.00'

40 0.5' 2.0' 7.50' 2.00'

41 0.5' 2.0' 7.25' 2.00'

42 0.5' 2.0' 7.00' 2.00'

43 0.5' 2.0' 6.75' 2.00'

44 0.5' 2.0' 6.50' 2.00'

45 0.5' 2.0' 6.25' 2.00'

46 0.5' 2.0' 6.00' 2.00'

47 0.5' 2.0' 5.75' 2.00'

48 0.5' 2.0' 5.50' 2.00'

49 0.5' 2.0' 5.25' 2.00'

50 0.5' 2.0' 5.00' 2.00'

51 0.5' 2.0' 4.75' 2.00'

52 0.5' 2.0' 4.50' 2.00'

53 0.5' 2.0' 4.25' 2.00'

54 0.5' 2.0' 4.00' 2.00'

55 0.5' 2.0' 3.75' 2.00'

56 0.5' 2.0' 3.50' 2.00'

57 0.5' 2.0' 3.25' 2.00'

58 0.5' 2.0' 3.00' 2.00'

59 0.5' 2.0' 2.75' 2.00'

60 0.5' 2.0' 2.50' 2.00'

61 0.5' 2.0' 2.25' 2.00'

62 0.5' 2.0' 2.00' 2.00'

63 0.5' 2.0' 1.75' 2.00'

64 0.5' 2.0' 1.50' 2.00'

65 0.5' 2.0' 1.25' 2.00'

66 0.5' 2.0' 1.00' 2.00'

67 0.5' 2.0' 0.75' 2.00'

68 0.5' 2.0' 0.50' 2.00'

69 0.5' 2.0' 0.25' 2.00'

70 0.5' 2.0' 0.00' 2.00'

71 0.5' 2.0' 0.00' 2.00'

72 0.5' 2.0' 0.00' 2.00'

73 0.5' 2.0' 0.00' 2.00'

74 0.5' 2.0' 0.00' 2.00'

75 0.5' 2.0' 0.00' 2.00'

76 0.5' 2.0' 0.00' 2.00'

77 0.5' 2.0' 0.00' 2.00'

78 0.5' 2.0' 0.00' 2.00'

79 0.5' 2.0' 0.00' 2.00'

80 0.5' 2.0' 0.00' 2.00'

81 0.5' 2.0' 0.00' 2.00'

82 0.5' 2.0' 0.00' 2.00'

83 0.5' 2.0' 0.00' 2.00'

84 0.5' 2.0' 0.00' 2.00'

85 0.5' 2.0' 0.00' 2.00'

86 0.5' 2.0' 0.00' 2.00'

87 0.5' 2.0' 0.00' 2.00'

88 0.5' 2.0' 0.00' 2.00'

89 0.5' 2.0' 0.00' 2.00'

90 0.5' 2.0' 0.00' 2.00'

91 0.5' 2.0' 0.00' 2.00'

92 0.5' 2.0' 0.00' 2.00'

93 0.5' 2.0' 0.00' 2.00'

94 0.5' 2.0' 0.00' 2.00'

95 0.5' 2.0' 0.00' 2.00'

96 0.5' 2.0' 0.00' 2.00'

97 0.5' 2.0' 0.00' 2.00'

98 0.5' 2.0' 0.00' 2.00'

99 0.5' 2.0' 0.00' 2.00'

100 0.5' 2.0' 0.00' 2.00'

101 0.5' 2.0' 0.00' 2.00'

102 0.5' 2.0' 0.00' 2.00'

103 0.5' 2.0' 0.00' 2.00'

104 0.5' 2.0' 0.00' 2.00'

105 0.5' 2.0' 0.00' 2.00'

106 0.5' 2.0' 0.00' 2.00'

107 0.5' 2.0' 0.00' 2.00'

108 0.5' 2.0' 0.00' 2.00'

109 0.5' 2.0' 0.00' 2.00'

110 0.5' 2.0' 0.00' 2.00'

111 0.5' 2.0' 0.00' 2.00'

112 0.5' 2.0' 0.00' 2.00'

113 0.5' 2.0' 0.00' 2.00'

114 0.5' 2.0' 0.00' 2.00'

115 0.5' 2.0' 0.00' 2.00'

116 0.5' 2.0' 0.00' 2.00'

117 0.5' 2.0' 0.00' 2.00'

118 0.5' 2.0' 0.00' 2.00'

119 0.5' 2.0' 0.00' 2.00'

120 0.5' 2.0' 0.00' 2.00'

121 0.5' 2.0' 0.00' 2.00'

122 0.5' 2.0' 0.00' 2.00'

123 0.5' 2.0' 0.00' 2.00'

124 0.5' 2.0' 0.00' 2.00'

125 0.5' 2.0' 0.00' 2.00'

126 0.5' 2.0' 0.00' 2.00'

127 0.5' 2.0' 0.00' 2.00'

128 0.5' 2.0' 0.00' 2.00'

129 0.5' 2.0' 0.00' 2.00'

130 0.5' 2.0' 0.00' 2.00'

131 0.5' 2.0' 0.00' 2.00'

132 0.5' 2.0' 0.00' 2.00'

133 0.5' 2.0' 0.00' 2.00'

134 0.5' 2.0' 0.00' 2.00'

135 0.5' 2.0' 0.00' 2.00'

136 0.5' 2.0' 0.00' 2.00'

137 0.5' 2.0' 0.00' 2.00'

138 0.5' 2.0' 0.00' 2.00'

139 0.5' 2.0' 0.00' 2.00'

140 0.5' 2.0' 0.00' 2.00'

141 0.5' 2.0' 0.00' 2.00'

142 0.5' 2.0' 0.00' 2.00'

143 0.5' 2.0' 0.00' 2.00'

144 0.5' 2.0' 0.00' 2.00'

145 0.5' 2.0' 0.00' 2.00'

146 0.5' 2.0' 0.00' 2.00'

147 0.5' 2.0' 0.00' 2.00'

148 0.5' 2.0' 0.00' 2.00'

149 0.5' 2.0' 0.00' 2.00'

150 0.5' 2.0' 0.00' 2.00'

Small inset image showing a technical drawing or diagram of a mechanical component, possibly a valve or pump assembly, with labels and dimensions.

[illegible]

W. 10000

LAYOUT OF BUILDING

