5	කරා පැති 771 <b>සා</b> වූම		-5-	611.	8-03-201
	Vedic cons Partner Siv	struct/e	us se	pby it	2 wowady
ტී/ტීŏ	DO PAYTHEY SIV	aramo	/ bra	sod vemu	1112.42
<b>ම</b> ටලී	/ ආර්ථු	***************************************	4 g S / 4	HAAE 8	470
್ರಾಂತ	ison NonChill has the	තාරයී ಈ සර	ක් සාංතිකයි.	న మొత్తము జోస	ලෝ ස්ථාවූත්ස.
క్ర,సం.	వివరములు	సంజరము	ಬಕಾಯ	ప్రస్తుతం	
1	2	3	4	5	6
1.	ఇంటి పన్ను .				·
2.	గ్రంధాలయ రుసుము				
3.	లైసెన్సు ఫీజు				
4.	තිසී ජාసుము				
5.	నీటి విరాశములు				1
6.	గృహనిర్మాణ అమమతి రుసుము	2018-19		2,3973	\$ 5,397?
7.	లభివృద్ధి రుసుము			1	
8.	రహదాల				
9.	అస్థి మాల్పిడి రుసుము	1			
10.	డ్రైనేజి రుసుము				
11.					
12.				\	
	<b>බාා</b> ඡූ්කා			5,39,73	\$ 5,39,73
	5,39,738 @8000	F.	ine 10	Khy th	TITA NIO
to	ouland seven t	jundred	other	ty eight	es losper -
స్తూచిన	: ఇසු රතික විහමුබිකි බපාරම් රැශස	කාබ <sub>්</sub> න් හිංජා <sub>ව</sub> ක්	ර්රම්නා නිසිරා	ායිකි.	
	-380-එන් බෑව		මේදුරි	పంచ	ංගාම පැරුර තරකර්තුම

# OFFICE OF THE GRAM PANCHAYAT, MANCHIREVULA, RAJENDRANAGAR MANDAL, RANGAREDDY DISTRICT.

## Roc. No.GP|MCRL|BP|40|2018-2019

Date. 08-03-2019.

- Sub:-Constructions application for construction of Residential buildings/Appartment with drawings and specifications by the Hyderabad Metropolitan Development Construction permission as per the Revised Building Plans technically approved Panchayat of Rajendranagar Mandal of Ranga Reddy District Prop (Amenities): 1 Ground + 6, Prop (Building): 2 Cellar + 1 Ground + floors in Survey No: 418,425,425/A,AA,E & 470, of Manchirevu Authority - Regarding, 470, of Manchirevula -Accorded the 14 upper
- Ref:letter No.000746/ZOA/R1/U6/HMDA/26042017 Date:09.09.2018 Metropolitan Commissioner, Hyderabad Metropolitan Development Authority
- 2 Sivarama Krishna Prasad Vemuri Date:09.09.2018 Application of M/s Vedic Constructions Rep By its Managing Partner Sri.
- S G.O.Ms.No.67, Panchayat Raj and Rural Development (Pts.IV) Department, Date.26.02.2002
- 4 G.O.Ms.No.168, Municipal Administration and urban Development (M) Department, Date. 07.04.2012

### ×××

Revised building plans with drawings and specifications with conditions vide technical approval No:000746/ZOA/R1/U6/HMDA/26042017, Date:09.09.2018 and instructed the Panchayat Secretary, Gram Panchayat, Manchirevula of Rajendranagar Mandal for sanction in conformity Sivarama Krishna Prasad Vemuri, Plot.No.29,Flate No:101,Picket Near, Oc Center. Ishque Colony, Secanderabad, Hyderabad Telangana state has submitted the proposal for approval of with the technically approved plans by HMDA. reference to the notified and stipulated building regulations and Technically approved the Residential building/ Appartment in Survey No: 418,425,425/A,AA,E & 470, of Manchirevula village of Rajendranagar Mandal Date:09.09.2018, has stated that M/s In the reference 1st cited, the Metropolitan Commissioner Director Planning, Hyderabad Development Authority Rangareddy District and examined the revised plans vedic Constructions Rep By its Managing Partner Sri.

the Metropolitan Commissioner, conditions imposed vide letter No: 000746/ZOA/R1/U6/HMDA/26042017, Date:09.09.2018 of Technical approval of the Revised building plans with drawings Sivarama Krishna Prasad Vemuri Date:09-09-2018 has submitted the application requesting to sanctionfor construction of Residential building/Appartment in Survey No: 418,425,425/A,AA,E 470 of Manchirevula village of Rajendranagar Mandal Rangareddy District as per the In the reference 2<sup>nd</sup> cited, M/s Vedic Constructions Rep By its Managing Partner Sri. and specifications.and

the Required building permission fee Rs. 5,39,738/- vide Challan No.10623, Dated: 02.03.2019 and Reciept No:5771, Date:08.03.2019, for construction of Residential Building/Appartment. Constructions Rep By its Managing Partner Sri. Sivarama Krishna Prasad Vemuri has remitted Planning, Hyderabad Metropolitan Development Authority, regarding to follow the conditions imposed in the reference while submitting

releasing the approved plans with the following conditions as fixed in technic alapproval No: 000746/ZOA/R1/U6/HMDA/26042017, Date:09.09.2018 of the Metropolitan Commissioner per the Technical approval of the Revised Prasad Vemuri, for construction of Residential Apartment in Survey No: 418,425,425/A,AA,E & 470 in the Manchirevula Gram Panchayat of Rajendranagar Mandal of Rangareddy District as Director Planning, Hyderabad Metropolitan Development Authority Administration and urban Development (M) Department, Date. 07.04.2012 sanction is here by Act, (Telangana Adoption), 1994 and the Rules issued in G.O.Ms.No.67, Panchayat Raj and Rural Development (Pts.IV) Department, Date.26.02.2002 and G.O.Ms.No.168, Municipal In view of the above under section 120 and 121 of the Andhra Pradesh Panchayat Raj M/s Vedic Constructions Rep By its Managing Partner Sri. Sivarama Krishna building plans with drawings and specifications

- -The applicant shall pay the 1% welfare cess amount to the local body,on the total estimated cost of proposed construction invariable, as per the G.O.M.S No:112 Labour employmen training factories (Lab-II) ,Department, Dt:15-12-2009 before commencement construction work
- 2 letter if the work is commence within the date of issue. technically approved by HMDA are valid for period of 06 years from date of issue of this the Metropolitan Commissioner Director Planning, Hyderabad Metropolitan Development Authority is enclosed to follow the conditions imposed in construction. The building plans technical approval No: 000746/ZOA/R1/U6/HMDA/26042017, Date:09.09.2018
- w The applicant shall ensure the following with regard to water supply, drainage and sewerage disposal system to be provided / facilitated to the proposed building.
- appropriate distance within the site preferably at 100 feet distance so as to avoid The location of water supply source & sewerage disposal source are located at
- **:**: maintain 0.3 to 0.4 p.m of residual chlorine in the sump / over head tanks. The depth of the bore and sizes shall be limited to the minimum depth and size existing nearby bore-well. Water shall be disinfected by adding hypo-solution to
- $\Xi$ : treated sewerage to main existing drain by laying a sewer pipe of diameter ranging Where main Gram Panchayat drains exist in vicinity of site, insist on connecting the from 200mm to 300mm.
- iv. In case where such Gram Panchayat drain exists, insist on connecting the treated sewerage overflow to a natural drain or nalawith a sewer pipe of diameter 150 mm.
- ٧. Before allowing the overflow mentioned in (iii) & (iv) above ensure the sewerage of the proposed building is invariably  $1^{st}$  into a common septic tank constructed on as road or public place constructed with a fixed contact bed, duly standard The Applicant shall ensure that no effluent / drainage over flows on the speciation (ISI) Code No.2470 of covered and ventilated for primary 1985 (Annexure-I)
- ⊻. premises shall be provided with safety pads / gates. To prevent chokage of sewers / drains, the last inspection chamber within the site
- V11. sludge, etc., to an unobjectionable place The party should clean that septic tank periodically by themselves, and cart way the
- VIII concerned for compliance during the construction stage All the above shall be supervised and inspected by the Executive Authority
- 1X. shall pay proportionate pro-rata charges to Hyderabad Metropolitan Water Supply & Sewerage Board to the out laying areas of Hyderabad, the proposed building owners systematically added / extended by the Hyderabad Metropolitan Water Supply & Since eventually the public sewerage and water supply systems are expected to be Water Supply & Sewerage Board. Sewerage board for the above facilities as and when demanded by the Hyderabad
- 4 imposed in terms of G.O.Ms.No.168, MA, Date.07.04.2012 and its amendments applicant should ensure the undertakes to abide by the conditions, which may be
- S setbacks, common parking floor / stilt marking / violation and other balcony projections shall not be allowed foundation stage, plinth level and first floor and subsequent floors level as required under G.O.Ms.No.168, MA, Date.07.04.2012 deviation, misuse or violations of minimum applicant should ensure that the proposed building / complex is constructed strictly as technically approved building Date.07.04.2012 deviation, misuse or violations of minimum plans mandatory inspection shall be

- 6 The applicant shall ensure that the fire with the National Building Code, 2005. safety requirements are complied in accordance
- 7 let out etc., only after: The applicant shall allow the proposed building complex to be occupied used or otherwise
- building plans; proposed building is completed in accordance with the technically approved
- ii. After ensuring all the above conditions are complied.
- system as mentioned above are After ensuring the conditions with regard Authority. complied with the to water supply and sewerage satisfaction of the F Executive disposal
- iv. After issuing a "Fit for Occupancy" certifica required G.O.Ms.No.168, MA, Date.07.04.2012. certificate by the sanctioning Authority as
- 00 as to facilitate public in the matter site which shall show the plan and specify the conditions mentioned in this office letter, Applicant shall ensure that the developer display a board at a prominent place at the SO
- 9. accordance That the applicant with the National Building Code of 2005 IS. responsible for structural safety and the safety requirement
- 10. per plan enclosed. The applicant shall develop Rain Water harvesting structures in the site under reference as
- 1 the pedestrians and neighbors. plot during construction to stop environmental pollution to That the applicant should erect temporary scheme to avoid spilling of materials outside the ensure safety and security of
- 12 That the applicant shall made provisions for errection of Transformer and Garbage house with in the premises
- 13. materials / debris on public road That the applicant / builder / constructor / developer shall not keep their construction
- 14. him to proceed further inspection of site. completion of first floor roof level and then all the roofs are laid so as to enable to permit applicant should ensure to submit compliance report to HMDA soon
- 15. It is also hereby ordered that the copy of approved plan as released by authority would be displayed at the construction site for public view. HMDA and local
- 16 any modifications are necessary prior approval should be obtained That the construction should be made strictly in accordance with the sanctioned plan. If
- 17. complex under the provisions of Fire services Act, 1994. applicant shall obtain clearance from Fire services Dept., for the proposed
- 18 public This permission does not bar any public agency including HMDA to acquire the lands for purpose as per law.

### ADDITIONAL CONDITIONS:

- -The Owner / Developers shall ensure the safety of construction workers
- 2 workers for the duration of construction. Owner / Developers shall ensure a comprehensive insurance policy of construction
- S In large projects where it is proposed to temporarily house the construction workers on the site, proper hygienic temporary shelter with drinking water and sanitary measures shall be provided.

- 4 The Owner / Developers shall be responsible for the safety of construction workers
- 5 the said permission If in case above said conditions are not adhered; HMDA / Local Authority can withdraw

as stipulated in National Building Code of India, 2005 like; The Owner / Developer shall be responsible to provide all necessary Fire Fighting installations

- height clearance of 5 mtrs To provide one entry and one exit to the premises with a minimum width of 4.5 mtrs and
- 2. Provide Fire resistant swing door for the collapsible lifts in all floors
- 3. Provide Generator, as alternate source of electric supply.
- 4 Emergency Lighting in the corridor / common passages and stair cases
- 5 Two numbers water type fire extinguishers for every 600 Sq.Mtrs of floors minimum of four numbers fire extinguishers per floor and 5 Kgs. area with
- 6 per I.S.I specification No.2190-1992 DCP extinguishers minimum 2 Nos. at Generator and transformer area shall be provide as
- 7. Manually operated and alarm system in the entire buildings:
- 00 Separate Underground static water storage tank capacity of 25,000 lts capacity.
- 9. Separate Terrace tank of 25,000 lits capacity for Residential Buildings
- 10. House Reel, Down Comer
- 11. Automatic Sprinkler system is to be provided if the basement area exceeds 200 Sq.mtrs
- 12 electrical fire safety; Electrical wiring and installation shall be certified by the electrical engineers to ensure
- 13. 15 (c) of A.P. Apartments (Promotion of construction and ownership) Rules, Transformer shall be protected with 4 hours rating fire resistant constructions 1987 as per Rule
- 14. maneuverability of fire vehicles. No parking or any constructions setbacks area. joint open spaces with the neighboring building shall be made premises for m

### Subject to the following conditions:-

- pattern should not be changed for any purpose in future The circulation pattern showing in the plan shall be used as drive ways and the circulation
- 2 settlement of the same and proposals are subject outcome of court orders if any If there is any court case is pending with law, the applicant shall be responsible for
- S boundaries etc., In any dispute litigation arises in future, regarding the ownership of a land, schedule of employees shall not be part to any such disputes / litigations. the applicant shall responsible for the settlement of the same, HMDA or
- 4 and their amendments from time to time. To comply the conditions laid down in the G.O.Ms.No.168, MA & UD, Date.07.04.2012.
- 5 constructing the building and after applicant / developer are the whole responsible if anything happens while
- 6. cannot claim for refund of amount paid. layouts, the permission issued shall be If the said site under reference is falling within the open space area / park etc., of any other withdrawn without any notice and the applicant

- .7 The Applicant should file the undertaking affidavit on Rs.100.00 Non-judicial stamp paper before release the occupancy certificate.
- 00 open space with greenery only. The open space earmarked in the site Building plan shall be maintained and developed as
- 9. construction is permitted in the said open space The open space earmarked in the site Building plan shall not be altered and no
- 10. In case it is noticed that the open space and the internal circulation pattern are not maintained as per the approved plan, the Building Permission shall be deemed to be cancelled and the local body shall be authorized to take necessary action against the construction as per extant law.
- 11. if any loss of apartments and after in the site under reference. The applicant / developers and structural Engineer and Architect are the whole responsible human life or any damage occurs while constructing the residential
- 12. before applying of occupancy certificate from the sanctioning authority. The applicant shall obtain the fire service clearance from the Fire Service Department
- 13. obtained by false statement or misinterpretation or suppression of any material facts or The HMDA resume the right to cancel the permission, if it is found that the permission is
- 14. If any cases are pending in court of law with regard to the site under reference and have adverse orders, the permission granted shall deem to withdrawn and cancelled
- 15. constructing the building. applicant / developer are the whole responsible if anything happens while
- 16. The applicant shall construct the sump, septic tank and water harvesting pits as per the specifications.

17. Any conditions laid by the authority are applicable

Panchayat Secretary Gram Panchayat, Manchirevula, Rajendranagar Mandal.

Shinlow

08/03/19,