



MEMBER SECRETARY

केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन, नदी विकास
एवम् गंगा संरक्षण मंत्रालय
भारत सरकार
नई दिल्ली

Central Ground Water Authority
Ministry of Water Resources,
River Development and Ganga Rejuvenation
Government of India
New Delhi

File No:- 21-4/932/RJ/INF/2015- 1212

NOC No:- CGWA/NOC/INF/ORIG/2016/2207

Date :- 22 JUN 2016

To,

✓ M/s Canopy Nirmans Pvt.Ltd.,
Plot No. 18, Fifth Floor,
Sector-44, Gurgaon – 122003
Haryana

Sub:- NOC for ground water withdrawal to M/s Canopy Nirmans Pvt. Ltd., in respect of their Group housing project "Terra Castle" located at Khasra No.576,586,587,588,589,590, Village Maseet, Tehsil Tijara, District Alwar, Rajasthan – reg.

Refer to your application on the above cited subject. Based on recommendations of Regional Director, Central Ground Water Board Western Region, Jaipur vide their recommendations dated 23/03/2016 and further deliberations on the subject, the NOC of Central Ground Water Authority is hereby accorded to **M/s Canopy Nirmans Pvt. Ltd., in respect of their Group housing project "Terra Castle" located at Khasra No.576,586,587,588,589,590, Village Maseet, Tehsil Tijara, District Alwar, Rajasthan.** The NOC is, however subject to the following conditions:

1. The firm may abstract **425 cu.m/day** (not exceeding **1,55,125 cu.m/year**) of ground water through proposed two (2) **tubewells only**. No additional ground water abstraction structures to be constructed for this purpose without prior approval of the CGWA.
2. All the wells to be fitted with water meter by the firm at its own cost and monitoring of ground water abstraction to be undertaken accordingly on regular basis, atleast once in a month. The ground water quality to be monitored twice in a year during pre- monsoon and post- monsoon periods.
3. **M/s Canopy Nirmans Pvt. Ltd.,** shall, in consultation with the Regional Director, Central Ground Water Board Western Region, Jaipur implement ground water recharge measures atleast to the tune of **10370 cu.m/year** as proposed, for augmenting the ground water resources of the area within six months from the date of issue of this letter. Firm shall also undertake periodic maintenance of recharge structures at its own cost.

West Block - 2, Wing - 3, Sector - 1, R.K. Puram, New Delhi - 110066
Tel : 011-26175362, 26175373, 26175379 • Fax : 011-26175369
Website : www.cgwb.gov.in, www.mowr.gov.in

स्वच्छ सुरक्षित जल - सुन्दर खुशहाल कल

CONSERVE WATER - SAVE LIFE

4. The photographs of the recharge structures after completion of the same are to be furnished immediately to the Regional Director, Central Ground Water Board Western Region, Jaipur for verification and under intimation to this office.
5. The firm at its own cost shall install 3 to 4 piezometers with automatic water level recorder having telemetry system at suitable locations and execute ground water regime monitoring programme in and around the project area on regular basis in consultation with the Central Ground Water Board Western Region, Jaipur.
6. The ground water monitoring data in respect of S. No. 2 & 5 to be submitted to Central Ground Water Board Western Region, Jaipur on regular basis at least once in a year.
7. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.
8. Action taken report in respect of S. No. 1 to 7 may be submitted to CGWA within one year period.
9. The permission is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.
10. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ ground water withdrawal/ construction of recharge or conservation structures/ discharge of effluents or any such matter as applicable.
11. This NOC does not absolve the applicant / proponent of his obligation / requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.
13. This NOC is valid till 13/06/2018.


Member Secretary

Copy to:

1. The Member Secretary, Rajasthan State Pollution Control Board, 4, Institutional Area, Jhalana Doongri, Jaipur- 302004, Rajasthan **with a request to ensure that the conditions mentioned in the NOC are complied by the firm.**
2. The District Collector, District Alwar, Rajasthan.
3. The Regional Director, Central Ground Water Board Western Region, Jaipur. This has reference to your recommendation dated 23/03/2016.
4. TS to the Chairman, Central Ground Water Board, Bhujal Bhawan, Faridabad, Haryana.
5. Guard File 2016-17.


Member Secretary