



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

BY REGD POST

Revised Height

Date: 07-05-2014

AAI/NOC/2012/423/5846-5851

To

Mr. Rajnish Goel Manager Director,
M/s R.G Infracty (P) Ltd
5, Dr. R.K Tandon Road,
(Near Kaiserbagh Kotwali)
Lucknow-226018

Subject: No Objection Certificate for Height Clearance

This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order SO84 (E) dated 14th Jan, 2010 for safe and Regular Aircraft Operations:

References:	SAFD /NORTH/B/100212/015
NOCID	27-09-2013
Applicant Letter	
AAI Reference	

2. NOC Details for Height Clearance:

Applicant Name	M/s R.G Infracty (P) Ltd
Type of Structure	Group Housing
Site Address	Plot No- 12, GH-4, Vrindavan Yojna, Raibareilly Road, Lucknow
Site Co-ordinates	26 45 39 N - 80 57 53 E
Site Elevation AMSL (in Mtrs)	120.00 Mtrs
Permissible Height above Ground Level (in Mtrs)	44.00 Mtrs (Forty Four Only)
Permissible Top Elevation AMSL in Mtrs.	164.00 Mtrs (One Hundred Sixty Four Decimal Zero Only)

3. This NOC is subject to the terms and conditions as given below:

- The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will be invalid.
- The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time including the Aircraft (Demolition of obstruction caused by buildings and trees etc.) Rules, 1994.
- No radio/TV Antenna, lighting, arrester, etc., Muntree, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation 164.00 Mtrs, indicated in para 2.
- The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.

क्षेत्रीय मुख्यालय, उत्तरी क्षेत्र, प्रचालन कार्यालय, गुरुदास रोड, नई दिल्ली-110037 दूरभाष : 25652447 फैक्स : 25656451
Regional Headquarters, Northern Region, Operational Offices, Gurgaon Road, New Delhi-110037 Tele.: 25652447 Fax : 25656451
"हिन्दी पत्रों का स्वागत है।"

E) The certificate is valid upto 05-11-2017. If the building/structure/Chimney is not constructed & completed within above mentioned date i.e. 05-11-2017, the applicant will be required to obtain a fresh 'NOC' from the Designated Officer of Airports Authority of India. The date of completion of Building/structure/chimney should be intimated to this office of AAI. Request for revalidation of NOC will not be entertained after the expiry of its validity period.

F) No Light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building.

G) The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

H) Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part-I Section 4, available on DGCA India website : www.dgca.nic.in

I) The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of 'to ensure the safe and regular aircraft operations' and shall not be used as document for any other purpose/claim whatsoever, including ownership of the structure.

J) This NOC has been issued w.r.t the Civil Airport as per sub-section 34(1) of the Airports Act, 1947. Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

This certificate is issued for 'HEIGHT CLEARANCE ONLY' with the approval of Competent Authority for Permissible Top Elevation 164.00 Mtrs.

This NOC supersedes NOC issued vide letter No AAI/NOC/2642/423/2676-80 dated 05-11-2012 & also issued earlier NOC letter No AAI/NOC/2012/423/3932-37dt.13-01-2014.



(G.S. BHURIA)
Jt. General Manager (NOC)
For General Manager (ATM), NR

Copy to

1. The Executive Director (ATM), Rajiv Gandhi Bhawan, Safdarjung Airport, New Delhi-110003
2. Airport Director, Chaudhary Charan Singh Airport, Amroli, Lucknow-226009
3. Lucknow Development Authority, Navin Bhawan, Vipin Khand, Gomti Nagar, Lucknow
4. GM (NOC & Carto) AAI, Rajiv Gandhi Bhawan, Safdarjung Airport, New Delhi-110003
5. Guard File



उत्तर प्रदेश आवास एवं विकास परिषद
निर्माणे खण्ड-12

आवास विकास-द्वितीय तह, वृन्दावन योजना, लखनऊ।
e-mail :- upawp_cd12@yahoo.com
Phone No. 87-2651866, 87-2611801



पत्र सं- 2811 / 12 GH-4 /

दिनांक- 03/11/15


To
M/s RG Infracity (P) Limited
5 DR R.K Tandon Road,
Kaiserbagh,
Lucknow

Certified that M/s RG Infracity (P) Limited is developing a group housing Plot No 12 GH-4 in Vrindavan Yojna, Rai Bareilly Road, Lucknow. M/s RG Infracity (P) Limited has launched a project named as "RG Euphoria" on above plot purchased from UP Awas Evam Vikas Parishad, Lucknow.

UP Housing Development Board has provided the facility of Sewage Treatment Plant (STP) for Plot No 12GH-4 in Vrindavan Yojna, Rai Bareilly Road, Lucknow as per sanctioned layout plan, which includes the sewage load of above mentioned Group Housing Project as well. Their untreated sewage shall be connected to UP Awas Evam Vikas Parishad's STP for treatment of the sewage, for which UP Housing & Development Board has no objection.

Yours Sincerely

(Er. Gyaneshwar Prasad)
Executive Engineer
CD-12 J/KO



उत्तर प्रदेश आवास एवं विकास परिषद
कार्यालय अधिशासी अभियन्ता, निर्माण खण्ड-15
आवास कान्स्ट्रक्शन, वृन्दावन योजना, सेक्टर-09, लखनऊ



पत्रांक

दिनांक

सेवा में,

आर०जी०इन्फ्रास्ट्रि प्रॉजि०
5 डा०आर०के० एण्डन रोड
कैसरबाग, लखनऊ-226018

विषय:-ग्रुप हाउसिंग भूखण्ड संख्या-12/जी०एल०-4, वृन्दावन योजना लखनऊ में पानी के कनेक्शन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त आपके पत्र शून्य दिनांक 09.05.2017 के संदर्भ में अवगत कराना है, कि ग्रुप हाउसिंग भूखण्ड संख्या-12/जी०एल०जी० वृन्दावन योजना लखनऊ में दिनांक 12.05.2017 को जलपूर्ति हेतु जल कनेक्शन कक्षा दिया गया है।

उक्त के क्रम में यह भी अवगत कराना है कि कनेक्शन दिये जाने की तिथि से परिषद नियमानुसार जल शुल्क के रूप में प्रतिमाह पंजाब नेशनल बैंक वृन्दावन योजना, विस्तार पटल रायबरेली रोड लखनऊ के खाते नियमित जमा करते रहे।

भवदीय

(की०बी० सिंह)
अधिशासी अभियन्ता

पृष्ठ संख्या 609

1/11-16/102

दिनांक 17-5-17

प्रतिलिपि:-निम्नलिखित को सूचनाएँ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. कार्यालय संपत्ति प्रबंधक, उ०प्र० आवास एवं विकास परिषद, वृन्दावन योजना, लखनऊ।
2. सहायक अभियन्ता-प्रधान/अवर अभियन्ता, श्री. अमरजीत सिंह यादव निर्माण खण्ड-15, उ०प्र० आवास एवं विकास परिषद, वृन्दावन योजना, लखनऊ।

2/11/17
अधिशासी अभियन्ता

कार्यालय मुख्य अभियंता (लेसा)
मध्योच्चल विद्युत वितरण निगम लि०

4-ए. गोखले मार्ग

लखनऊ

संख्या : 4037-मु०अभि०/लेसा/वाणिज्य-०८

दिनांक : 9.11.2015

कार्यालय ज्ञापन

एतद्वारा निम्नलिखित इकाई/पार्टी के पक्ष में अधोलिखित शर्तों प्रतिबन्धों के अधीन आवासीय अवस्थापना विद्युत भार बुनियादी ढांचे को विकसित करने हेतु विद्युत भार स्वीकृत किया जाता है:-

क्र. सं.	इकाई/पार्टी का नाम व पता	स्वीकृत विद्युत भार	बैची/प्रयोजन	कार्यस्थल
1	2	3	5	6
1	मेसर्स आर०जी इन्फार्मिटी प्राइवेट लिमिटेड द्वारा श्री एस०के० गौड़, सीनियर ए०जी०एम० प्रोजेक्ट, आर०जी० यूफेरिया, 12-जी०एच०-4, वृन्दावन योजना, सयबरेली रोड, लखनऊ।	1425 कि०वा० (एकल बिन्दु मीटरिंग)	ए०एम०जी०-1 आवासीय कालोनी हेतु।	मेसर्स आर०जी इन्फार्मिटी प्राइवेट लिमिटेड द्वारा श्री एस०के० गौड़, सीनियर ए०जी०एम० प्रोजेक्ट, आर०जी० यूफेरिया, 12-जी०एच०-4, वृन्दावन योजना, सयबरेली रोड, लखनऊ।

उपरोक्त को विद्युत आपूर्ति उनकी मीटिंग के आधार पर निम्न प्रकार से निर्धारित की जायेगी:-

क्रम संख्या	अवधि	कुल भार की अनुमति	दिग्गज भार
प्रथम चरण में	माह दिसम्बर 2015 तक	150 कि०वा०	11 के०वी०
द्वितीय चरण में	माह जून 2016 तक	150+150=300 कि०वा०	11 के०वी०
तृतीय चरण में	माह दिसम्बर 2016 तक	300+200=500 कि०वा०	11 के०वी०
चतुर्थ चरण में	माह जून 2017 तक	500+250=750 कि०वा०	11 के०वी०
पंचम चरण में	माह दिसम्बर 2017 तक	750+300=1050 कि०वा०	11 के०वी०
षष्ठम चरण में	माह जून 2018 तक	1050+375=1425 कि०वा०	11 के०वी०

उपरोक्त विद्युत भार विद्युत वितरण सहित 2005 (संशोधित) में निहित प्रावधानों एवं नियमों का अनुपालन सुनिश्चित करने के उपरान्त अयमुक्त किया जाये।

- उपरोक्त विद्युत भार 11 के.वी. पोषक से एकल बिन्दु मीटरिंग के आधार पर निर्गत किया जाएगा।
- यदि भविष्य में लखनऊ विकास प्राधिकरण/उ०प्र० अथवा विकसित परिषद/नगर निगम अथवा अन्य संस्थाओं का समान विभाग द्वारा किसी भी प्रकार की कोई अपलि की जाती है तो उस स्थिति में पूर्ण उत्तरदायित्व उपभोक्ता का होगा। ऐसी स्थिति में स्वीकृत भार/संयोजन विरत कर दिया जाएगा।
- प्रभावित 400/220/132 के०वी० उप-स्थानों पर स्थापित परिवर्तकों की निर्धारित अधिकतम लोडिंग सीमा से अधिक भारित होने की दशा में इकाई की विद्युत आपूर्ति में कटौती की जा सकती है।
- विद्युत प्रणाली की लोडिंग के कारण आपूर्ति स्थिर मानक से कम/अधिक हो सकती है।
- इस आदेश के निर्गत होने से दो वर्ष की अवधि में उपभोक्ता द्वारा उक्त वर्गित विद्युत भार उपयोग न करने की दशा में अथवा नियम एवं शर्तों दिये जाने की तिथि से छह माह के अन्दर उचित धनराशि जमा न किये जाने की दशा में, जो भी तिथि पहले हो से यह स्वीकृति स्वतः निरस्त समझी जायेगी।
- उक्त संयोजन को विद्युत आपूर्ति कारपोरेशन के नियम के अन्तर्गत की जायेगी परन्तु प्रतिकूल परिस्थितियों में विद्युत प्रणाली को सुरक्षित हेतु समय-समय पर आवश्यकतानुसार रोस्टरिंग एवं आपतकालीन रोस्टरिंग की जा सकती है।
- विद्युत आपूर्ति कारपोरेशन में लागू रेट शिड्यूल में निहित वोल्टेज पर ही दी जायेगी।

3/2/2016

8. किसी भी दशा में बाहरी पोखर को नगरपालिका/नगरमहापालिका / टाउन परिषद की सीमा से बाहर बहाकर विद्युत भार अनुमुक्त नहीं किया जायेगा यदि कॉलनेट में उल्लिखित परिषद/इकाई पर अथवा उपभोक्ता के नाम से वडले से कोई कनेक्शन रहा हो तो उक्त भार तब तक अनुमुक्त नहीं किया जायेगा जब तक कि उक्त पुराने कनेक्शन अथवा उपभोक्ता के विरुद्ध बकाया कारपोरेशन की धनराशि (यदि कोई हो) का पूरा भुगतान न कर दिया जाय।
9. यदि उक्त इकाई/उपभोक्ता और कारपोरेशन के मध्य कोई न्यायिक विवाद अथवा कोर्ट केस लम्बित हो तो इस दशा में भी विद्युत भार अनुमुक्त नहीं किया जायेगा।
10. कारपोरेशन द्वारा निर्धारित सभी औपचारिकताएँ पूर्ण करने के पश्चात् ही विद्युत भार अनुमुक्त किया जायेगा।
11. विद्युतीकरण का कार्यपूर्ण होने के उपरान्त सहायक निदेशक, विद्युत सुरक्षा, लखनऊ जोन, कमरा नं०-110 से विद्युत सुरक्षा अनापत्ति प्रमाण-पत्र मिलने के उपरान्त ही आप द्वारा विकसित प्रणाली तंत्र को लेसा मेटर्क से जोड़ा जायेगा।

कार्यालय सहायक निदेशक, विद्युत सुरक्षा, उ०प्र० शासन, विभूति खण्ड, गोगटीनगर, लखनऊ जोन लखनऊ के कार्यालय से अधिष्ठापन का भारतीय विद्युत नियमावली, नियमों के अन्तर्गत सम्बोधन-जनक प्रमाण पत्र प्रार्थित करें।

कुशीर कुमार वर्मा
मुख्य अभियन्ता (लेसा)

संख्या : 4037/मु०अभि०/लेसा/संप्रति-नं०: 9.11.2015

प्रतिलिपि निम्नलिखित को सूचनाई एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. प्रमुख निदेशक, मध्यांचल विद्युत वितरण विभाग लि०, 4-ए, गोकुल मार्ग, लखनऊ।
2. अधीक्षण अभियन्ता, विद्युत नगरीय वितरण नाटल-संभाग, लेसा, लखनऊ।
3. निदेशक, विद्युत सुरक्षा, उत्तर प्रदेश शासन, विभूति खण्ड-2, कमरा नं०-112 गोगटीनगर, लखनऊ।
4. अधिसूची अभियन्ता विद्युत नगरीय वितरण खण्ड-वृन्दावन, लेसा, लखनऊ को इस अनुसंध से प्रेषित कि अगले स्तर से भी आवश्यकता को इस कार्यालय आप की छायाप्रति उपलब्ध-व्यवस्थापित किया जाये।
5. सहाय्य लखनऊ विकास प्राधिकरण, विभूति खण्ड, गोगटी नगर, लखनऊ।
6. महारं आर०जी इन्फ्रास्ट्रक्चर प्राइवेट लिमिटेड द्वारा श्री एस०बी० गौड, सीनियर एंजीनियर प्रोजेक्ट, आर०जी० यूफोरिया, 12-जी०एच०-4, वृन्दावन योजना, रायबरेली रोड, लखनऊ।

(आमृतोष श्रीवास्तव)
अधिसूची अभियन्ता (वा०)
मुख्य अभियन्ता, लेसा

State Level Environment Impact Assessment Authority, Uttar Pradesh

Uploaded on
www.seiaup.in

Directorate of Environment, U.P.
Vincent Khand-1, Gomti Nagar, Lucknow - 226 010
Phone : 91-522-2300 541, Fax : 91-522-2300 543
E-mail : docup@seiaup.in
Website : www.seiaup.in

To,
Sri Rajnish Goel,
M.D.,
M/s R.G. Infracity Pvt. Ltd.,
C/o Sri Rajnish Goel,
5 R K Tandon Road,
Kaisarbagh, Lucknow- 226018

Ref. No. 232/Parya/SEAC/2525/2014

Date: 02/09/2016
August, 2016

Sub: Environmental Clearance for Group Housing project "R G Euphoria" Project at Plot No-12, GH-04, Vrindavan Yojna, Tehsil-Sadar, Lucknow, M/s R.G. Infracity Pvt. Ltd. Regarding,

Dear Sir,

Please refer to your application/letters dated 18-08-2014, 05-01-2015, 25-06-2015, 01-04-2016, addressed to the Secretary, State Level Expert Appraisal Committee (SEAC) and Director, Directorate of Environment Govt. of UP on the subject as above. A presentation was made by the representative of the project proponent along with their consultant M/s Ecoman Laboratories Pvt. Ltd., in the SEAC meeting dated 20/06/2016.

The Project proponent, through documents (submitted to SEAC) and presentation made during meeting, has informed to the SEAC that:-

1. The environmental clearance is sought for "R G Euphoria" Project at Plot No-12, GH-04, Vrindavan Yojna, Tehsil-Sadar, Lucknow.
2. Details of the Project:-

• Plot Area	= 9730.0 m ²
• Area under road	= 2185.0 m ²
• Total Covered area	= 2880.36 m ²
• F.A.R.	= 2.5 (24282.30 m ²)
• Total Mumty area	= 164.14 m ²
• Total Machine Room area	= 66.0 m ²
• Total Green Area	= 1782.1
• Total Built up area	= 24282.30 m ²
• Parking Area	: 12273.0 m ²
• No. of Flats	: 188 nos
• Total Population	: 940+100=1040 (Residential + Floating)
• Total Water Requirement	: 88 KLD
• Fresh water	: 86 KLD



E.C. for Prava Housing project "B.G. Euphoria" Project at Plot No-12, G-04, Vrindavan Yojna, Tehsil-Santar, Ludhrow, M/s B.G. Infra City Pvt. Ltd

- Treated water to be used for landscaping : 2 KLD
- Treated water to be stored for Firefighting : 5 KL
- STP Capacity : 72 KLD/Disposal into Awas Vikas waste water treatment system
- Power consumption : 1350KW

3. Details of construction:

Type	Total Nos.	Area of one Unit(m ²)
Type-I	20	152.31
Type-II	132	107.23
Type-III	36	82.63
Total	No. Flats 188	

4. Floor Wise construction & other area details :-

S.No	Floor	Area (sqm)
1	Stilt	2880.36
2	1st	2516.72
3	2nd	2516.72
4	3rd	2656.92
5	4th	2516.72
6	5th	2656.92
7	6th	2516.72
8	7th	2656.92
9	8th	2516.72
10	9th	2656.92
11	10th	1071.02
12	Mumty Area	164.14
13	Machine Room	66.00
14	Basement Area	6631.93

5. Park Area:-

- The details of 3 no. of parks are given below:
- Area of park (1) = 904.55 sq.mt.
- Area of park (2) = 40.54 sq.mt.
- Area of park (3) = 39.21 sq.mt.

6. Water details:

- Residential units : 80840 liter (@ 86 liters for 940 populations)
- Floating Population : 4500 liter @ 45 liters for 100 persons
- Total Fresh Water Demand : 86KLD
- Water requirement for landscaping = 2 KLD (STP treated water)
- Total Water requirement = 88 KLD
- Water required for firefighting (One time requirement) = 5KL (STP treated water)

7. Parking details :-

- Required Parking as per norm = 364 ECS Parking Provided:
- Open Car Parking provided: 163ECS = 3749 m² Basement Parking:
- Basement Car Parking provided= 136 ECS = 4352 m² Basement Scooter Parking provided = 68 = 7 ECS = 218 m² Stilt Parking Provided:
- Stilt Car Parking = 72ECS = 2016 m²



E.C for Group Housing project "B.G Euphoria" Project at Plot No-12, G/H-04, Vrindavan Yojna, Tehsil-Sagar, Lucknow, M/s B.G. Infra City Pvt. Ltd.

- Stilt Scooter Parking provided = 48 * 5 No of Car parking = 140m² Total number car parking provided = 383 ECS = 10481.0 m²

8. The Project proposals are covered under category 8"a" of EIA Notification, 2006, as amended. Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 20/06/2016 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held on 12/08/2016 decided to grant the Environmental Clearance to the project subject to the effective implementation of the following general and specific conditions:-

General Conditions:

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.
2. It shall be ensured that obtain the no objection certificate from the U P pollution control board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent Authority shall be obtained in this regards.
5. All trees felling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent Authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. Obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.
11. Obtain necessary clearances from the competent Authority on the abstraction and use of ground water during the construction and operation phases.
12. Hazardous/Inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure as prescribed under law. Necessary clearances in this regards shall be obtained.
13. Solid wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collection center should be provided. Necessary plans should be submitted in this regards.
14. Suitable rainwater harvesting systems as per designs of groundwater department shall be installed. Complete proposals in this regard should be submitted.
15. The emissions and effluents etc. from machines, instruments and transport during construction and operation phases should be according to the prescribed standards. Necessary plans in this regard shall be submitted.
16. Water sprinklers and other dust control measures should be undertaken to take care of dust generated during the construction and operation phases. Necessary plans in this regard shall be submitted.
17. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the noise emissions do not violate the prescribed ambient noise standards. Necessary plans in this regard shall be submitted.
18. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.



19. Sewage effluents shall be kept separate from rain water collection and storage system and separately disposed. Other effluents should not be allowed to mix with domestic effluents.
20. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
21. Alternate technologies for solid waste disposals (like vermin-culture etc.) should be used in consultation with expert organizations.
22. No wetland should be infringed during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
23. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Fully impermeable pavements shall not be constructed. Construction of pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the tree.
24. The Green building Concept suggested by Indian Green Building Council, which is a part of CII-Godrej GBC, shall be studied and followed as far as possible.
25. Compliance with the safety procedures, norms and guidelines as outlined in National Building Code 2005 shall be compulsorily ensured.
26. Ensure usage of dual flush systems for flush cisterns and explore options to use sensor based fixtures, waterless urinals and other water saving techniques.
27. Explore options for use of dual pipe plumbing for use of water with different qualities such as municipal supply, recycled water, ground water etc.
28. Ensure use of measures for reducing water demand for landscaping and using xeriscaping, efficient irrigation equipments & controlled watering systems.
29. Make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. Present a detailed report showing how much percentage of backup power for institution can be provided through solar energy so that use and polluting effects of DG sets can be minimized.
30. Make separate provision for segregation, collection, transport and disposal of waste.
31. Educate citizens and other stake-holders by putting up hoardings at different places to create environmental awareness.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
33. Prepare and present disaster management plan.
34. The project proponents shall ensure that no construction activity is undertaken without obtaining pre-environmental clearance.
35. A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy efficiency should be prepared incorporating details about building materials and technology, R & U Factors etc.
36. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003 (The above condition is applicable only if the project lies within 100 km of Thermal Power Station).
37. The DG sets to be used during construction phase should use low sulphur diesel type and should conform to E.P. rules prescribed for air and noise emission standards.
38. Alternate technologies to Chlorination (for disinfection of waste water) including methods like Ultra Violet radiation, Ozonation etc. shall be examined and a report submitted with justification for selected technology.
39. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.



E.C for Group Housing project "R.G.Eushoria" Project at Plot No-12, GH-04, Vrindavan Yojna, Tehsil-Sadar, Lucknow, M/s R.G. Infracity Pvt. Ltd

40. The construction of the building and the consequent increased traffic load should be such that the micro climate of the area is not adversely affected.
41. The building should be designed so as to take sufficient safeguards regarding seismic zone sensitivity.
42. High rise buildings should obtain clearance from aviation department or concerned authority.
43. Suitable measures shall be taken to restrain the development of small commercial activities or slums in the vicinity of the complex. All commercial activities should be restricted to special areas earmarked for the purpose.
44. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children could be provided in a formal way.
45. The use of Compact Fluorescent lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.
46. It shall be ensured that all Street and park lighting is solar powered. 50% of the same may be provided with dual (solar/electrical) alternatives.
47. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly and submitted with justification.
48. Treated effluents shall be maximally reused to aim for zero discharge. Where ever not possible, a detailed management plan for disposal should be provided with quantities and quality of waste water.
49. The treated effluents should normally not be discharged into public sewers with terminal treatment facilities as they adversely affect the hydraulic capacity of STP. If unable, necessary permission from authorities should be taken.
50. Construction activities including movements of vehicles should be so managed so that no disturbance is caused to nearby residents.
51. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this condition is violated the clearance, if and when given, shall be automatically deemed to have been cancelled.
52. Parking areas should be in accordance with the norms of MOEF, Government of India. Plans may be drawn up accordingly and submitted.
53. The location of the STP should be such that it is away from human habitation and does not cause problem of odor. Odorless technology options should be examined and a report submitted.
54. The Environment Management plan should also include the break up costs on various activities and the management issues also so that the residents also participate in the implementation of the environment management plan.
55. Detailed plans for safe disposal of STP sludge shall be provided along with ultimate disposal location, quantitative estimates and measures proposed.
56. Status of the project as on date shall be submitted along with photographs from North, South, West and East side facing camera and adjoining areas should be provided.
57. Specific location along with dimensions with reference to STP, Parking, Open areas and Green belt etc. should be provided on the layout plan.
58. The DG sets shall be so installed so as to conform to prescribed stack heights and regulations and also to the noise standards as prescribed. Details should be submitted.
59. E-Waste Management should be done as per MoEF guidelines.
60. Electrical waste should be segregated & disposed suitably as not to impose Environmental Risk.
61. The use of suitably processed plastic waste in the construction of roads should be considered.
62. Displaced persons shall be suitably rehabilitated as per prescribed norms.
63. Dispensary for first aid shall be provided.
64. Safe disposal arrangement of used toiletries items in Hotels should be ensured. Toiletries items could be given complementary to guests adopting suitable measures.



65. Diesel generating set stacks should be monitored for CO and HC.
66. Ground Water downstream of Rain Water Harvesting pit nearest to STP should be monitored for bacterial contamination. Necessary Hand Pumps should be provided for sampling. The monitoring is to be done both in pre and post monsoon, seasons.
67. The green belt shall consist of 50% trees, 25% shrubs and 25% grass as per MoEF norms.
68. A Separate electric meter shall be provided to monitor consumption of energy for the operation of sewage/effluent treatment in tanks.
69. An energy audit should be annually carried out during the operational phase and submitted to the authority.
70. Project proponents shall endeavor to obtain ISO: 14001 certification. All general and specific conditions mentioned under this environmental clearance should be included in the environmental manual to be prepared for the certification purposes and compliance.
71. Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within the month) on need base assessment study in the study area. Income generating measures which can help in up-liftment of weaker section of society consistent with the traditional skills of the people identified. The program me can include activities such as old age homes, rain water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmers shall be specified. ~~Revised ECR plan is to be submitted within 3 month.~~ Failing which, the environmental Clearance shall be deemed to be cancelled.
72. Appropriate safety measures should be made for accidental fire.
73. Smoke meters should be installed as warning measures for accidental fires.
74. Plan for safe disposal of R.O reject is to be submitted.

Specific Conditions:

1. No further vertical expansion shall be allowed until and unless the structural designs are prepared and vetted at the start of the project. The copy is also submitted to the SEIAA.
2. Provision of parking should be restricted to EGS as required under Development Authority bye-laws.
3. Provision of setback on all sides should be made as per Development Authority bye-laws.
4. Copy of all NOCs from different Departments shall be obtained prior to start of construction.
5. Necessary planning for any anticipated expansion should be incorporated in present design in view of structural stability.
6. An underground water tank shall be planned within the premises for storage of rain water.
7. Municipal solid waste shall be disposed/ managed as per Municipal Solid Waste (Management and Handling) Rules, 2000 (as amended).
8. 1.5 m peripheral green shall be provided around the project inside the project boundary.
9. 15% area of the total plot area shall be compulsorily made available for the green belt development including the peripheral green belt.
10. Project falling within in norm area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
11. Criteria/ norms provided by competent Authority regarding the seismic zone be followed for construction work. Provision of alarm system, to timely notify the residents, in case of occurrence of earthquake/other natural disasters/fire should be provided. A well defined evacuation plan should also be prepared and regular mock drills should be arranged for the residents. Rise of stairs should be constructed in a way, so that it should provide smooth movement.
12. For the treatment for total sewage, the designed STP is to be provided with 20% more capacity than waste water generated during the operation phase. 100% waste water is to be treated in



E.C for Group Housing project "R.G. Euphoria" Project at Plot No-12, 695-66, Vrindavan Yogna, Tehsil-Saunil, Lucknow, M/s R.G. Infra City Pvt. Ltd.

- captive STP conforming to prescribed standards of receiving body for designated use. Monitoring of STP to be done daily till its stabilization.
13. Dual plumbing should be adopted. Recycling of water as proposed shall be undertaken with regular testing and monitoring of treated water.
 14. Dedicated power supply for STPs is to be ensured during operation. Sludge of STP is to be used in-house as manure and surplus manure should be managed by giving it to end users. STP shall be suitably located nearest to back side boundary with shortest out let. Operation and the maintenance cost of the STP shall also be informed along with the compliance of the E-waste and municipal solid waste disposal.
 15. Total cost of the project is Rs. 48.0 Cr. Corporate Social Responsibility (CSR) plan along with budgetary provision amounting to minimum 2% of the project cost (Rs. 1.0 Cr.) shall be prepared and approved by Board of Directors of the company. A copy of resolution as above shall be submitted to the authority. A list of beneficiaries with their mobile nos./address should be submitted alongwith six monthly compliance reports.
 16. LEDs should be used in all common areas and corridors. 100% solar lighting is to be provided in the open areas/ stairs cases.
 17. Parking guideline as per Development Authority should be followed. Parking for disabled persons should be explored.
 18. All entry/exit point should be bell mouth shaped.
 19. To discharge excess treated waste water into public drainage system, permission from the competent authority to be taken prior to any discharge.
 20. 100 % provision of Rain Water Harvesting is to be made. RWH shall be initially done only from the roof top. RWH from green and other open areas shall be done only after permission from CGWB.
 21. An underground Pucca tank for collection/reuse of rain water may be constructed.
 22. Height of the stack should be provided based on combined DG sets capacity and be 6mt higher than the tallest building.
 23. Post project monitoring for air, water (surface + ground), Stack noise of D.G. sets, STP to be carried out as CPCB Guidelines.
 24. Crèche to be provided during the construction/operation phase.
 25. LIG & EWS housing to be provided as per U.P. Govt. Orders and building bye laws.
 26. Provision of separate room for senior citizen with proper amenities shall be made.
 27. Protection shall be provided on the windows of the high rise flats for security of residents.
 28. Unless and until all the environmental issues are sorted out the occupancy will be restricted and would be only allowed after achieving the Permission from the competent authority.
 29. The project proponent shall ensure that the project site does not attract/infringe any buffer zone of no activity identified/declared under law.
 30. For any extraction of ground water, prior permission from CGWB shall be taken.
 31. Sprinkler to be used for curing and quenching and ready mix concrete may be used for construction.
 32. Possibilities of use of treated waste water for irrigation purposes should be explored. Drip irrigation should be tried upto extent possible. No fresh water will be used for irrigation purpose.
 33. Mobile toilets, safe drinking water facility, sanitation facility and eco friendly fuels etc. Shall be made available to the temporary residents/workers at the project site including the proper treatment and the disposal of the wastes.

No construction/operation is to be started without obtaining Prior Environmental Clearance. Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.



E.C. for Group Housing project "R.G. Eshwari" Project at Plot No. 12, GH-64, Vrindavan Yojna, Tehsil Sadar, Lucknow, M/s R.C. Infra City Pvt. Ltd.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for G.B. Nagar. In case of violation, it would not be effective and would automatically be stand cancelled.

You are also directed to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deemed to be cancelled.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issue of the clearance. The SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF. SEIAA may impose additional environmental conditions or modify the existing ones, if necessary. Necessary statutory clearances should be obtained and submitted before start of any construction activity.

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

This is to request you to take further necessary action in the matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14.9.2006, as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.



No. 223 /Parya/SEAC/2525/2014


Dated: As above -

Copy with enclosure for Information and necessary action to:

1. The Principal Secretary, Department of Environment, Govt. of Uttar Pradesh, Lucknow.
2. Advisor, IA Division, Ministry of Environment, Forests & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi.
3. Chief Conservator, Regional Office, Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. District Magistrate, Lucknow.
5. The Member Secretary, U.P. Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow.
6. Regional Officers, Regional Office, UP Pollution Control Board, Lucknow.
7. Copy to Web Master/ guard file.

(S.C. Yadav)
Member Secretary, SEIAA

Gmail - Adresowalogramy: Sep 1st EC application



1 message

Thu, Jun 29, 2017 at 5:45 PM

This is to acknowledge that the proposal has been successfully uploaded on the portal of the Ministry. The proposal shall be examined in the Ministry to ensure that required information has been submitted. An email will be sent seeking additional information, if any, within 20 working days. Once verified, an acceptance letter shall be issued to the project proponent.

Following should be mentioned in further correspondence

- | | |
|---|--|
| 1. Proposal No. | : IAU/INCP/86786/2017 |
| 2. Category of the Proposal | : New Construction Projects and Industrial Estates |
| 3. Name of the proposal | : Expansion of Group Housing Project "R G Euphoria" at Plot No. 12, GH-04, Vrindavan Yojna, Tehsil-Sadar, Lucknow, Uttar Pradesh |
| 4. Date of Receipt of Proposal | : 29/06/2017 |
| 5. Name of the Project proponent along with contact details | |
| a) Name of the proponent | : RG INFRACTY PVT. LTD |
| b) State | : Uttar Pradesh |
| c) District | : Lucknow |
| d) Pincode | : 226002 |

कार्यालय

मुख्य

अग्निशमन

अधिकारी

लखनऊ

पत्र सं० ५४०/एफ.ए.ए.सी.-२०१५

दिनांक: २९/०४/२०१५

सेवा में

मैनेजिंग डायरेक्टर

कार.जी.इन्फ्रास्ट्रक्चर प्रा. लिमिटेड

मुख्यालय संख्या १२/जी.एन.-०४

इलायत योजना, रायबरेली रोड, लखनऊ

विषय :- बुनियादी ढांचे विकास संख्या -१२/जी.एन.-०४ इलायत योजना राय बरेली रोड जिला लखनऊ, पर मेसर्स आर.जी.इन्फ्रास्ट्रक्चर प्रा. लिमिटेड लखनऊ द्वारा प्रस्तावित/निर्माणधीन समूह आवासीय भवन अग्नि सुरक्षा व्यवस्था के संबंध में।

सूचना अपने पत्र संख्या दिनांक-१५.०४.२०१५ का संदर्भ ग्रहण करने का कष्ट करने को उपरोक्त विषयक है। उपरोक्त विषयक भवन का प्रारंभिक अनुमानित प्रमाण पत्र इस कार्यालय के समक्ष पत्र दिनांक २९.०४.२०१५ द्वारा जारी किया गया है। पुनः प्रस्तुत संशोधित मानचित्र का एन०बीसी-२००५ व भवन निर्माण एवं विकास अधिनियम-२००८ के अनुसार अग्नि सुरक्षा व्यवस्था की दृष्टिकोण से निरीक्षण/परीक्षण अग्निशमन अधिकारी जी.जी.आई. द्वारा किया गया है, निम्न तथ्य प्रकट में आए-

भवन की संरचना :-

क्र.सं.	विवरण	पूर्ण स्पीयर	संशोधित
01	कुल मुखण्ड एरिया	९७३०.० वर्ग मीटर	९७३०.६ वर्ग मीटर
02	ग्राउण्ड कवरेज	२९८०.३६ वर्ग मीटर	२९८२.९३ वर्ग मीटर
03	बिल्टप एरिया	२४२८२.३० वर्ग मीटर	२९०९४.६२ वर्ग मीटर
04	बेसमेंट एरिया	६६५१.९३ वर्ग मीटर	७५०६.४६ वर्ग मीटर
05	छाया	३२.६६० मीटर	३७.३७५ मीटर

भवन का अधिनियम एवं ईंधन - श्रेणी - प्रस्तावित भवन का अधिनियम एन० बी० सी० में आवासीय श्रेणी के अन्तर्गत वर्गीकृत किया गया है।

इलायत व्यवस्था :-

१-पार्किंग मार्ग :- मुखण्ड के सामने १८.०० मीटर रोड की चौड़ाई है।

२-प्रवेश की चौड़ाई :- भवन परिसर में प्रवेश व निकास हेतु ०३ गेट प्रस्तावित है जिनमें गेटों की चौड़ाई ४.६०-४.६० मीटर से कम न रखा जाय।

३-सेटबैक :- प्रस्तावित भवन का न्यूनतम सेटबैक निम्नवत है -

- अग्रभाग १२.०० मीटर।
- पृष्ठभाग १२.०० मीटर।
- पार्श्व भाग प्रथम १२.०० मीटर।
- पार्श्व भाग द्वितीय १२.०० मीटर।

उपरोक्तानुसार भवन के सेटबैक भवन विनियमावली से अनुसार है। सेटबैक सदैव अवरोध मुक्त रहे जाये। सेटबैक में किसी प्रकार का खाई/अखाई निर्माण कार्य मान्य नहीं होगा।

४-निकास मार्ग :- प्रस्तावित भवन के प्रत्येक टावर में ०२-०२ स्टेयर कोर प्रत्येक की चौड़ाई १.६०-१.६० मीटर मानचित्र में प्राकृतिक किया गया है, जिनकी पल्लो के समस्त खण्डों से ट्रेजिंग डिस्टेंस अधिकतम अनुमान सीमा के अन्तर्गत है।

५-रिपव्यूज एरिया का का विवरण - भवन में बालकनी प्राकृतिक है।

अग्नि सुरक्षा व्यवस्था :- एन०बीसी-२००५ के अनुसार निम्नलिखित अग्निशमन व्यवस्थाएं पूर्ण किये जाने अनिवार्य है :-

१-भूमिगत टैंक :- भूमिगत टैंक ७५ क.एल. क्षमता का मानचित्र में प्राकृतिक किया गया है।

२-पम्प :- अग्नि सुरक्षा टैंक की पास में पम्प २०५० एल०पी० एम० क्षमता का विद्युत चालित पम्प, बीजल चालित पम्प २६५० एल० पी० एम० क्षमता एवं, जी०पी पम्प १८०-एल०पी० एम० क्षमता का प्राकृतिक किया जाय आवश्यक होगा।

३-होजरीक :- प्रस्तावित भवन में होजरीक, लैडिंग फाल्सफाईर एन०-३६४४ मानकी के अनुसार मानचित्र में प्राकृतिक किया गया है।

4-बैटराइज्ड-प्रणवत भवन में बैटराइज्ड सिस्टम एनबीसी 2005 के मानकों को अनुसृत मानचित्र में प्राविधानित किया गया है।

5-प्रणवत सम्पूर्ण भवन परिसर में फाई हाइड्रेट होज कनेक्ट एवं एअर किलेवरी होज तथा बॉस वाइथ एवं फायर सर्विस इनलेट का प्राविधान आइसो एन 13038:1991 के अनुसार किया जाना आवश्यक होगा।

6-हरत वायुत इलेक्ट्रिक फायर एलार्म सिस्टम :-नैचुरल आपरेटेड इलेक्ट्रिक फायर एलार्म सिस्टम का प्राविधान एनबीसी मानकों के अनुसार मानचित्र में प्राविधानित किया गया है।

7-स्वाचालित डिटेक्शन एवं एलार्म सिस्टम :-भवन में आवश्यक नहीं।

8-स्वाचालित रिप्रकलर सिस्टम :- भवन के रूफमेंट में ऑटोमेटिक रिप्रकलर सिस्टम एनबीसी मानकों के अनुसार मानचित्र में प्राविधानित किया गया है। रिप्रकलर सिस्टम में पानी की फीडिंग अन्डर गार्ड व टैरिस टैंक दोनों से किया जाना आवश्यक होगा।

9-टैरिस टैंक :-प्रणवत भवन के प्रत्येक टायर के टैरिस पर टैरिस टैंक 10000-10000 लीटर क्षमता का स्थापित किया जाना अनिवार्य होगा।

10-टैरिस चम्पू :-प्रणवत भवन में आवश्यक नहीं है।

11-प्राथमिक अग्निशमन उपकरण (फायर एक्सटिंग्यूशर) :-प्रणवत भवन में फायर एक्सटिंग्यूशर आइसो एन 2190-2010 के अनुसार मानचित्र में प्राविधानित किया गया है।

12-स्मोक एक्सट्रैक्शन सिस्टम :-

ए0-फायर चैक डोर, स्मोक चैक डोर को लोकेसन व वेंटिंग 2, एच है।

बी 0- प्रस्तावित भवन में रूफमेंट सहित प्रत्येक तल पर स्मोक एक्सट्रैक्शन सिस्टम लगाया जाना अनिवार्य होगा।

13 -प्रेसराइजेशन प्रणाली :- आवश्यक नहीं।

14 -एक्जिट साइनेज :-सम्पूर्ण भवन में एक्जिट साइनेज प्राविधानित किये जाने होंगे।

15-पीएच सिस्टम :-पीएच सिस्टम की व्यवस्था सम्पूर्ण भवन में प्राविधानित किया जाना आवश्यक होगा।

16-प्रणवत भवन में इमरजेंसी/एरकेच लाइटिंग एनबीसी-2005, पार्ट-04 में उल्लिखित मानकों के अनुसार, कराया जाना आवश्यक होगा।

17- भवन के सम्पूर्ण अग्निशमन प्रणाली, फायर सिस्ट, स्टोरेजेश व कोरीडोर की लाइटों को वैकल्पिक रजार् शीट से पूवक लाइन (वायरिंग) फायर चैक ड्राफ्ट से पुर्वस्थित करते हुए जोड़ा जाना आवश्यक होगा।

18-भवन निर्माण के परावत व उपयोग के पूर्व भवन में अधिष्ठापित अग्निशमन प्रणाली के सुरक्षित संभालन व संदेय कार्यशील दशा में रखने हेतु एनबीसी-2005, पार्ट-04 के प्रस्तर-सी-05,सी-07,सी-08 व सी-09 में उल्लिखित मानकों का पालन अनिवार्य होगा।

उपरोक्तानुसार मैसर्स, आरपीडी इन्फ्रा सिटी प्राइवेट लिमिटेड लखनऊ द्वारा युप हाउसिंग भूखण्ड संख्या-12/जीएच-04 गुरुग्राम योजना राय बरेली रोड जिला लखनऊ पर प्रस्तावित समूह आवासीय भवन के निर्माण हेतु प्राविजनल अग्निशमन अनापति प्रमाण पत्र इस शर्त के साथ निगित की जाती है कि आवेदक द्वारा भवन /इकाइयों में अग्नि से सुरक्षा संबंधित सभी प्रस्तावित, प्राविधान भवन विनियामकता तथा नेशनल विविध कोड आफ इडिफा -2005 उल्लिखित मानकों के अनुसार कराये जायेंगे तथा भवन के निर्माणोपरान्त, भवन का प्रयोग करने से पहले भवन में अग्नि से सुरक्षा व्यवस्थायें मानकों के अनुसार गैसिक रूप से स्थापित कर उनका निरीक्षण/परीक्षण अग्निशमन विभाग से कराकर अधिन अग्निशमन अनापति प्रमाण पत्र प्राप्त किया जायेगा। अन्यथा निर्गत प्राविजनल अग्निशमन अनापति प्रमाण पत्र स्वतः निरस्त समझा जायेगा।


आ.प्र.जी.डी. (एनबीसी) 2005
मुख्य अग्निशमन अधिकारी
लखनऊ

प्रतिनिधि-01-वास्तुविशेष नियोजन ऊआओआयता एवं विकास परिषद्,वास्तुविशेष एवं नियोजन इकाई-भंडन, लखनऊ को सूचनाई भेजित।

02-अग्निशमन अधिकारी पी.जी.आई.डी. को सूचनाई एवं जानकारी कार्यवाही हेतु प्रेषित।