



LEGEND:-

ST	STANDARDS SANITARY APPLIANCES HEIGHT				
	TOILET	All Heights For Finish Floor Lvl			
1	WASH BASIN TALL BODY /DIVERTER	+26 /36 INCH			
2	WALL MIXER DIVERTOR	+42 INCH			
3	BOTTLE TRAP	+18 INCH			
4	WC WALL MOUNTED (TOP)	+18 INCH			
5	FLUSH VALVE (AS/ WC SELECTION)	+36 INCH			
6	HEALTH FAUCET	+15 INCH			
7	URINAL	+27 INCH			



		'ANDARDS SANITARY APPLIANC EIGHTS/AS PER AR.DETAILS	ES	
S.NO	SYMBOL	DESCRIPTION All Heights Finish Floor		
1	P	WASH BASIN MIXER		
2	ÇI	WASH BASIN ANGLE VALVE		
3	K ₁₀₀ -	Health Faucet		
4	AS PER/ARCHI.	PAPER HOLDER		
5	Ħ	CONCELED STOP COCK		
6	da	CISTERN ANGLE VALVE		
7	Čą.	URINAL ANGLE VALVE		
8	⊨ 0>	TAP FOR DRINKING WATER		
	•	Cold Water Supply		
		Cold Water Line - Internal		

PROJECT:-

"ELITE 24"

PROJECT ADDRESS:-

PROPOSED RESIDENTIAL BUILDING AT PLOT NO. A-46 & A-47,SCHEME-6D, ENGINEERS COLONY, VILL.-MANYAWAS, MASAROVAR, JAIPUR

DEVELO	OPER:-	ELITE BUILDERS & DEVELOPERS		
ARCHIT	ECT:-	MACHICINI INTOINI MACHINI IN 180. 190. 190. 190. 190. 190. 190. 190. 19		
STRUCT CONSU	URE LTANT:-	BACKBONE STRUCTURAL CONSULTANTS PH:07726939881,09414781885 Mail:shekhawat.mahendra@gmail.com		
mep Consu	LTANT:-	ASHI ASSOCIATES F 9 / 440 , Keshav Marg Chitrakut Scheme Jaipur PH:91-0-93 146-10438, 0141-2440946 Mail:vipul8599@yahoo.com		
DRAWING TITLE:-		BASEMENT FLOOR TOILET INTERNAL PLUMBING PLAN		
REVISION	ONS:-			
S.No. DATE			REMARKS	
RO 16-05-		2023	G.F.C.	
NORTH	:-	N S W		
DWG. I	VO.:-	WRK./DETL./BAS. TOI./01		
DATE:-		MAY 17,2023		
DRAWN	N BY:-	RAAJ		
CHECKE	D BY:-	SANJAY		

