

# SLUM REHABILITATION AUTHORITY

Agministrative Building, Pr. Amenet Kaneker Marg, Bendre (East), Mumber - 400 051.

intimation of Approval under Sub regulation 2.3 of Appendix – IV of D.C.R. No. 33 (10) Dt. 15.10.97 for Brihanmumbal.

No. SRA/ENG RESTANDARAM

#3-MAY 2013

SALE BLOG.

M/s. K.K. Krishnan Construction Co.Pvt.Ltd., Sujate Shopping Gentre, Manipada Village Rd., Cpp, Vidyanegari, Kalina, Santacrus (East), Mumbai 400 00%.

with reference to your NoSce, letter No. 5890 dated 19.12.1220 and delivered on 21.12.12 20 and the plans. Sections. Specifications and Description and Author particulars and details of your Sulding as I.T.S. Nos. 017(pt) & 629(pt) of Village Bandra (East) of Siddharth Nagar, Bandra (East), Muncal 400 051,

turnished to roe under your letter, dated 19,12,2012 20 I have to inform you that the proposal of construction of the building or work proposed to be erected or executed is hereby approved under section 45 of the Maharashtra Regional & Town Planning Act, 1966 as amended up-to-date, subject to the following conditions:

- THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE COMMENCEMENT OF THE WORK UPTO PLINTH LEVEL
- A.1) That the Commencement Certificate us/. 44/69 (1) of the MR & TP Act, Shall be obtained before starting the proposed work.
- A.2) That the compound shall be constructed, after getting the plot demarcated from the concerned authority, on all sides of the plot clear of the coad side drain without obstructing the flow of rain water from the adjoining holding, to prove possession of holding before starting the work as per D.C. Regulation No. 58 (27)
- A.3) That the structural Engineer shall be appointed, and the Supervision memo as per Appendix XI D.C. Regulation 5(3) (ix) shall be submitted by him.
- A.4) That the Structural design and descutations for the proposed work accounting for system analysis as per relevant I.S. code along with pion shall be submitted before C.C.

Subject to your so modifying your intention as to comply the aforesaid mentioned condition meet by requirements. You will be at liberty to proceed with the said building or work at anytime be	sions of
in fortis.	

Your attention to drawn to the special instructions and Notes accompanying this interestion of Approval

Executive Engineer, (S.R.A.)

# SPECIAL INSTRUCTIONS

- (1) IN CASE OF PRIVATE PLOTS THIS INTIMATION OF APPROVAL GIVES NO RIGHT TO BUILD UPON LAND WHICH IS NOT YOUR PROPERTY.
- (2) Under Section 151 & 152 of M.R & T.P. Act 1966, as amended the Chief Executive Officer. Sturn Rehabilitation Authority has empowered the Chief Engineer (S.R.A.)/ Executive Engineer (S.R.A.) to exercise, perform and discharge the powers, duties and functions conterred and imposed upon and vested in the C.E.O. (S.R.A.) by section of the said Act.
- (3) Proposed date of commencement of work should be communicated to this office.
- (4) One more copy of the black plan should be submitted to the Collector, Mumbal / Mumbal Suburbs District as the case may be.
- (5) Necessary permission for Non-agricultural use of the land shall be obtained from the Collector, Mumbal / Mumbal Suburban District before the work is started. The Nonagricultural assessment shall be paid at the rate that may be fixed by the Collector, under the Land Revenue Code and Rules thereunder.

Attention is drawn to the notes Accompanying this trismation of Approval.

#### SRA/EBU/ 2981/HE /STGL/AP

- 5) That the minimum plinth height shall be 30 cm. above the surrounding ground level or in areas subject to flooding the height of plinth shall be at least 60 cm. above the high flood level.
- 6) That the low lying plot shall be filled up to a reduced level of atleast 92 T.H.D. or 15 cm. above adjoining road level whichever is higher with murum, earth, boulders etc. and shall be leveled, rolled, consolidated and sloped towards road.
- 7) That the internal drainage layout shall be submitted & got approved from concerned Asst. Engineer (SRA) and the drainage work shall be executed in accordance with the approved drainage layout.
- 8) That the existing structure proposed to be demolished shall be demolished with necessary phase program by executing agreement with eligible slum dwellers.
  - That the Registered site supervisor through Architects/Structural Engineer shall be appointed before applying for C.C. & quarterly report from the site supervisor shall be submitted through the Architect/Structural Engineer certifying the quality of the construction work carried out at various stages of the work.
  - That no construction work shall be allowed to start on the site unless labour insurance is taken out for the concerned labours and the same shall be revalidated time to time. And the compliance of same shall be intimated to this office.
  - That the Registered Undertaking from the Developer and Society shall be submitted for the following.
    - i) Not misusing part/pocket terrace.
    - ii) Not misusing stilt.
    - iii) Not misusing Refuge Area.
    - iv) To Demolish the excess area if constructed beyond permissible F.S.L.
  - 12) The Structural designs and the quality of materials and workmanship shall be strictly as per conditions laid down in Regulation 45 of DCR 1991 amended up to date.
  - 13] That you shall submit the NOC's as applicable from the following concerned authority in the office of Sham Rehabilitation Authority

# SRA/ENG/ 2981/HE /STGL/AP

Sr.	NOC's
No.	and the state of t
1	A.A.&.C. HE. Ward
2	H.E. from MCGM
3	Tree Authority
4	Dy.Ch.Eng.(S.P.) (P & D)
5	Dy. Ch. Eng. [Roads] E.S./W.S./City
6	P.C.O.
7	Civil Aviation Authority
8	E.E. (T & C) of MCGM for Parking Layout
9	CFO

- 14) That the design and construction of the proposed building will be done under supervision of registered Structural Engineer as per all relevant LS. Codes including seismic loads as well as under the supervision of Architect and licensed Site Supervisor.
- 15) That the School Building plans shall be submitted it got approved by obtaming NOC from Municipal Architect, MCGM.
- 16) As the land u/r falls within influence zone of MMRDA, remarks form MMRDA shall be submitted.
- B. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE: -
- That a plan showing the dimensions of the plinth and the available open spaces certified by the Architect shall be submitted and the same shall be got checked & certified by the concerned Sub Engineer (SRA).
- 2) That the stability certificate for work carried out upto plinth level/stilt level shall be submitted from the Lic. Structural Engineer.
- 3) That the quality of construction work of bldg, shall be strictly monitored by concerned Architect, Site supervisor, Structural Engineer, Third Party Quality Auditor and Project Management Consultant. The periodical report as regards to the quality of work shall be submitted by Architect along with test result.

#### SRA/ENG/ 2981/HE /STGL/AP

4) That you shall submit the NOC's as applicable from the following concerned authority in the office of Slum Rehabilitation Authority.

Sr. No.	NOC's		
1	Dy. Ch. Eng. (SWD)E.S./W.S./City		
2	BEST/ TATA/ Reliance Energy /MSEB/ Electric Co.		
3	E.E.(M & E) of MCGM		
4	NOC's from MTNL- Mumbai regarding required area & location for installation of telephone concentrators room.		

- C. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE GRANTING O.C. TO ANY PART OF THE PROPOSED BUILDING.
- All the conditions of Letter of Intent shall be complied with before asking for occupation certificate of sale/composite building.
- The Building Completion Certificate in prescribed Performa certifying work carried out as per specification shall be submitted.
- That some of the drains shall be laid internally with C.I. pipes.
- 4) That you shall developed the layout access/D.P. Road/setback land including providing streetlights as per the remarks/specifications MCGM. And submit the completion certificate from E.E. (Road Construction) as per the remarks.
- 5) That the dustbin shall be provided as per requirement.
- 6) That carriage entrance over existing SWD shall be provided and charges if any for the same shall be paid to MCGM before requesting occupation.
- 7) That the surface drainage arrangement shall be provided in consultation with E.E. (SWD) as per the remarks and a completion certificate shall be obtained and submitted before requesting for occupation certificate/B.C.C.
- 8) That the requirements from the M.T.N.L./ Reliance Energy /concerned electric Supply Co. shall be complied and complied with before asking occupation permission.
- That the Architect shall submit the debris removal certificate before requesting for occupation permission.

#### SRA/ENG/ 2981/HE /STOL/AP

- 10) That 10'-0" wide paved pathway up to staircase shall be provided.
- 11) That the surrounding open spaces, parking spaces and terrace shall be kept open and unbuilt upon and shall be levelled and developed before requesting to grant permission to occupy the building or submitted the B.C.C. whichever is earlier.
- [12] That the name plate/board showing Plot No., Name of the Bldg. etc. shall be displayed at a prominent place.
- 13) That the N.O.C. from Inspector of Lifts, P.W.D. Maharashtra, shall be obtained and submitted to this office.
- 14) That the drainage completion Certificate from E.E. (S.P.) (P & D) for provision of septic tank/sook pit/STP shall be submitted.
- 15) That stability Certificate from Structural Engineer in prescribed Performa 'D' along with the final plan mounted on canvas shall be submitted.
- 16] That the single P.R. cards for the amalgamated plot shall be submitted.
- [17] That layout R.G. shall be developed as approved by SRA.
- 18) That the N.O.C. from the A.A. & C. HE' Ward shall be obtained and the requisitions, if any shall be complied with before O.C.C.
- 19) That the list of slum dweller to be accommodated in the building shall be submitted in duplicate before submitting BCC.
- 20) That completion certificate from C.F.O. shall be submitted.
- 21) That you shall submit P.R. Card and CTS plan thereby clearly earmarking the rehab plot and sale plot and built up area as per the approved layout.
- 22) That the completion certificate from E.E. (T&C) of MCGM for parking shall be submitted.
- 23) That the completion certificate from E.E. [M&E] of MCGM for Ventilation/Stack parking/Mechanical Parking System shall be submitted.
- 24) That the completion certificate from Tree Authority of MCGM shall be submitted.
- 25) That you shall submit the receipt for handing over of buildable / non-buildable reservations before requesting full OCC of sale bldg.
- 26] That the 'Rain Water Harvesting system should be installed/ provided as per the direction of U.D.D. Govt. of Maharashtra under

#### SRA/ENG/ 2981/HE /STGL/AP

No. TPB/432001/2133/CR-230/01/UD-11 dtd. 10/03/2005 and the same shall be maintained in good working conditions all the time, failing which penalty of Rs. 1000/- per annum for every 100 sq.mt. of built-up area shall be levied.

- That the fitness centre shall not be used for any purpose other than for fitness centre activities.
  - ii. The fitness centre activities shall be confined for to the members of the concerned housing society or an Apartment Owners Association only.
  - iii. The ownership of the premises of the Pitness Centre shall vest only with the concerned society or the apartment owners association as the case may be.

## D. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE B.C.C.

- That certificate under Section 27OA of B.M.C. Act. shall be obtained from H.E.'s department regarding adequacy of water supply.
- 2) That you shall have to maintain the rehab building for a period of 3 years from the date of granting occupation to the rehab bldg.
- 3) That you shall have to maintain the electro mechanical systems such as water pumps, lifts, etc. for a period of ten years from the date of issue of Occupation Certificate to the Rehabilitation / Composite building.

#### NOTES:

- That C.C. for sale building shall be controlled in a phasewise manner as decided by CEO (SRA) in proportion with the actual work of rehabilitation component as per Circular No. 98 & 104.
- That no occupation permission of any of the sale wing/sale building/sale area shall be considered until Occupation Certificate for equivalent Rehabilitation area is granted.
- That CEO (SRA) reserves right to add or amend or delete some of the above or all the above mentioned conditions if required, during execution of Slum Rehabilitation Scheme.

#### NOTES

- (1) The work should not be started unless objections \_\_\_\_\_\_\_ are compled with.
- (2) A certified set of latest approved plans shall be displayed on site at the time of commencement of the work and during the progress of the construction work.
- (3) Temporary permission on payment of deposit should be obtained for any shed to house and stone for constructional purposes. Residence of workmen shall not be allowed on site. The temporary structures for storing constructional materials shall be denoished before submission of building completion certificate and a certificate signed by Architect submitted alongwith the building completion certificate.
- (4) Temporary sanitary accommodation on full flushing system with necessary drainage arrangement should be provided on site for workers, before starting the work.
- (5) Water connection for constructional purposes will not be given until the hoarding is constructed and application is made to the Ward Officer of M.C.G.M. with the required deposit for the construction of carriage entrance, over the road side drain.
- (6) The owners shall intimate the Hydraulic Engineer of M.C.G.M. or his representative in words of M.C.G.M. atleast 15 days prior to the date of which the proposed construction work is taken in hand that the water existing in the compound will be utilized for their construction works and they will not use any Municipal Water for construction purposes. Failing this, it will be presumed that Municipal top water has been consumed on the construction works and bills preferred against them accordingly.
- (7) The hoarding or screen wall for supporting the depote of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scarfoldings, bricks, metal, send, preps, debris etc. should not be deposited over footpaths or public street by the owner/architect/their contractors, etc. without obtaining pror permission from the Ward Officer of the area.
- (8) The work should not be started unless the compliance of abovesald conditions is approved by this department.
- (9) No work should be started unless the structural design is submitted from LSF.
- (10) The work above plinth should not be started before the same is shown to this office Sub-Engineer (SRA) concerned and adknowledgement obtained from him regarding correctness of the open spaces dimension.
- (11) The application for sewer street connections, if necessary, should be made simultaneously with commencement of the work as the Municipal Corporation of Greater Munitips will require time to consider alternative site to avoid the excavation of the road and tootpath.
- (12) All the terms and conditions of the approved rayout/sub-division/Amalgamation under No. \_\_\_\_\_should be adhered to and complet with.
- (13) No building/Drainage Completion Certificate will be accepted and water connection granted (except for the construction purposes) unless road is constructed to the satisfaction of the concerned Ex. Engineer of M.C.G.M. and as per the terms and conditions for sanction to the layout.
- (14) Recreation ground or amenity open space should be developed before submission of building Complishor Certificate.
- (15) The access road to the full width shall be constructed in water bound mecadam before commencing work and should be complete to the satisfaction of concerned. Ex-Engineer of M.C.G.M. Including asphalting. Righting and drainage before submission of the building Completion Certificate.
- (16) Flow of water through adjoining holding or culvert, if any should be maintained unobstructed.
- (17) The surrounding open spaces around the building should be consolidated in concrete having broken glars pieces at the rate of 0.125 cubic metres per 10 Sq.Mbrs below pavement.

- (18) The compound wall or fencing should be constructed clear of the road widening line with foundation below level of the bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the work to prove the owner's holding.
- (18) No work should be started unless the existing structures or proposed to be demolished are demolished.
- (20) If it is proposed to demoish the existing structures by regotistions with the tonants, under the circumstances, the work as per approved plans should not be taken up in hand unless the Chief Engineer (SRA) is catisfied with the following:
  - Specific plans in respect of evicting or rehousing the existing tenants on your plot stafing their number and the area in occupation of each.
  - (ii) Specifically signed agreement between you and the existing tenants that they are willing to avail for the piternative accompidation in the proposed structure.
  - (iii) Plane showing the phase programme of construction has to be duly approved by the office before starting the work so as not to contraverse at any stage of construction, the Development Control Rules regarding open spaces, light and ventilation of existing structure.
- (21) In case of additional floor no work should be started during monsoon which will give rise to wider leakage and consequent nursance to the tenants staying on the floor below.
- (22) The bottom of the over head storage work above the finished level of the terrace shall not be more than 1 motre.
- (23) The work should not be started above first floor level unless the No Objection Certificate from the Civil Aviation Authorities, where necessary, is obtained.
- (24) If is to be understood that the foundations must, be excavated down to hard soli.
- (25) The positions of the nahanis and other appurtanances in the building should be so arranged as not to necessitate the laying of drains inside the building.
- (26) No new well, tank, pond, distern or fountain shall be dug or constructed without the previous permission in writing from the Chief Executive Officer of Siumi Rehabilitation Authority.
- (27) All gully traps and open channel shall be provided with right fitting mosquito proof covers as per relevant I. S. specifications.
- (25) No broken bottle should be fided over boundary walls. The prohibition refers only to broken bottles 8 not to the use of plains glass for coping over compound wall.
- (29) If the proposed addition is intended to be carried out on old foundations and structures, you will do so at your own risk.

Executive Engineers, (S.R.A.)



#### SLUM REHABILITATION AUTHORITY

Aprenistrative Building, Pr. Anonet Kaneker Merg, Bandta (Bast), Munite: 420 051.

Intimation of Approval under Sub regulation 2.3 of Appendix - IV of D.C.R. No. 33 (10) Dt. 15.10.97 for Brihanmumbal.

No. SRA/ENG/2391/HE/STOL/AP 2 7 FEB 2013

	HISHAR BLOG • A			
To. M/s. K.A.Krishnen Construc				
Sujete Shopping Centre, No Upp. Vidyanegari, Keline, Wanted 400 000.	Sentecruz (5	iest),		
With reference to your Notice, letter No	5894	date@7/04/20130 and delivered		
on 07/04/2010 on ond beplens and details of your building at (East) of Siddharth Nagar, CHS Etd.	Sections Specific (+8. Now, 617 Bandis (Bas	ations and Description and turber particulars F(pt)& 629(pt) of village Bandra et), Numbel 400 051 for Indirake	пре	
furnished to me under your letter, dated _	19,12,2012	20 I have to inform you that the proposal		
of construction of the building or work p	roposed to be ere	cted or executed is hareby approved under		
section 45 of the Maharashtra Regional &	Town Planning Act	t, 1965 as amended up-to-date, subject to the		
following conditions:				

- THAT THE POLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE COMMENCEMENT OF THE WORK UPTO PLINTH LEVEL
- A.1) That the Commencement Certificate us/, 44/69 (1) of the MR & TP Act, Shall be obtained before starting the proposed work.
- A.2) That the compound shall be constructed, after getting the plot demarcated from the concerned authority, on all sides of the plot clear of the road side drain without obstructing the flow of rain water from the adjoining holding, to prove possession of holding before starting the work as per D.C. Regulation No. 38 (27)
- A.3) That the structural Engineer shall be appointed, and the Supervision memo as per Appendix XI D.C. Regulation 5(3) (ix) shall be submitted by him.
- A.4) That the Structural design and calculations for the proposed work accounting for system analysis as per relevant i.S. code along with plan shall be submitted before C.C.

#### SRA/ENG/2391/HE/STGL/AP

- 5) That the minimum plinth height shall be 30 cm, above the surrounding ground level or in areas subject to flooding the height of plinth shall be at least 60 cm, above the high flood level.
- 6\ That the low lying plot shall be filled up to a reduced level of atleast 92 T.H.D. or 15 cm. above adjoining road level whichever is higher with murum, earth, boulders etc. and shall be leveled, rolled, consolidated and sloped towards road.
- 7) That the internal drainage layout shall be submitted & got approved from concerned Asst. Engineer (SRA) and the drainage work shall be executed in accordance with the approved drainage layout.
- 8) That the existing structure proposed to be demolished shall be demolished with necessary phase program by executing agreement with eligible slum dwellers.
- 9) That the Registered site supervisor through Architects/Structural Engineer shall be appointed before applying for C.C. & quarterly report from the site supervisor shall be submitted through the Architect/Structural Engineer certifying the quality of the construction work carried out at various stages of the work.
- 10) That no construction work shall be allowed to start on the site unless labour insurance is taken out for the concerned labours and the same shall be revalidated time to time. And the compliance of same shall be intimated to this office.
  - That the Registered Undertaking from the Developer and Society shall be submitted for the following
    - i) Not misusing part/pocket terrace.
    - ii) Not missising stilt.
    - iii) Not misusing Refuge Area.
    - To Demolish the excess area if constructed beyond permissible F.S.I.
  - 12) The Structural designs and the quality of materials and workmanship shall be strictly as per conditions laid down in Regulation 45 of DCR 1991 amended up to date.
  - As per Circular No. 130, cess of one percent of total cost of construction (excluding land cost) shall be paid before grant of C.C.
  - 14) As per Circular No. 138, that the Rehab/component buildings shall be constructed as per specifications of relevant IS codes, NBC in force & the Specifications for Quality Control Measures of SRA Rehab Buildings prescribed by SRA.
- 15] That you shall submit NOC from C.F.O.

#### 8RA/ENG/2391/HE/9TGL/AP

- B. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE: -
- That a plan showing the dimensions of the plinth and the available open spaces certified by the Architect shall be submitted and the same shall be got checked & certified by the concerned Sub Engineer (SRA).
- 2) That the stability certificate for work carried out upto plinth level/stilt level shall be submitted from the Lic. Structural Engineer.
- That the quality of construction work of bldg, shall be strictly monitored by concerned Architect, Site supervisor, Structural Engineer, Third Party Quality Auditor and Project Management Consultant. The periodical report as regards to the quality of work shall be submitted by Architect along with test result.
- 4) That you shall submit NOC from E.E. (M. & E.) of MCGM for ventilation.
- C. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE GRANTING O.C. TO ANY PART OF THE PROPOSED BUILDING.
- All the conditions of Letter of Intent shall be complied with before asking for occupation certificate of sale/composite building.
- The Building Completion Certificate in prescribed Performa certifying work carried out as per specification shall be submitted.
- 3) That some of the drains shall be laid internally with C.I. pipes.
- 4) That you shall developed the layout access/D.P. Road/setback land including providing streetlights as per the remarks/specifications MCGM. And submit the completion certificate from E.E. (Road Construction) as per the remarks.
- 5| That the dustbin shall be provided as per requirement.
- 6) That carriage entrance over existing SWD shall be provided and charges if any for the same shall be paid to MCGM before requesting occupation.
- 7) That the surface drainage arrangement shall be provided in consultation with E.E. (SWD) as per the remarks and a completion certificate shall be obtained and submitted before requesting for occupation certificate/B.C.C.
- 8) That the requirements from the M.T.N.L./ Reliance Energy /concerned electric Supply Co. shall be complied and complied with before asking occupation permission.

# SRA/ENG/2391/HE/STGL/AP

- 25) That you shall pay Rs. 100/- per eligible slum dwellers towards issue of identity Cards as per circular No. 137 dtd. 01.08.2012 before O.C.C. to Rehab Bldg./ Composite Eldg.
- D. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE B.C.C.
- That certificate under Section 27OA of B.M.C. Act, shall be obtained from H.E.'s department regarding adequacy of water supply.
- That you shall have to maintain the rehab building for a period of 3
  years from the date of granting occupation to the rehab bldg.
- 3) That you shall have to maintain the electro mechanical systems such as water pumps, lifts, etc. for a period of ten years from the date of issue of Occupation Certificate to the Rehabilitation / Composite building.
- 4) That the Amenity Tenements i.e. 01 no. of Welfare Centre, 01 no of Society Office shall be handed over to society within 30 days from the date of issue of OCC of Rehab/Composite bidg.
- 5) As per Circular No. 129, amenity tenement i.e. Balwadi/Balwadis shall be handed over to the Woman and Child Welfare Department, Government of Maharashtra as per the directions given by the Additional Chief Secretary, Woman and Child Welfare Department, Government of Maharashtra, in meeting held on 18.10.2011

#### NOTES:

- That C.C. for sale building shall be controlled in a phasewise manner as decided by CEO (SRA) in proportion with the actual work of rehabilitation component as per Circular No. 98 & 104.
- That no occupation permission of any of the sale wing/sale building/sale area shall be considered until Occupation Certificate for equivalent Rehabilitation area is granted.
- That CEO (SRA) reserves right to add or amend or delete some of the above or all the above mentioned conditions if required, during execution of Slum Rehabilitation Scheme.

Executive Engineer (W.S.) Sium Rehabilitation Authority

- (18) The compound well or fencing should be constructed clear of the road widening line with foundation below level of the bottom of road side drain without obstructing flow of rain water from edjoining holding before starting the work to prove the owner's holding.
- (19) No work should be started unless the axisting structures or proposed to be demolished are demolished.
- (20) If it is proposed to demolish the existing structures by regolistions with the tenants, under the circumstances, the work as per approved plans should not be taken up in hand unless the Chief Engineer [SRA] is satisfied with the following:
  - Specific plans in respect of evicting or rehousing the existing tenents on your plot stating their number and the area in occupation of each.
  - (ii) Specifically signed agreement between you and the existing tenants that they are willing to svall for the alternative accompdation in the proposed structure.
  - (iii) Piens showing the phase programme of construction has to be duly approved by this office before starting the work so as not to contravene at any stage of construction, the Development Control Rules regarding open spaces, light and ventilation of existing structure.
- (21) In case of additional floor no work should be started during monsoon which will give rise to water leakage and consequent nuisance to the tenants staying on the floor below.
- (22) The bottom of the over head storage work above the finished level of the terrace shall not be more than 1 metre.
- (23) The work should not be started above first floor level unless the No Objection Certificate from the Civil Avistion Authorities, where necessary, is obtained.
- (24) It is to be understood that the foundations must be excavated down to hard soil.
- (25) The positions of the naharis and other appurtenances in the building should be so arranged as not to necessitate the laying of drains inside the building.
- (26) No new wall, tank, pond, eletern or fountain shall be dug or constructed without the previous permission in writing from the Chief Executive Officer of Sturri Rehabilitation Authority.
- (27) All guily traps and open channel shall be provided with right fitting mesquite proof covers as per relevant L.S. specifications.
- (28) No broken bottle should be fixed over boundary walls. The prohibition refers only to broken bottles & not to the use of plains glass for coping over compound wall.
- (29) If the proposed addition is intended to be carried out on old foundations and structures, you will do so at your own risk.

Executive Engineers, (S.R.A.)

#### NOTES

- (1) The work should not be started unless objections \_\_\_\_\_\_ are compiled with
- (2) A certified set of latest approved plans shall be displayed on site at the time of commencement of the work and during the progress of the construction work.
- (3) Temporary permission on payment of deposit should be obtained for any shed to house and stone for constructional purposes. Residence of workman shall not be allowed on sits. The temporary structures for storing constructional materials shall be demolshed before submission of building completion certificate and a certificate signed by Architect submitted alongwith the building completion certificate.
- (4) Temporary serviary accommodation on full flushing system with necessary drainage arrangement should be provided on site for workers, before starting the work.
- (3) Water connection for constructional purposes will not be given until the hoarding is constructed and application is made to the Ward Officer of M.C.Q.M. with the required deposit for the construction of carriage entrance, over the road side drain.
- (6) The owners shall intreate the represent of M.C.O.M. or his representative in words of M.C.O.M. atleast 15 days prior to the date of which the progressed construction work is taken in hand that the water existing in the compound will be utilised for their construction works and they will not use any Municipal Water for construction purposes. Falling this, it will be presumed that Municipal top water has been consumed on the construction works and bits preferred against them accordingly.
- (7) The hoarding or screen well for supporting the depots of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scattplaings, bricks, metal, sand, preps, debris etc. should not be deposited over tootpaths or public street by the committanthibect/their contractors, etc. without obtaining prior permission from the Ward Officer of the area.
- (B) The work should not be started unless the compliance of abovesaid conditions is approved by this department.
- (9) No work should be started unless the structural design is submitted from LSE.
- (10) The work above plinth should not be started before the same is shown to this office Sub-Engineer (SPA) concerned and acknowledgement obtained from him regarding correctness of the open spaces dimension.
- (11) The application for sewer street connections, it necessary, should be made simultaneously with commencement of the work as the Municipal Corporation of Gregor Mumbal will require time to consider attenuative sits to avoid the excavation of the road and footpath.
- (12) All the terms and conditions of the approved tayout/sub-division/Amalgamation under No. \_\_\_\_\_should be adhered to and complied with.
- (13) No building/Drainage Completion Certificate will be accepted and water connection granted (except for the construction purposes) unless road is constructed to the satisfaction of the concerned Ex. Engineer of M.C.G.M. and as per the terms and conditions for sanction to the layout.
- (14) Recreation ground or amenity open space should be developed before submission of building Completion Certificate.
- (16) The access road to the full width shall be constructed in water bound mecadam before commencing work and should be complete to the satisfaction of concerned. Ex-Engineer of M.C.G.M. including asphalting. lighting and drainage before submission of the building Completion Certificate.
- (16) Flow of water through adjoining holding or curvert, if any should be maintained unobstructed.
- (17) The surrounding open spaces around the building should be consolidated in concrete having broken glass pieces at the rate of 0.125 cubic matrixs per 10 Sq.Mtrs below pavement.



#### SLUM REHABILITATION AUTHORITY

Administrative Building, Pr. Anshel Karlekai Marg, Bandka (East), Mumbel - 400 051.

Intimation of Approval under Sub regulation 2.3 of Appendix – IV of D.C.R. No. 33 (10) Dt. 15.10.97 for Britishmumbel.

No. SRA/ENG 3016/HE/STEL/AP 24 FEB 2016

Municipal Sch.Bldg.

To:				
-	. K. K. Krishnan Const	. Co. Pvi	Ltd.	
Su Ka	jeta Shopping Centre, B line, Sentecruz (Sest),	Mumbal.		
	reference to your Notice, letter No	5892	4.	dated 01/01/130 and delivered
on				and Description and further particulars .T.S. No. 617(pt) 4
629	(pt) at Ramkrishna Marg	, Shddha:	rth Kag	ar, Bandre (East),
Mag	abel, 400 051.			
turni	shed to me under your letter, dated _		20	I have to inform you that the proposal
of or	nstruction of the building or work p	proposed to b	e enected	or executed is hereby approved under
Section	on 45 of the Meharashtra Regional &	Town Planns	ng Act, 196	d as amended up to date, subject to the
loilay	wing conditions :		1.41	
A.	THAT THE FOLLOWING CONDIT	IONS SHALL	BE COME	LED WITH
	BEFORE COMMENCEMENT OF	THE WORK L	PTO PLIN	THILEYEL
A.1)	That the Commencement Certifical	Me us/. 44/89	(1) of the !	MR & TP Act, Shall be obtained before
	starting the proposed work.			
A.2)			ALC: NO PERSONS AND ADDRESS OF THE PERSONS AND ADDRESS AND ADDR	e plot demarcated from the concerned
				without obstructing the flow of rain water g before starting the work as per D.C.
	Regulation No. 38 (27)			
A.3)	That the structural Engineer shall b	e appointed, s	and the Sup	servaion mamo as per Appendix XI D.C.
	Regulation 5(3) (x) shall be submi	tied by him.		

A.4) That the Structural design and calculations for the proposed work accounting for system analysis as

per relevant I.S. code along with plan shall be submitted before C.C.

- 5) That the minimum plinth height shall be 30 cm. above the surrounding ground level or in areas subject to flooding the height of plinth shall be at least 60 cm. above the high flood level.
- 6) That the low lying plot shall be filled up to a reduced level of atlesst 92 T.H.D. or 15 cm. above adjoining road level whichever is higher with murum, earth, boulders etc. and shall be leveled, rolled, consolidated and sloped towards road.
- 7) That the internal drainage layout shall be submitted & got approved from concerned Asst. Engineer (SRA) and the drainage work shall be executed in accordance with the approved drainage layout.
- 8) That the existing structure proposed to be demolished shall be demolished with necessary phase program by executing agreement with eligible shim dwellers.
- 9) That the Registered site supervisor through Architects/Structural Engineer shall be appointed before applying for C.C. & quarterly report from the site supervisor shall be submitted through the Architect/Structural Engineer certifying the quality of the construction work carried out at various stages of the work.
- 10) That no construction work shall be allowed to start on the site unless labour insurance is taken out for the concerned labours and the same shall be revalidated time to time. And the compliance of same shall be intimated to this office.
- That the Registered Undertaking from the Developer and Society shall be submitted for the following
  - Not misusing part/pocket terrace.
  - ii) Not misusing stilt.
  - iii) Not misusing Refuge Area.
  - To Demolish the excess area if constructed beyond permissible F.S.I.
  - v) Handing over setback land free of compensation alongwith the plan.
  - vi) To demolish the Transit Camp constructed on site within 1 month of Rehab O. C. & as may
- 12) The Structural designs and the quality of materials and workmanship shall be strictly as per conditions laid down in Regulation 45 of DCR 1991 amended up to date.

## SRA/ENG/ 3016/HE/STGL/AP

- 13) That you shall submit remarks from Asst. Commissioner of 'H/East' ward for closing/covering of well in the S.R. Scheme.
- 14) That the individual consent agreement of eligible slum dwellers shall be submitted.
- 15) That the C.C. shall be released as per the co-relation of Rehab BUA
- 16) That you shall submit the NOC's as applicable from the following concerned authority in the office of Shum Rehabilitation Authority at a stage at which it is insisted upon by the concerned Executive Engineer (SRA).

Sr. No.	NOC's	Stage of Compliance
45	A.A & C 'H/East' Ward	Before Plinth C.C. of Sale Bldg
2	H.E. from M€GM	Before Plinth C.C.
3	Tree Authority	Before Plinth C.C.
4	Dy. Ch. Eng. (SWD)E.S./W.S./City	
	Regarding Internal SWD	Before Further C.C.
	Regarding Training of Nalla	Before Plinth C.C.
5	Dy.Ch.Eng.(S.P.) (P & D)	Before Plinth C.C.
6	Dy. Ch. Eng.(Roads) E.S./W.S./City	Before Plinth C.C.
7	P.C.O.	Before Plinth C.C.
8	BEST/ TATA/ Reliance Energy /MSEB/ Electric Co.	Before Further C.C.
9	NOC's from MTNL- Mumbai regarding required area & location for installation of telephone concentrators room.	Before OCC of Sale bldg.
10	Civil Aviation Authority	Before Plinth C.C.
11	CPO	Before further C.C.

- 17) That the design and construction of the proposed building will be done under supervision of registered Structural Engineer as per all relevant I.S. Codes including seismic loads as well as under the supervision of Architect and licensed Site Supervisor.
- 18) That you shall submit self declaration certificate for every 3 months stating that the progress of the work is as per approved plans.
- 19) That you shall install C.C.T.V. cameras on site with its real time relay/display on real time basis at SRA office in co-ordination with I.T. Officer (SRA).

# B. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE: -

- That a plan showing the dimensions of the plinth and the available open spaces certified by the Architect shall be submitted and the same shall be got checked & certified by the concerned Sub Engineer (SRA).
- 2) That the stability certificate for work carried out upto plinth level/stilt level shall be submitted from the Lic. Structural Engineer.
- 3) That the quality of construction work of bidg, shall be strictly monitored by concerned Architect, Site supervisor, Structural Engineer, Third Party Quality Auditor and Project Management Consultant. The periodical report as regards to the quality of work shall be submitted by Architect along with test result.
- C. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE GRANTING O.C. TO ANY PART OF THE PROPOSED BUILDING.
- That all the conditions of Letter of Intent shall be complied with before asking for Occupation Certificate of Sale/Composite building.
- The Building Completion Certificate in prescribed Performs certifying work carried out as per specification shall be submitted.
- That some of the drains shall be laid internally with C.I. pipes.
- 4) That the dustbin shall be provided as per requirement.
- 5) That carriage entrance over existing SWD shall be provided and charges if any for the same shall be paid to MCGM before requesting occupation.

#### SRA/ENG/ 3016/HE/STGL/AP

- 6) That the surface drainage arrangement shall be provided in consultation with E.E. (SWD) as per the remarks and a completion certificate shall be obtained and submitted before requesting for occupation certificate/B.C.C.
- That the requirements from the M.T.N.L./ concerned electric Supply Co. shall be complied and complied with before asking occupation permission.
- That the Architect shall submit the debris removal certificate before requesting for occupation permission.
- 9) That 10'-0" wide paved pathway up to staircase shall be provided.
- 10) That the surrounding open spaces, parking spaces and terrace shall be kept open and unbuilt upon and shall be levelled and developed before requesting to grant permission to occupy the building or submitted the B.C.C. whichever is earlier.
- That the name plate/board showing Plot No., Name of the Bldg. etc. shall be displayed at a prominent place.
- 12) That the N.O.C. from Inspector of Lifts, P.W.D. Maharashtra, shall be obtained and submitted to this office.
- 13) That the drainage completion Certificate from E.E. (S.P.) (P & D) for provision of septic tank/soak pit/STP shall be submitted.

#### NOTES:

 That CEO (SRA) reserves right to add or amend or delete some of the above or all the above mentioned conditions if required, during execution of Slum Rehabilitation Scheme.

> Executive Engineer- City Slum Rehabilitation Authority