

preserve and maintain the abovesaid documents/plans and subsequent periodical structural audit reports and repair history. Further, the end user/ prospective society shall carry out necessary repairs/structural audit/fire safety audit, etc. at regular intervals as per requirement of C.F.O. A copy of the sample agreement to be executed with the prospective buyers incorporating the above conditions shall not be submitted to this office.

- 58) That all the structural members below the ground shall not be designed considering the effect of chlorinated water, sulphur water, seepage water, etc. and any other possible chemical effect and due care while constructing the same shall not be taken and completion certificate to that effect shall not be submitted from the Licensed Structural Engineer.

- 59) That the R.U.T. shall not be submitted by the owner/developer for maintaining the noise levels as per the norms of Pollution Control Board.

B. CONDITIONS TO BE COMPLIED BEFORE FURTHER C.C.

- 1) That the notice in the form of appendix XVI of D.C.R. shall not be submitted on completion of plinth.
- 2) That N.O.C. from Civil Aviation department will not be obtained for the proposed height of the building.
- 3) That the debris shall not be transported to the respective Municipal dumping site and challan to that effect shall not be submitted to this office for record.
- 4) That the N.O.C. from A.A. & C. [H/West Ward] shall not be submitted.
- 5) That the plinth stability certificate from R.C.C. consultant shall not be submitted.
- 6) That the work-start notice shall not be submitted.
- 7) That the design of the road crust obtained from the Road Consultant of the office of Dy. Chief Engineer [Roads] W.S. to carry out the construction of road upto sub-base level as per the design shall not be complied with before asking for C.C. beyond plinth.
- 8) That C.C. shall not be granted beyond plinth level unless the concerned owner / builder satisfies the competent authority that he has moved the concerned authorities / utilities for providing connection in this regard & advance connection [not commissioned] is taken as per the specifications.
- 9) That the testing of building material to be used on the subject work shall not be done and results of the same will not be submitted periodically.
- 10) That the quality control for building work / for structural work / supervision of the work shall not be done and certificate to that effect shall not be submitted periodically in proforma.

C. GENERAL CONDITIONS TO BE COMPLIED WITH BEFORE O.C. :-

- 1) That the separate vertical drain pipe, soil pipe with a separate gully trap, water main, O.H. tank etc. for Nursing home, user will not be provided and that the drainage system or the residential part of the building will not be affected.

- 2) That some of drains will not be laid internally with C.I. pipes.
- 3) That the dust bin will not be provided as per C.E.'s circular No. CE/9297/II dated 26.6.1978.
- 4) That the surface drainage arrangement will not be made in consultation with E.E.(S.W.D.) or as per his remarks and a completion certificate will not be obtained and submitted before applying for occupation certificate/B.C.C.
- 5) That the 10' wide paved pathway upto staircase will not be provided.
- 6) That the surrounding open spaces, parking spaces and terrace will not be kept open and unbuilt upon; and will not be levelled and developed before requesting to grant permission to occupy the bldg. or submitting the B.C.C. whichever is earlier.
- 7) That the name plate/board showing plot no., name of the bldg. etc. shall not be displayed at a prominent place before O.C.C./B.C.C.
- 8) That the carriage entrance will not be provided before starting the work.
- 9) That the parking spaces will not be provided as per D.C.R. No.36.
- 10) That B.C.C. will not be obtained and IOD and debris deposit etc. will not be claimed for refund within a period of six years from the date of occupation.
- 11) That every part of the building constructed and more particularly overhead water tank will not be provided with the proper access for the staff of Insecticide Officer with a provision of temporary but safe and stable ladder.
- 12) That the owner/developer will not hand over the possession to the prospective buyer before obtaining occupation permission.
- 13) That the letter box of appropriate size shall not be provided for all the tenements at the ground floor.
- 14) That the infrastructural works such as construction of hand-holes/manholes, ducts for underground cables, concealed wiring inside the flats/rooms, room/space for telecom installations etc. required for providing telecom services shall not be provided.
- 15) That the regulation No.45 and 46 of D.C. Reg. 1991 shall not be complied with.
- 16) That the necessary arrangement of borewell shall not be made/provided and necessary certificate to that effect from the competent authority shall not be obtained before C.C.
- 17) That the provisions of Rain Water Harvesting as per the design prepared by approved consultants in the field shall not be made to the satisfaction of Municipal Commissioner while developing plots having area more than 300 Sq.Mts. as per Govt. notification under Sec.37[2] of M.R.T.P. Act, 1966.

24 NOV 2014

CE/2682/WS/AH


Ex. Engineer Bldg. Proposal (W.S.)
H and K - Wards
Municipal Office, R. K. Palkar, Jtg.
Bandra West, Mumbai - 400050

18) That the requisition from fire safety point of view as per D.C.R.91 shall not be provided to the satisfaction of Municipal Commissioner.

- 19) That the Vermiculture bins for disposal of wet waste as per the design and specification of Organisations/individuals specialized in this field, as per the list furnished by Solid Waste Management Department of M.C.G.M. shall not be provided to the satisfaction of Municipal Commissioner.
- 20) That the Drainage Completion Certificate shall not be submitted.
- 21) That the Lift Inspector's completion certificate shall not be submitted.
- 22) That the structural stability certificate shall not be submitted.
- 23) That the Site Supervisor's completion certificate shall not be submitted.
- 24) That the smoke test certificate shall not be submitted.
- 25) That the water proofing certificate shall not be submitted.
- 26) That the N.O.C. from A.A. & C. [H/West Ward] shall not be submitted.
- 27) That the setback area shall not be transferred in the name of M.C.G.M.
- 28) That the final completion certificate from C.F.O. shall not be submitted.
- 29) That the completion certificate for Rain Water Harvesting System from Consultant shall not be submitted.
- 30) That the completion certificate from E.E. Mech. (E.I.) P&D for the provision of artificial light, ventilation and / or A.H.U. shall not be submitted.
- 31) That the payment towards the difference in pro-rata cost of C.C. road and asphalt road for road width of 18.30 mtrs. and above shall not be made in the office of Dy. Chief Engineer [Roads] before applying for occupation.
- 32) That the list of documents required to be scanned and legible scanned image shall not be submitted.

D) CONDITIONS TO BE COMPLIED WITH BEFORE B.C.C. :-

1. That the certificate under Sec.270-A of the B.M.C. Act will not be obtained from H.E.'s department regarding adequacy of water supply.


B. B. F. (WS) H & K Ward

24 NOV 2014

CE/2682/WS/AH

Ex. Engineer Bldg. Proposal (W.S.)

H and K. Wards

Municipal Office R. K. Patil Bldg.

Bandra (West) Mumbai - 400 050

NOTES :

A 01 to A 54

- (1) The work should not be started unless objections from
- (2) A certified set of latest approved plans shall be displayed on site at the time of commencement the work and during the progress of the construction work.
- (3) Temporary permission on payment of deposit should be obtained any shed to house and store for constructional purposes. Residence of workmen shall not be allowed on site. The temporary structures for storing constructional material shall be demolished before submission of building completion certificate and a certificate signed by Architect submitted along with the building completion certificate.
- (4) Temporary sanitary accommodation on full flushing system with necessary drainage arrangement should be provided on site workers, before starting the work.
- (5) Water connection for constructional purpose will not be given until the hoarding is constructed and application made to the Ward Officer with the required deposit for the construction of carriage entrance, over and road side drain.
- (6) The owners shall intimate the Hydraulic Engineer or his representative in Wards atleast 15 days prior to the date of which the proposed construction work is taken in hand that the water existing in the compound will be utilized for their construction works and they will not use any Municipal Water for construction purposes. Failing this, it will be presume the Municipal tap water has been consumed on the construction works and bills preferred against them accordingly.
- (7) The hoarding or screen wall for supporting the depots of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scaffoldings, bricks, metal, sand preps debris etc. should not be deposited over footpaths or public street by the owner/architect/their contractors etc. without obtaining prior permission from the Ward Officer of the area.
- (8) The work should not be started unless the manner in obviating all the objection is approved by this department.
- (9) No work should be started unless the structural design is approved.
- (10) The work above plinth should not be started before the same is shown to this office Sub-Engineer concerned and acknowledgement obtained from him regarding correctness of the open spaces and dimensions.
- (11) The application for sewer street connections, if necessary, should be made simultaneously with commencement of the work as the Municipal Corporation will require time to consider alternative site to avoid the excavation of the road an footpath.
- (12) All the terms and conditions of the approved layout / sub-division under No. of should be adhered to and complied with.
- (13) No Building / Drainage Completion Certificate will be accepted non water connection granted (except for the construction purpose) unless road is constructed to the satisfaction of the Municipal Commissioner as per the provision of Section 345 of the Bombay Municipal Corporation Act and as per the terms and conditions for sanction to the layout.
- (14) Recreation ground or amenity open space should be developed before submission of Building Completion Certificate.
- (15) The access road to the full width shall be constructed in water bound macadam before commencing work and should be complete to the satisfaction of Municipal Commissioner including asphaltting lighting and drainage before submission of the Building Completion Certificate.
- (16) Flow of water through adjoining holding or culvert, if any should be maintained unobstructed.
- (17) The surrounding open spaces around the building should be consolidated in Concrete having broken glass pieces at the rate of 125 cubic meters per 10 sq.mts below payment.
- (18) The compound wall or fencing should be constructed clear of the road widening line with foundation below level of bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the work to prove the owner's holding.
- (19) No work should be started unless the existing structure proposed to be demolished are demolished

24 NOV 2014

CE/2682WS/AH

- (20) This intimation of Disapproval is given exclusively for the purpose of enabling you to proceed further with the arrangements of obtaining No Objection Certificate from the Housing Commissioner under Section 13(h)(1) of the Rent Act and in the event of your proceeding with the work either without an intimation about commencing the work under Section 347(1)(aa) for your starting the work without removing the structures proposed to be removed the act shall be taken as a severe breach of the conditions under which this Intimation of Disapproval is issued and the sanctioned will be revoked and the commencement certificate granted under Section 45 of the Maharashtra Regional and Town Planning Act, 1966 (12 of the Town Planning Act), will be withdrawn.
- (21) If it is proposed to demolish the existing structures by negotiations with the tenants, under the circumstances, the work as per approved plans should not be taken up in hand unless the City Engineer is satisfied with the following:
- (i) Specific plans in respect of evicting or rehousing the existing tenants on hour starting their number and the area in occupation of each.
 - (ii) Specifically signed agreement between you and the existing tenants that they are willing to avail or the Alternative accommodation in the proposed structure at standard rent.
 - (iii) Plans showing the phased programme of construction has to be duly approved by this office before starting the work so as not to contravene at any stage of construction, the Development Control Rules regarding open spaces, light and ventilation of existing structure.
- (22) In case of extension to existing building, blocking of existing windows of rooms deriving light and its from other sides should be done first before starting the work.
- (23) In case of additional floor no work should be start or during monsoon which will same arise water leakage and consequent nuisance to the tenants staying on the floor below.
- (24) The bottom of the over hand storage work above the finished level of the terrace shall not be more than 1 mt.
- (25) The work should not be started above first floor level unless the No Objection Certificate from Civil Aviation Authorities, where necessary is obtained.
- (26) It is to be understood that the foundations must be excavated down to hard soil.
- (27) Positions of the manhis and other appurtenances in the building should be so arranged as not to necessitate the laying of drains inside the building.
- (28) The water arrangement must be carried out in strict accordance with the Municipal requirements.
- (29) No new well, tank, pound, cistern or fountain shall be dug or constructed without the previous permission in writing of the Municipal Commissioner for Greater Mumbai, as required in Section 381-A of the Municipal Corporation Act.
- (30) All gully traps and open channel drains shall be provided with right fitting mosquito proof covers made of wrought iron plates or hinges. The manholes of all cisterns shall be covered with a properly fitting mosquito proof hinged cast iron cap over in one piece, with locking arrangement provided with a bolt and huge screwed on highly serving the purpose of a lock and the warning pipes of the ribbert pressed with screw or dome shape pieces (like a garden mari rose) with copper pipes with perforations each not exceeding 1.5 mm. in diameter the cistern shall be made easily, safely and permanently accessible by providing a firmly fixed iron ladder, the upper ends of the ladder should be earmarked and extended 40 cms above the top where they are to be fixed an its lower ends in cement concrete block.
- (31) No broken bottles should be fixed over boundary walls. This prohibition refers only to broken bottles to not to the use of plane glass for coping over compound wall.
- (32) (a) Louvers should be provided as required Bye-law No.5(b).
(b) Lintels of Arches should be provided over Door and Window opening.
(c) The drains should be laid as require under section 234-1(a).
(d) The inspection chamber should be plastered inside and outside.
- (33) If the proposed additional is intended to be carried out on old foundations and structures, you will do so at your own risk.

✓ Architect's Copy
Outer Copy


Executive Engineer, Building Proposal
Zones
Ward.