
PLAN SHOWING THE PROPOSED DRAFT RESIDENTIAL OPEN PLOTTED LAYOUT IN SY NO 260/PART, 275, 276, SITUATED AT RAIKAL (G.P. & VILLAGE), FAROOQNAGAR MANDAL, RANGAREDDY DISTRICT.


BELONGING TO:-


ISO_full_bleed_4A0_(1682.00_x_2378.00_MM)

SRI. MOHAMMED SHAKEEL, S/o. MOHAMMED ISMAIL.

SMT. AZRA SULTANA, W/o. MOHAMMED YOUNUS.







1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of 2. If construction is not commenced within 6 months, building application shall be submitte 3. Sanctioned Plan shall be followed strictly while making the construction. 4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site 5. Commencement Notice shall be submitted by the applicant before commencement of the 6. Completion Notice shall be submitted after completion of the building & obtain occupancy

9. Prior Approval should be obtained separately for any modification in the construction. 12. Rain Water Harvesting Structure (percolation pit) shall be constructed.

11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of

vehicles without partition walls & rolling shutters and the same should not be converted or 17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted. 19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be 20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976. 22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be 23. No front compound wall for the site abutting 18 mt. road widths shall be allowed and only Iron grill or Low height greenery hedge shall be allowed. 24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled. 25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2016. 26. The mortgaged built-up area shall be allowed for registration only after an Occupancy

27. The Registration authority shall register only the permitted built-up area as per sanctioned 28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan. 29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel. 30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC. 31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable). 32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 33. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action. 34. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned

35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O. 36. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and 37. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan. 38. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs. 39. An extract of the site registers containing inspection reports of Site Engineer, Structural 40. Insurance Policy for the completed building for a minimum period of three years. 41. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of the Owner, Builder/Developer, Architect and St. Engineer to provide all necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016. 42. Occupancy FIRE NOC Shall be Obtained from Director (EV&DM) before issue of 43. In respect of All Non Residential Buildings and Residential Building in plot of 500 Sq.mts / 600 Sq.Yds and above, the Applicant shall comply with the provision of Telangana State Cool Roof Policy 2023-2028 and the same is mandatory for issuance of Occupancy

44. A dual piping system is a type of plumbing system where two separate sets of pipes are installed to distribute water in a building. One set of pipes carries potable or drinking water, while the other set of pipes carries non-potable or reclaimed water. The potable water pipes are connected to the main water supply and distribute water for drinking, cooking, and bathing. The non-potable or reclaimed water pipes carry water that has been treated and recycled from sources like rainwater, greywater from sinks and showers, or treated 45. Parking places in buildings shall be provided with Electric Vehicle Charging Infrastructure as per Central Electricity Authority (CEA) Technical Requirements for Connection of Distributed Generation Sources, CEA Measures of Safety Regulations, 2010 and Ministry of Power Consolidated Guidelines and Standards for EV Charging Infrastructure, as amended 46. For Constructions over 10,000 Sq.mt and above and in case of Group Housing Buildings

where there are 100 units and above, the plumbing arrangement shall be made in a way that the potable water shall be used for drinking, cooking and bathing only and for rest of the uses, provision for dual piping system shall be made. 47. New building constructions shall have to properly demarcate sections within buildings and on rooftops for housing Broadband/digital connectivity infrastructure / antenna. These areas should have access to power supply for reliable, always on services. Further, Computer Telephony Integration (CTI) of a building shall include the common duct to access the common space used as telecomn room inside the building. 48. Occupancy Certificate to a building shall be granted only after ensuring that the CTI as per the prescribed standards is in place and an undertaking is given by the Architect or Engineer certifying that building has ensured common access to all digital infrastructure to all Service providers in accordance with plan of creation of CTI. 49. The Owner / Developers shall ensure the safety of construction workers. 50. The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.

51. The Builder/Developer shall register the project in the RERA website for the plots above 500 Sq.Mtrs or more than 8 Dwelling units.

File No: 004150/HMDA/01213/SWDL/SKP1/2025

Authority	HMDA
Application ID	7d540849-864d-4d25-bcda-dc3fd3f1ffa5
Project Type	Layout With Open Plots
Case Type	New
LTP Name	GS SREEDEVI
License No	CA/2009/46164

olor Index				
Plot Boundary	Plot Boundary			
Main Abutting	Main Abutting Road			
Other Abutting Road				
Road Widening Area				
Proposed Construction				
Existing Building				
Permitted Building				
gory				


Plot Details				
Site Category				
Site Location	Extended Area of Erstwhile HUDA (HMDA)			
Plot Use				
Plot Subuse				
Special Building Type				
Existing Road Width (m)	60.0			
Proposed Road Width (m)	60.0			
Plot Width (m)	174.2			
Plot Depth (m)	214.42			
Area Summary				

	Water Bodies Area (sq	0			
	Leftover Owners Land Area	0			
	Road Widening Area (s	0			
	Nala Widening Area (so	0			
	Net Layout Area (sq.ı	25286.35			
nd An	nd Analysis				
	Plotted Area (sq.m)	16168.64	63.94 %		
	Road Area (sq.m)	6455.67	25.53 %		
0	pen Space Area (sq.m)	1902.27	7.52 %		

Total Layout Area (sq.m) 25286.35

Plotted Area (sq.m)	16166.64	03.94 %
Road Area (sq.m)	6455.67	25.53 %
Open Space Area (sq.m)	1902.27	7.52 %
Buffer Area (sq.m)	0.00	0 %
Social Infrastructure Area (sq.m)	633.01	2.50 %
Common Parking Area (sq.m)	0.00	0 %
Utility Area (sq.m)	126.76	0.50 %
Green Belt Area (sq.m)	0.00	0 %
Total Layout Area (sq.m)	25286.35	100 %

Plot No	KUJU ////U+P /,	1	'		
	Road Width (m)	Required	Proposed	Required	Proposed
1 (860039151)	10.06	125.00	913.20	9.00	40.07
2 (860039156)	10.06	125.00	922.44	9.00	39.06
3 (860039162)	60.0	125.00	862.53	9.00	24.51
4 (860039167)	60.0	125.00	846.30	9.00	25.74
5 (860039173)	60.0	125.00	631.01	9.00	18.36
6 (860039178)	60.0	125.00	528.14	9.00	18.36
7 (860039183)	60.0	125.00	399.56	9.00	16.81
8 (860039189)	10.06	125.00	242.26	9.00	12.88
9 (860039194)	10.06	125.00	222.97	9.00	12.19
10 (860039199)	10.06	125.00	222.97	9.00	12.19
11 (860039204)	10.06	125.00	222.97	9.00	12.19
12 (860039209)	10.06	125.00	222.97	9.00	12.19
13 (860039214)	10.06	125.00	222.97	9.00	18.29
14 (860039219)	10.06	125.00	284.90	9.00	18.29
15 (860039225)	10.06	125.00	221.61	9.00	14.25
16 (860039231)	10.06	125.00	177.38	9.00	13.59
17 (860039236)	10.06	125.00	226.65	9.00	18.59
18 (860039241)	10.06	125.00	226.68	9.00	18.59
19 (860039246)	10.06	125.00	126.35	9.00	10.36
20 (860039251)	10.06	125.00	126.35	9.00	10.36
21 (860039256)	10.06	125.00	126.35	9.00	10.36
22 (860039261)	10.06	125.00	126.35	9.00	10.36
23 (860039266)	10.06	125.00	159.66	9.00	13.36
24 (860039271)	10.06	125.00	153.19	9.00	12.30
25 (860039276)	10.06	125.00	126.35	9.00	10.36
26 (860039281)	10.06	125.00	126.35	9.00	10.36
27 (860039286)	10.06	125.00	126.35	9.00	10.36
28 (860039291)	10.06	125.00	126.35	9.00	10.36
29 (860039296)	10.06	125.00	226.68	9.00	18.59
30 (860039301)	10.06	125.00	226.65	9.00	18.59
31 (860039307)	10.06	125.00	176.02	9.00	13.58
32 (860039312)	10.06	125.00	160.36	9.00	10.11
33 (860039317)	10.06	125.00	126.35	9.00	10.36
34 (860039322)	10.06	125.00	164.53	9.00	13.50
35 (860039327)	10.06	125.00	226.68	9.00	18.59
36 (860039332)	10.06	125.00	126.35	9.00	10.36
37 (860039337)	10.06	125.00	126.35	9.00	10.36
38 (860039342)	10.06	125.00	126.35	9.00	10.36
39 (860039347)	10.06	125.00	126.35	9.00	10.36
40 (860039352)	10.06	125.00	141.39	9.00	11.86
41 (860039357)	10.06	125.00	134.92	9.00	10.80
42 (860039362)	10.06	125.00	126.35	9.00	10.36
43 (860039367)	10.06	125.00	126.35	9.00	10.36
44 (860039372)	10.06	125.00	126.35	9.00	10.36
45 (860039377)	10.06	125.00	126.35	9.00	10.36
46 (860039382)	10.06	125.00	226.68	9.00	18.59




PLAN SHOWING THE PROPOSED DRAFT RESIDENTIAL OPEN PLOTTED LAYOUT IN SY NO 260/PART, 263, 264/PART, 275, 276, SITUATED AT RAIKAL (G.P. & VILLAGE), FAROOQNAGAR MANDAL, RANGAREDDY DISTRICT.


BELONGING TO:-


ISO_full_bleed_4A0_(1682.00_x_2378.00_MM)

SRI. MOHAMMED SHAKEEL, S/o. MOHAMMED ISMAIL.

SMT. AZRA SULTANA, W/o. MOHAMMED YOUNUS.







The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.
 If construction is not commenced within 6 months, building application shall be submitted afresh duly paying required fees.

afresh duly paying required fees.

3. Sanctioned Plan shall be followed strictly while making the construction.

4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.

5. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act.

6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.

7. Occupancy Certificate is compulsory before occupying any building.

8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.

9. Prior Approval should be obtained separately for any modification in the construction.

10. Tree Plantation shall be done along the periphery and also in front of the premises.

11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue on occupancy certificate.

10. Tree Plantation shall be done along the periphery and also in front of the premises.
11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
12. Rain Water Harvesting Structure (percolation pit) shall be constructed.
13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.
14. Garbage House shall be made within the premises.

vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted.

16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future

17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.

18. Strip of greenery on periphery of the site shall be maintained as per rules.

19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.

20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.

21. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.

22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained.

23. No front compound wall for the site abutting 18 mt. road widths shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.

24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.

25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2016.

26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.

27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.

29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.
30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.
31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).
32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),
33. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.
34. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.
35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.

35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.
36. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.
37. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.
38. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.
39. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.
40. Insurance Policy for the completed building for a minimum period of three years.
41. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of the Owner, Builder/Developer, Architect and St. Engineer to provide all necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016.
42. Occupancy FIRE NOC Shall be Obtained from Director (EV&DM) before issue of

Occupancy Certificate.

43. In respect of All Non Residential Buildings and Residential Building in plot of 500 Sq.mts / 600 Sq.Yds and above, the Applicant shall comply with the provision of Telangana State Cool Roof Policy 2023-2028 and the same is mandatory for issuance of Occupancy Certificate(OC).

44. A dual piping system is a type of plumbing system where two separate sets of pipes are installed to distribute water in a building. One set of pipes carries potable or drinking water, while the other set of pipes carries non-potable or reclaimed water. The potable water pipes are connected to the main water supply and distribute water for drinking, cooking, and bathing. The non-potable or reclaimed water pipes carry water that has been treated and recycled from sources like rainwater, greywater from sinks and showers, or treated wastewater.

45. Parking places in buildings shall be provided with Electric Vehicle Charging Infrastructure as per Central Electricity Authority (CEA) Technical Requirements for Connection of Distributed Generation Sources, CEA Measures of Safety Regulations, 2010 and Ministry of Power Consolidated Guidelines and Standards for EV Charging Infrastructure, as amended from time to time.
46. For Constructions over 10,000 Sq.mt and above and in case of Group Housing Buildings where there are 100 units and above, the plumbing arrangement shall be made in a way that the potable water shall be used for drinking, cooking and bathing only and for rest of the uses, provision for dual piping system shall be made.
47. New building constructions shall have to properly demarcate sections within buildings and on rooftops for housing Broadband/digital connectivity infrastructure / antenna. These areas should have access to power supply for reliable, always on services. Further, Computer Telephony Integration (CTI) of a building shall include the common duct to access the common space used as telecomn room inside the building.
48. Occupancy Certificate to a building shall be granted only after ensuring that the CTI as per the prescribed standards is in place and an undertaking is given by the Architect or Engineer certifying that building has ensured common access to all digital infrastructure to all Service providers in accordance with plan of creation of CTI.
49. The Owner / Developers shall ensure the safety of construction workers.

50. The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.

51. The Builder/Developer shall register the project in the RERA website for the plots above 500 Sq.Mtrs or more than 8 Dwelling units.

Report Generated On: 2025-07-15 12:13:28

File No: 004150/HMDA/01213/SWDL/SKP1/2025

	Authority	HMDA
	Application ID	7d540849-864d-4d25-bcda-dc3fd3f1ffa5
	Project Type	Layout With Open Plots
	Case Type	New
	LTP Name	GS SREEDEVI
	License No	CA/2009/46164
ntinued)		

dividual Dlot Area	o (Continued)	License No		CA/2009/46164		
Plot No		Plot Are	Plot Area (sq.m)		Plot Width (m)	
PIOL NO	Road Width (m)	Required	Pro	posed	Required	Proposed
47 (860039387)	10.06	125.00	16	64.53	9.00	13.50
48 (860039392)	10.06	125.00	12	26.35	9.00	10.36
49 (860039398)	10.06	125.00	23	34.56	9.00	22.27
50 (860039403)	10.06	125.00	20	8.88	9.00	12.89
51 (860039408)	10.06	125.00	15	8.68	9.00	10.36
52 (860039413)	10.06	125.00	15	8.72	9.00	10.36
53 (860039418)	10.06	125.00	20	06.70	9.00	15.32
54 (860039423)	10.06	125.00	28	34.77	9.00	18.59
55 (860039428)	10.06	125.00	15	8.72	9.00	10.36
56 (860039433)	10.06	125.00	15	8.72	9.00	10.36
57 (860039438)	10.06	125.00	158.72		9.00	10.36
58 (860039443)	10.06	125.00	15	8.72	9.00	10.36
59 (860039450)	10.06	125.00	130.97		9.00	10.36
60 (860039456)	10.06	125.00	292.92		9.00	24.65
61 (860039461)	10.06	125.00	15	57.94	9.00	10.36
62 (860039466)	10.06	125.00	15	57.94	9.00	10.36
63 (860039471)	10.06	125.00	15	57.94	9.00	10.36
64 (860039476)	10.06	125.00	15	57.94	9.00	10.36
65 (860039481)	10.06	125.00	28	33.35	9.00	18.59
66 (860039486)	10.06	125.00	20	95.67	9.00	15.24
67 (860039491)	10.06	125.00	15	57.94	9.00	10.36
68 (860039496)	10.06	125.00	15	57.89	9.00	10.36
69 (860039501)	10.06	125.00	23	30.60	9.00	15.88
70 (860153242)	10.06	125.00	157.30		9.00	10.62

Required Proposed

Mortgage 1ype

2425.30 (15.00 %) 2519.92 (15.59 %)

OFFICER'S NAME AND SIGNATURE

Posignation: Chief Planning Officer

LTP'S NAME AND SIGNATURE


PLAN SHOWING THE PROPOSED DRAFT RESIDENTIAL OPEN PLOTTED LAYOUT IN SY NO 260/PART, 275, 276, SITUATED AT RAIKAL (G.P. & VILLAGE), FAROOQNAGAR MANDAL, RANGAREDDY DISTRICT.


BELONGING TO :-


ISO_full_bleed_4A0_(1682.00_x_2378.00_MM)


SRI. MOHAMMED SHAKEEL, S/o. MOHAMMED ISMAIL.

SMT. AZRA SULTANA, W/o. MOHAMMED YOUNUS.









WATER HARVESTING PIT (NOT TO SCALE)

Print Additional Details - 1
(Not to Scale)

File No: 004150/HMDA/01213/SWDL/SKP1/2025

General Data

Report Generated On: 2025-07-15 12:13:28

General Data	
Authority	HMDA
Application ID	7d540849-864d-4d25-bcda-dc3fd3f1ffa
Project Type	Layout With Open Plots
Case Type	New
LTP Name	GS SREEDEVI
License No	CA/2009/46164

5. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act. 6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act. 7. Occupancy Certificate is compulsory before occupying any building. 8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate. 9. Prior Approval should be obtained separately for any modification in the construction. 10. Tree Plantation shall be done along the periphery and also in front of the premises. 11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of 12. Rain Water Harvesting Structure (percolation pit) shall be constructed. 13. Space for Transformer shall be provided in the site keeping the safety of the residents in 14. Garbage House shall be made within the premises. vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted. 16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any 17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted. 18. Strip of greenery on periphery of the site shall be maintained as per rules. 19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be 20. The permission accorded does not bar the application or provisions of Urban Land Ceiling 21. The Developer / Builder / Owner to provide service road wherever required with specified 22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be 23. No front compound wall for the site abutting 18 mt. road widths shall be allowed and only Iron grill or Low height greenery hedge shall be allowed. 24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled. 25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2016. 26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced. 27. The Registration authority shall register only the permitted built-up area as per sanctioned 28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan. 29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel. 30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC. 31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable). 32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 33. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action. 34. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned 35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O. 36. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and 37. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan. 38. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs. 39. An extract of the site registers containing inspection reports of Site Engineer, Structural 40. Insurance Policy for the completed building for a minimum period of three years. 41. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of the Owner, Builder/Developer, Architect and St. Engineer to provide all necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016. 42. Occupancy FIRE NOC Shall be Obtained from Director (EV&DM) before issue of 43. In respect of All Non Residential Buildings and Residential Building in plot of 500 Sq.mts / 600 Sq.Yds and above, the Applicant shall comply with the provision of Telangana State Cool Roof Policy 2023-2028 and the same is mandatory for issuance of Occupancy 44. A dual piping system is a type of plumbing system where two separate sets of pipes are installed to distribute water in a building. One set of pipes carries potable or drinking water, while the other set of pipes carries non-potable or reclaimed water. The potable water pipes are connected to the main water supply and distribute water for drinking, cooking, and bathing. The non-potable or reclaimed water pipes carry water that has been treated and recycled from sources like rainwater, greywater from sinks and showers, or treated 45. Parking places in buildings shall be provided with Electric Vehicle Charging Infrastructure as per Central Electricity Authority (CEA) Technical Requirements for Connection of Distributed Generation Sources, CEA Measures of Safety Regulations, 2010 and Ministry of Power Consolidated Guidelines and Standards for EV Charging Infrastructure, as amended 46. For Constructions over 10,000 Sq.mt and above and in case of Group Housing Buildings where there are 100 units and above, the plumbing arrangement shall be made in a way that the potable water shall be used for drinking, cooking and bathing only and for rest of the uses, provision for dual piping system shall be made. 47. New building constructions shall have to properly demarcate sections within buildings and on rooftops for housing Broadband/digital connectivity infrastructure / antenna. These areas should have access to power supply for reliable, always on services. Further, Computer Telephony Integration (CTI) of a building shall include the common duct to access the common space used as telecomn room inside the building. 48. Occupancy Certificate to a building shall be granted only after ensuring that the CTI as per the prescribed standards is in place and an undertaking is given by the Architect or Engineer

certifying that building has ensured common access to all digital infrastructure to all Service

50. The GHMC reserve the right to cancel the permission it is falls that the permission is

51. The Builder/Developer shall register the project in the RERA website for the plots above

49. The Owner / Developers shall ensure the safety of construction workers.

providers in accordance with plan of creation of CTI.

500 Sq.Mtrs or more than 8 Dwelling units.

obtained by framed misrepresentation OR by mistake of fact.

1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of

2. If construction is not commenced within 6 months, building application shall be submitte

4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site

3. Sanctioned Plan shall be followed strictly while making the construction.

Designation: Chief Planning Officer
Approved Date: 30/08/2025

LTP Name: GS SREEDEVI