

## **Greater Noida Industrial Development Authority**

169, Chitvan Estate Sector-Gamma, Greater Noida, Gautam Budh Nagar, 201306

PLG/(BP) 29.3.25/24/88-1488  
Dated... 24.03.2013...

**CONDITIONAL** with respect point no 19 vis-à-vis notification 60(A) dated 27-1-1994 and its amendment from time to time and notification dated 14-09-2006 issued by Ministry of Environment & Forest and point no. 20 vis-à-vis guidelines dt.15.11.2012 of C.G.W.A.

To,

**M/s Earthcon Construction (P) Ltd.  
T-70, DDA Flats, Sector-7,  
Jasola Vihar, Delhi-25**

Sir,

With reference to your application no-43236, dated-1.11.12, for grant of **Sanction of Building plan** on Plot no-GH-6C, Sector-Chi-V, I have to inform you that the sanction is being granted by the Authority with the following conditions:

1. This sanction is being granted under the provision of 'The Greater Noida Industrial Development Area Building Regulation 2010.
2. The validity of this sanction is **up to-5 Years**
3. In case allotment is cancelled/lease is determined for whatsoever reason by functional department, aforesaid sanction shall automatically be deemed to have been withdrawn.
4. During this period, after the completion of construction it is necessary to apply for occupancy certificate. **Time extension charge shall be payable as applicable.**
5. If demanded by the Authority, You shall be liable to pay charges for the provision of any further facilities/development/improvement.
6. A copy of the sanction drawing shall always be kept at site and shall be made available to any officer of the Authority on demand.
7. No addition/alteration is permitted in the sanctioned drawings. For any changes prior permission from the Authority required.
8. You shall be responsible for carrying out the work in accordance with the requirements of Greater Noida Industrial Development Building Regulation 2010, And directions made from time to time.
9. Prior permission is required before digging an under ground bore well.
10. No activity other than as specified in lease deed shall be permitted in the premises
11. Prior permission is permission from the Authority is required for temporary structure also like labour huts & site office
12. Gate shall open on to the service road only. Direct access to the main carriageway shall not be provided.
13. Services, rain water harvesting shall be laid as per approval of Authority.
14. No parking of any kind shall be permitted on r/w of road.
15. Pejometer shall have to be installed as per direction issued by Authority.
16. Complying with all the requirement for obtaining NOC from various departments prior to submission of application for occupancy shall be the responsibility of allottee irrespective of the proposal sanctioned by GNIDA.
17. **This drawing is being sanction for a height of 30.0 mtrs only.**
18. For buildings with heights more than 30.0 m, NOC from airport authority shall be submitted in the planning department Based on this NOC, Clause a above shall be cancelled and revised letter shall be issued.
19. Before starting construction, the NOC is required from Ministry of Environment & Forest under notification no-60(A) dated 27-1-1994 and its amendment from time to time or under notification dated 14-09-2006 which ever is applicable. The copy of shall be submitted to the Authority. If construction is started before obtaining the NOC, the sanction shall be treated as cancelled.
20. Before starting construction, the NOC is required from Central Ground Water Authority under notification dated 15.11.2012. The copy of N.O.C. from C.G.W.A. shall be submitted to the Authority. If construction is started before obtaining the NOC, the sanction shall be treated as cancelled.

NIMISHA

**NIMISHA SHARMA  
Sr. Manager (Plng. & Arch.)**

Encl: Copy of sanctioned drawings ( )  
Copy to: G.M. (Engg.) for information and n.a.



# भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

AAI/NOC/2013/252/1821-25

BY REGD./SPEED POST

Dated: 01/07/2013

M/S Earthcon Construction Pvt. Ltd.,  
B-11, Sector-01,  
Noida (UP)-201 301 (U.P.)

02

**SUBJECT: NO OBJECTION CERTIFICATE - (FOR HEIGHT CLEARANCE ONLY)**

Sir,

Please refer to your letter no. NIL Dated 27/05/2013 on the subject mentioned above.

This office has no objection to the construction of the proposed **Groun Housing** by M/S Earthcon Construction Pvt. Ltd., herein after referred to as the applicant(s) at location **Plot No- GH-06C, Sector-CHI-V, Greater Noida, UP (Co-ordinates - 28 26 03 N 77 30 15 E)** for a height of 85.00 Mts. (in figure) Eighty Five Decimal Zero Mts. (in words) above ground level so that the top of the proposed structure when erected shall not exceed 195.00 Mts. (in figure) One hundred Ninety five Decimal Zero Mts. (in words) (site elevation) plus (+) 85.00 Mts. (in figure) Eighty Five Decimal Zero Mts. (in words) (height of structure) = 280.00 Mts. (in figure) Two hundred Eighty decimal Zero Mts. (in words) above mean sea level.

This no objection certificate is being issued on the express understanding that the site elevation (height above mean sea level) viz 195.00 Mts. relative location of the proposed building/structure & its distances and bearings from ARP/ Runway ends, as tendered by the applicant(s) are correct. If, however, at any stage it is established that, the said data as tendered & which could adversely effect aircraft operations, the structure or part(s) thereof in respect of which this 'No Objection Certificate' is being issued will have to be demolished at his own cost as may be directed by the Airports Authority of India. The Applicant(s) are therefore advised in his /their own interest to verify the elevation and other data furnished for the site, before embarking on the proposed construction.

The issue of this 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time and under which also the applicant may be called upon by the Airports Authority of India (National Airports Division) to demolish in whole or in part the structure now being authorized vide this 'No Objection Certificate'.

The use of electric fire or oil fired furnace is obligatory.

This certificate is valid for a period of five years from the date of issue, if the building /structure /chimney is not constructed & completed within the above mentioned period of five years, you will be required to obtain a fresh 'No Objection Certificate' from the Airports Authority of India (National Airports Division) and/or the General Manager, Aerodromes, Northern Region. The date of completion of the building/ structure/chimney should be intimated to the Airports Authority of India and/or the General Manager, Aerodromes, Northern Region.

No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time during or after the construction of the building.

**Day & Night markings with secondary power supply may be provided as per ICAO Standard.**

**"The permissible top elevation/height includes height for superstructures (eg. Wireless, TV antennas, munties, lift machine room, overhead water tank cooling towers etc.)"**

**NOTE: THE SITE IS EXAMINED W.R.T IGI AIRPORT AND SAFDARJUNG AIRPORT ONLY.**

(AJAY SHIVA)

JT. GENERAL MANAGER (ATM-NOC)

FOR REGIONAL EXECUTIVE DIRECTOR (NR)

**Copy to:** 1. The Chairman, Airports Authority of India, Rajiv Gandhi Bhawan, SAP, N.D-110003.

2. The Chief Architect Town Planner, 169, Chitvan Estate, Sector-Gamma-II, Greater Noida-201308(UP).

3. The Chief Executive Officer, DIAL, New Uddan Bhawan, International Terminal-3, Opp.-ATS, Complex, IGI Airport, New Delhi-110037.

4. The General Manager (Carto), AAI, Rajiv Gandhi Bhawan, SAP, N.Delhi-110003.

JT. GENERAL MANAGER (ATM-NOC)

FOR REGIONAL EXECUTIVE DIRECTOR (NR)





AAI/NOC/2013/254/ 1826-30

# भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

BY REGD./SPEED POST

Dated: 01/07/2013

02

M/S Earthcon Universal Infratech Pvt. Ltd.,  
B-11, Sector-01,  
Noida (UP)-201 301.

**SUBJECT: NO OBJECTION CERTIFICATE - (FOR HEIGHT CLEARANCE ONLY)**

Sir,

Please refer to your letter no. **NIL** Dated **27/05/2013** on the subject mentioned above.

This office has no objection to the construction of the proposed **Group Housing** by **M/S Earthcon Universal Infratech Pvt. Ltd.**, herein after referred to as the applicant(s) at location **Plot No- GH-10, Sector-I, Greater Noida, UP (Co-ordinates - 28 34 26 N 77 26 20 E)** for a height of **76.00 Mts.** (in figure) **Seventy Six Decimal Zero Mts.** (in words) above ground level so that the top of the proposed structure when erected shall not exceed **200.00 Mts.** (in figure) **Two hundred Decimal Zero Mts.** (in words) (site elevation) plus (+) **76.00 Mts.** (in figure) **Seventy Six Decimal Zero Mts.** (in words) (height of structure) = **276.00 Mts.** (in figure) **Two hundred Seventy Six decimal Zero Mts.** (in words) above mean sea level.

This no objection certificate is being issued on the express understanding that the site elevation (height above mean sea level) viz **200.00 Mts.** relative location of the proposed building/structure & its distances and bearings from ARP/ Runway ends, as tendered by the applicant(s) are correct. If, however, at any stage it is established that the said data as tendered & which could adversely effect aircraft operations, the structure or part(s) thereof in respect of which this 'No Objection Certificate' is being issued will have to be demolished at his own cost as may be directed by the Airports Authority of India. The Applicant(s) are therefore advised in his /their own interest to verify the elevation and other data furnished for the site, before embarking on the proposed construction.

The issue of this 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time and under which also the applicant may be called upon by the Airports Authority of India (National Airports Division) to demolish in whole or in part the structure now being authorized vide this 'No Objection Certificate'.

The use of electric fire or oil fired furnace is obligatory.

This certificate is valid for a period of **five years** from the date of issue. If the building /structure /chimney is not constructed & completed within the above mentioned period of **five years**, you will be required to obtain a fresh '**No Objection Certificate**' from the **Airports Authority of India (National Airports Division)** and/or the **General Manager, Aerodromes, Northern Region**. The date of completion of the building/ structure/chimney should be intimated to the Airports Authority of India and/or the General Manager, Aerodromes, Northern Region.

No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time during or after the construction of the building.

**Day & Night markings with secondary power supply may be provided as per ICAO Standard.**

**"The permissible top elevation/height includes height for superstructures (eg. Wireless, TV antennas, munties, lift machine room, overhead water tank cooling towers etc.)"**

**NOTE: THE SITE IS EXAMINED W.R.T IGI AIRPORT AND SAFDARJUNG AIRPORT ONLY.**

(AJAY SHIVA)

JT. GENERAL MANAGER (ATM-NOC)  
FOR REGIONAL EXECUTIVE DIRECTOR (NR)

- Copy to:** 1. The Chairman, Airports Authority of India, Rajiv Gandhi Bhawan, SAP, N.D-110003.  
2. The Chief Architect Town Planner, 169, Chitvan Estate, Sector-Gamma-II, Greater Noida-201308(UP).  
3. The Chief Executive Officer, DIAL, New Uddan Bhawan, International Terminal-3, Opp.-ATS, Complex, IGI Airport, New Delhi-110037.  
4. The General Manager (Carto), AAI, Rajiv Gandhi Bhawan, SAP, N, Delhi-110003.

JT. GENERAL MANAGER (ATM-NOC)  
FOR REGIONAL EXECUTIVE DIRECTOR (NR)

कार्यालय

उपनिदेशक/मुख्य

अग्निशमन

अधिकारी

गौतमबुद्धनगर।

पत्रांक-51/सीएफओ/जीबीएन-12(जीएन)

3042

दिनांक: अक्टूबर

18

2012

सेवा में,

महाप्रबन्धक (वास्तु एवं नियोजन)

ग्रेटर नौएडा प्राधिकरण

गौतमबुद्धनगर।

विषय:

मैसर्स अर्थकॉन कन्स्ट्रक्शन प्रा० लि० द्वारा प्लॉट न०-जी०एच०-०६सी० सेक्टर-चाई-५ नौएडा जनपद गौतमबुद्धनगर में प्रस्तावित गुप हाउसिंग भवन के निर्माण हेतु मानचित्रों की अनुज्ञा हेतु प्रोवीजनल अग्निशमन अनापत्ति प्रमाण निर्गत किये जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक आवेदक द्वारा अपने प्रार्थना पत्र दिनांक: 15-10-2012 के माध्यम से उक्त प्रश्नगत प्लॉट पर आवासीय भवन निर्माण हेतु मानचित्र एवं प्रश्नोत्तरी उपलब्ध कराते हुए अग्निशमन अनापत्ति प्रमाण पत्र निर्गत किये जाने का अनुरोध किया गया है।

प्रश्नगत भवन के स्थल का निरीक्षण एवं मानचित्रों का अध्ययन अग्निशमन अधिकारी ग्रेटर नौएडा से कराया गया तो उनके द्वारा आख्या इस कार्यालय को उपलब्ध कराई गई जिसका सुसंगत मानको के अनुसार परीक्षण किया गया विवरण निम्नवत है:-

भवन की संरचना:-

प्लॉट एरिया-18,154.00 वर्ग मी०।

| क्रमांक | नाम टावर            | तलों की संख्या                     | भूतल कवर्ड एरिया | टिपिकल कवर्ड एरिया | ऊँचाई मी० में |
|---------|---------------------|------------------------------------|------------------|--------------------|---------------|
| 1       | टावर-ए०-1           | 2, बेसमेंट, भूतल एवं 17 तल         | 714.263          | 652.157            | 54.900        |
| 2       | टावर-ए०-2           | 2, बेसमेंट, भूतल एवं 17 तल         | 714.263          | 652.157            | 54.900        |
| 3       | टावर-बी०-1          | 2, बेसमेंट, भूतल एवं 17 तल         | 516.144          | 474.146            | 54.900        |
| 4       | टावर-बी०-2          | 2, बेसमेंट, भूतल एवं 17 तल         | 516.144          | 474.146            | 54.900        |
| 5       | स्टूडियो अपार्टमेंट | 2 बेसमेंट, भूतल, स्टिल्ट एवं 16 तल | 658.792          | 550.806            | 54.00         |
| 6       | अपर बेसमेंट         | 13,035.029                         |                  |                    |               |
| 7       | लोवर बेसमेंट        | 13,035.029                         |                  |                    |               |

भवन का अधिभोग विवरण:-

प्रस्तावित भवन का अधिभोग आवासीय अपार्टमेंट ( एन०बी०सी-2005 आवासीय श्रेणी ए०-4 ) के अन्तर्गत वर्गीकृत किया गया है।

ढाँचागत व्यवस्था:-

1- पहुँच मार्ग:- भूखण्ड के सामने मानचित्रों में रोड की चौड़ाई 24 मी० मानको के अनुसार अंकित की गई है जो भवन विनियमावली के मानको के अनुसार है तथा प्रवेश द्वार जिनकी चौड़ाई एन०बी०सी० मानक के अनुसार है।

2- सैटबैक:- प्रस्तावित भवन का सैटबैक निम्नवत है:-

ए०-अग्रभाग-12.00 मी०।

बी०-पृष्ठ भाग-07.50 मी०।

सी०-पार्श्व भाग प्रथम-07.50 मी०।

डी०-पार्श्व भाग द्वितीय-07.50 मी० प्रस्तावित है।



उपरोक्तानुसार भवन विनियमावली मानको के अनुसार है जो सदैव हार्ड सरफेस युक्त एवं अवरोध मुक्त रखे जाये जिसमे किसी प्रकार का स्थाई/ अस्थायी निर्माण कार्य अनुमन्य नहीं होगा तथा टावरो के चारो ओर 06 मीटर का मोटरेबुल हार्ड सरफेस युक्त खुला स्थान रखा जाना अनिवार्य है।

3- निकास मार्ग:- प्रस्तावित भवन के प्रत्येक टावर में 02 स्टेयरकेश प्रस्तावित है प्रत्येक स्टेयर की चौड़ाई 1.20 मी० प्रस्तावित है, जो बाह्य स्टेयर केश के रूप में निर्मित है जिनकी फ्लोर के समस्त स्थानों से ट्रेवलिंग डिस्टेन्स अधिकतम अनुमन्य सीमा के अन्तर्गत है तथा एक स्टेयर को फायर टावर के रूप में निर्मित किया जायेगा।

4- रिफ्यूज एरिया:- प्रत्येक टावर में बालकनी का प्राविधान है जो एन०बी०सी० मानक के अनुसार रिफ्यूज एरिया मान्य है।

घ-अग्निशमन सुरक्षा व्यवस्था:- एन०बी०सी० 2005 के अनुसार निम्नांकित अग्निशमन व्यवस्थाएँ कराया जाना वाँछनीय है।

1-भूमिगत:- प्रश्नगत भवन में अग्निशमन कार्यो हेतु 2,00,000 दो लीख लीटर क्षमता का भूमिगत टैंक एन०बी०सी० मानक के अनुसार वाँछनीय है।

2-पम्पस:- भूमिगत टैंक के पास 2280 एल०पी०एम० क्षमता का 01 अदद मेन पम्प, इतनी ही क्षमता का एक अदद डीजल चालित पम्प तथा 01 अदद जौकी पम्प मानको के अनुसार स्थापित कराये जाने वाँछनीय है।

3-टेरिस टैंक: प्रत्येक टावर की टेरिस पर टेरिस टैंक क्रमशः 25,000 पच्चीस हजार ली०, क्षमता का स्थापित कराया जाना एन०बी०सी० मानक के अनुसार वाँछनीय है।

4-होजरील मय डाउनकामर:- प्रस्तावित भवन में प्रत्येक ब्लाक/टावर में प्रत्येक तल पर होजरील लैण्डिंग वाल्व, मय होज बाक्स, होज पाइप, एवं ब्रान्च पाइप का प्राविधान एन०बी०सी० मानको के अनुसार वाँछनीय है।

5-वेटराइजर:- प्रस्तावित भवन में 150 एमएम का वेटराइजर का प्राविधान तथा उस पर यार्ड हाईड्रैण्टस एवं फायर सर्विस इन्लेट का मानको के अनुसार वाँछनीय है।

6-ऑटोमेटिक स्प्रिंकलर सिस्टम:- सम्पूर्ण भवन के टावरो में ऑटोमेटिक स्प्रिंकलर सिस्टम एन०बी०सी० मानको के अनुसार वाँछनीय है।

7-ऑटोमेटिक डिडेक्शन एण्ड एलार्म सिस्टम:- सम्पूर्ण भवन के समस्त टावरो में ऑटोमेटिक डिडेक्शन एण्ड फायर एलार्म सिस्टम एन०बी०सी० मानक के अनुसार वाँछनीय है।

8-मैनुवल आपरेटिड इलैक्ट्रिक फायर एलार्म सिस्टम:- सम्पूर्ण भवन के समस्त टावरो में मैनुवल आपरेटिड इलैक्ट्रिक फायर एलार्म सिस्टम एन०बी०सी० मानक के अनुसार वाँछनीय है।

9-प्राथमिक अग्निशमन उपकरण (फायर एक्सटिंग्यूशर):- प्रस्तावित भवन में निर्माण के उपरान्त फायर एक्सटिंग्यूशर आई०एस०-2190 के अनुसार प्राविधान किया जाना है जो मानक के अनुरूप है।

10-स्मोक एक्स्ट्रैक्शन:- प्रश्नगत भवन में 02 बेसमेन्ट प्रस्तावित है जिसमें स्मोक एक्स्ट्रैक्शन एन०बी०सी० मानक के अनुसार वाँछनीय है।

11-एग्जिट साईनेज एवं पी०ए० सिस्टम:- सम्पूर्ण भवन के समस्त टावरो में एग्जिट साईनेज एवं पी०ए० सिस्टम एन०बी०सी० मानक के अनुसार वाँछनीय है।

उपरोक्त के अतिरिक्त निर्माण कार्य के उपरान्त अग्निशमन व्यवस्थाओं को वैकल्पिक विद्युत आपूर्ति के श्रोत से संयोजित किया जाना एवं इनके संचालन हेतु प्रशिक्षित स्टाफ रखा जाना अनिवार्य होगा तथा भवन में फायर ड्रिल, अग्निशमन पद्धति का अनुशिक्षण व सावधि अग्नि सुरक्षा लेखा परीक्षा कराई जानी मानको के अनुसार वाँछनीय होगी यदि किसी प्रकार का निर्माण कार्य कराया जाता है तो उसके लिए अग्निशमन विभाग अलग से स्वीकृति प्राप्त की जानी अनिवार्य होगी।

अतः उपरोक्तानुसार मैसर्स अर्थकॉन कन्स्ट्रक्शन प्रा० लि० द्वारा प्लॉट न०-जी०एच०-06सी० सेक्टर-चाई-5 नोएडा जनपद गौतमबुद्धनगर भवन के निर्माण हेतु प्रोवीजनल अग्निशमन अनापत्ति प्रमाण पत्र इस शर्त के साथ निर्गत की जाती है कि आवेदक द्वारा भवन/इकाई में अग्नि से सुरक्षा सम्बन्धी सभी प्राविधान भवन निर्माण एवं विकास उपविधि-2010 तथा नेशनल बिल्डिंग कोड ऑफ इण्डिया-2005 एवं तत्समय पृवत्त किसी अन्य विधि में उल्लेखित मानको के अनुसार करायें जायेंगे तथा भवन

के निर्माणोपरान्त भवन का प्रयोग करने से पहले भवन में अग्नि से सुरक्षा व्यवस्थाएँ मानकों के अनुसार स्थापित कर उनका निरीक्षण/परीक्षण अग्निशमन विभाग से कराकर स्थाई अग्निशमन अनापत्ति प्रमाण पत्र प्राप्त किया जायेगा अन्यथा निर्गत किया जा रहा भवन निर्माण हेतु अस्थाई अनापत्ति प्रमाण पत्र स्वतः ही निरस्त समझा जायेगा।

संलग्नक: अनुमोदित मानचित्र अदद।

(अग्नि शमी)  
उपनिरीक्षक / मुख्य अग्नि कर्मचारी अधिकारी,  
गौतम बुद्ध नगर।

प्रतिलिपि: 1- अग्निशमन अधिकारी ग्रेटर नौएडा, जनपद गौतमबुद्धनगर को सूचनार्थ एवं आवश्यक कार्यवाही हेतु।

2- मैसर्स अर्थकॉन कन्स्ट्रक्शन प्रा0 लि0 द्वारा प्लॉट न0-जी0एच0-06सी0 सेक्टर-चाई-5 नौएडा जनपद गौतमबुद्धनगर को उक्त के सन्दर्भ में अनुपालनार्थ।

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Dr. Bhim Rao Ambedkar Paryavaran Parisar  
Vineet Khand-J, Gomti Nagar, Lucknow - 226 010  
Phone: 91-522-2300 541, Fax : 91-522-2300 543  
E-mail : doeuplko@yahoo.com  
Website : www.seiaup.com

To,

Mr. Shueb wali,  
GM Project,  
J-25A, Sector- 18,  
Noida, U.P 110025

Ref. No. 1562/Praya/SEAC/1530/2012/DD(Sh) Date: 07 October, 2013

Sub: Environmental Clearance for Proposed Group Housing project "Casa Grande-II"  
at plot no. GH-06C, Sector-CHI-V, Greater Noida. - Regarding.

Dear Sir,

Please refer to your application/letter dated 04-03-2013, 30-05-2013, 05-08-2013 & 17-08-2013 addressed to the Secretary, SEAC & Director, Directorate of Environment, Lucknow. The case was presented by the project proponent along with the project consultant Grass Roots Research & Creation India Pvt Ltd in the State Level Expert Appraisal Committee (SEAC) meeting held on 06-09-2013.

The Project proponent, through documents (submitted to SEAC) and presentation made during meeting, has informed to the SEAC that:-

- 1- The Environmental Clearance is sought for Group Housing Project "Casa Grande-II, at Plot No-GH-06-C, Sector-CHI-V, Greater Noida.
- 2- The total project/plot area and proposed built-up area of the project are respectively 18,154 m<sup>2</sup> (or 1.82 Hectares) and 83,415.021 m<sup>2</sup>
- 3- Green area of the proposed project is 9649.727 m<sup>2</sup> i.e., 66.73 % of the total plot area.
- 4- Height of the highest Tower will be 54.9 m.
- 5- The total water requirement is proposed as 304 KLD from municipal supply. Total Fresh water requirement is proposed as 204 KLD.
- 6- The total waste water generation is proposed as 235 KLD to be treated in STP of 300 KLD capacity.
- 7- Total power requirement is proposed as 3419.67 KVA to be supplied by NPCL.
- 8- 4x 380 KVA No of DG Sets are proposed for power supply/power backup.
- 9- Parking facility is required for 641 ECS and proposed for 899 ECS.
- 10- Total solid waste generation will be 1654.85 kg/day.
- 11- 02 basements are proposed. Basement area is proposed as 28,533.832 m<sup>2</sup>.
- 12- 2,56,804.488 m<sup>3</sup> earth is proposed to be excavated. The excavated soil will be used in back filling and other area development activities.
- 13- The Project proposal falls under category 8 (a) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting held on 30-05-2013, 06-09-2013 the State Level Environment Impact Assessment Authority in its Meeting held on 27-06-2013, 03-10-2013 has decided to grant the Environmental Clearance to the project subject to the effective implementation of the following general and specific conditions:-

**a. General Conditions:**

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.
2. It shall be ensured that obtain the no objection certificate from the U P pollution control board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent Authority shall be obtained in this regards.
5. All trees felling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent Authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. Obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.
11. Obtain necessary clearances from the competent Authority on the abstraction and use of ground water during the construction and operation phases.
12. Hazardous/inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure as prescribed under law. Necessary clearances in this regards shall be obtained.
13. Solid wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collection center should be provided. Necessary plans should be submitted in this regards.
14. Suitable rainwater harvesting systems as per designs of groundwater department shall be installed. Complete proposals in this regard should be submitted.
15. The emissions and effluents etc. from machines, instruments and transport during construction and operation phases should be according to the prescribed standards. Necessary plans in this regard shall be submitted.
16. Water sprinklers and other dust control measures should be undertaken to take care of dust generated during the construction and operation phases. Necessary plans in this regard shall be submitted.
17. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the noise emissions do not violate the prescribed ambient noise standards. Necessary plans in this regard shall be submitted.
18. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.
19. Sewage effluents shall be kept separate from rain water collection and storage system and separately disposed. Other effluents should not be allowed to mix with domestic effluents.
20. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
21. Alternate technologies for solid waste disposals (like vermin-culture etc.) should be used in consultation with expert organizations.
22. No wetland should be infringed during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
23. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Fully impermeable pavements shall not be constructed. Construction of



24. pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the tree.
25. The Green building Concept suggested by Indian Green Building Council, which is a part of CII-Godrej GBC, shall be studied and followed as far as possible.
26. Compliance with the safety procedures, norms and guidelines as outlined in National Building Code 2005 shall be compulsorily ensured.
27. Ensure usage of dual flush systems for flush cisterns and explore options to use sensor based fixtures, waterless urinals and other water saving techniques.
28. Explore options for use of dual pipe plumbing for use of water with different qualities such as municipal supply, recycled water, ground water etc.
29. Ensure use of measures for reducing water demand for landscaping and using xeriscaping, efficient irrigation equipments & controlled watering systems.
30. Make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. Present a detailed report showing how much percentage of backup power for institution can be provided through solar energy so that use and polluting effects of DG sets can be minimized.
31. Make separate provision for segregation, collection, transport and disposal of e-waste. Educate citizens and other stake-holders by putting up hoardings at different places to create environmental awareness.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
33. Prepare and present disaster management plan.
34. A report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy efficiency should be prepared incorporating details about building materials and technology, R & U Factors etc.
35. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003 (The above condition is applicable only if the project lies within 100 km of Thermal Power Station).
36. The DG sets to be used during construction phase should use low sulphur diesel type and should conform to E.P. rules prescribed for air and noise emission standards.
37. Alternate technologies to Chlorination (for disinfection of waste water) including methods like Ultra Violet radiation, Ozonation etc. shall be examined and a report submitted with justification for selected technology.
38. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
39. The construction of the building and the consequent increased traffic load should be such that the micro climate of the area is not adversely affected.
40. The building should be designed so as to take sufficient safeguards regarding seismic zone sensitivity.
41. High rise buildings should obtain clearance from aviation department of concerned authority.
42. Suitable measures shall be taken to restrain the development of small commercial activities or slums in the vicinity of the complex. All commercial activities should be restricted to special areas earmarked for the purpose.
43. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children could be provided in a formal way.
44. The use of Compact Fluorescent lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.

45. It shall be ensured that all Street and park lighting is solar powered. 50% of the same may be provided with dual (solar/electrical) alternatives.
46. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly and submitted with justification.
47. Treated effluents shall be maximally reused to aim for zero discharge. Where ever not possible, a detailed management plan for disposal should be provided with quantities and quality of waste water.
48. The treated effluents should normally not be discharged into public sewers with terminal treatment facilities as they adversely affect the hydraulic capacity of STP. If unable, necessary permission from authorities should be taken.
49. Construction activities including movements of vehicles should be so managed so that no disturbance is caused to nearby residents.
50. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this condition is violated the clearance, if and when given, shall be automatically deemed to have been cancelled.
51. Parking areas should be in accordance with the norms of MOEF, Government of India. Plans may be drawn up accordingly and submitted.
52. The location of the STP should be such that it is away from human habitation and does not cause problem of odor. Odorless technology options should be examined and a report submitted.
53. The Environment Management plan should also include the break up costs on various activities and the management issues also so that the residents also participate in the implementation of the environment management plan.
54. Detailed plans for safe disposal of STP sludge shall be provided along with ultimate disposal location, quantitative estimates and measures proposed.
55. Status of the project as on date shall be submitted along with photographs from North, South, West and East side facing camera and adjoining areas should be provided.
56. Specific location along with dimensions with reference to STP, Parking, Open areas and Green belt etc. should be provided on the layout plan.
57. The DG sets shall be so installed so as to conform to prescribed stack heights and regulations and also to the noise standards as prescribed. Details should be submitted.
58. E-Waste Management should be done as per MoEF guidelines.
59. Electrical waste should be segregated and disposed suitably as not to impose Environmental Risk.
60. The use of suitably processed plastic waste in the construction of roads should be considered.
61. Displaced persons shall be suitably rehabilitated as per prescribed norms.
62. Dispensary for first aid shall be provided.
63. Safe disposal arrangement of used toiletries items in Hotels should be ensured. Toiletries items could be given complementary to guests, adopting suitable measures.
64. Diesel generating set stacks should be monitored for CO and HC.
65. Ground Water downstream of Rain Water Harvesting pit nearest to STP should be monitored for bacterial contamination. Necessary Hand Pumps should be provided for sampling. The monitoring is to be done both in pre and post monsoon, seasons.
66. The green belt shall consist of 50% trees, 25% shrubs and 25% grass as per MoEF norms.
67. A Separate electric meter shall be provided to monitor consumption of energy for the operation of sewage/effluent treatment in tanks.
68. An energy audit should be annually carried out during the operational phase and submitted to the authority.
69. Project proponents shall endeavor to obtain ISO: 14001 certification. All general and specific conditions mentioned under this environmental clearance should be included in the environmental manual to be prepared for the certification purposes and compliance.
70. Appropriate safety measures should be made for accidental fire.
71. Smoke meters should be installed as warning measures for accidental fires.



72. Project falling within 10 Km. area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.

**b. Specific Conditions:**

1. This environmental clearance is subject to ownership of the site (Plot No-GH-06C, Sector- CHIV, Greater Noida, U.P) by the project proponents in confirmation with approved Master Plan for Greater Noida by the competent Authority. In the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deem to be cancelled.
2. It should be ensured that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be invalid and cancelled.
3. Plans should be approved from Greater Noida Authority prior to start of construction. A copy of approval should be submitted to SEIAA.
4. Plan for construction of 02 basements which includes dewatering should be done in consultation with CGWB in view of NGT direction regarding no extraction of water for construction or otherwise.
5. LEDs should be used in place of CFL. Solar light is to be provided in the common areas with 50% of them may be with dual powered.
6. Dedicated power supply for STPs is to be ensured during operation. Sludge of STP is to be used in house as manure and surplus manure should be managed by giving to end users.
7. 100 % provision of Rain Water Harvesting is to be made. RWH shall be initially done only from the roof top. RWH from green and other open areas shall be done only after permission from CGWB.
8. Depth/design of basement should be finalized after consultation and consent with CGWB in order to ensure that no extraction of ground water shall be made as per directions of N.G.T.
9. Height of the stack should be provided as discussed based on combined DG sets capacity and be 6 m higher than the tallest building.
10. Post project monitoring for air, water (surface+ ground), Stack noise of D.G. sets, STP to be carried out as per CPCB Guidelines.
11. Wheel wash arrangement is to be made at exit point during construction phase.
12. Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within the month) on need base assessment study in the study area. Income generating measures which can help in upliftment of weaker section of society consistent with the traditional skills of the people identified. The program may include activities such as old age homes, rain water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmes shall be specified.
13. Crèche to be provided during the construction and operation phase.
14. Provision of separate room for senior citizen with commensurate amenities shall be provided.
15. Temporary storage for MSW for 2 days shall be provided.
16. E-waste shall be stored in a secure place till it is given to authorized recycler.

17. The excavated soil from the project site shall be used in-house. Excess excavated soil shall be managed in eco-friendly with following safeguards:

- Top soil should be adequately preserved and should be used for landscaping.
- Water sprinkling should be exercised during excavation and storage of soil for suppression of fugitive dust.
- Unused excess soil should be disposed with proper permission from District Administration.
- Disposal of unused soil should only be transported in covered vehicles.
- Excavated area should be properly reclaimed and insured that no open bore hole is left.
- Safety measures for the people working at the site shall be duly taken care of as per law.

18. Ground water should not be extracted for the purpose of construction or otherwise. In case of default the Environmental Clearance will deem to be cancelled.

19. RO system may be provided using technique with minimum wastage of water in the process of purification.

20. All entry/exit point should be bell mouth shaped.

21. Suitable protection/fencing should be provided at terrace/balcony area beyond second floor in view of safety of residents.

22. The top soil generated during basement construction will be properly preserved and used for plantation and green area development.

23. The total excavated soil will be completely utilized at project site for leveling and back filling or landscaping. In case of surplus excavated soil its management in eco-friendly manner be drawn and submitted within three (3) months.

24. The basement should be constructed in consultation with CGWB to avoid infringement of water table.

25. Provision of separate dedicated room to be made for senior citizen commensurate with proper amenities (TV, music system, indoor games etc.) for end user in and around the club house.

26. Digging of basement shall be undertaken in view of structural safety of adjacent buildings under information/consultation with District Administration/Mining Department.

27.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Greater Noida. In case of violation, it would not be effective and would automatically be stand cancelled.

You are also directed to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deemed to be cancelled.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issue of the clearance. The SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF. SEIAA may impose additional environmental conditions or modify the existing ones, if necessary. Necessary statutory clearances should be obtained and submitted before start of any construction activity.

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution)

Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

This is to request you to take further necessary action in the matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14.9.2006, as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.

(J. S. Yadav)

Member Secretary, SEIAA

No. .... /Parya/SEAC/1530/2013/DD(Sh) Dated: As above

Copy with enclosure for Information and necessary action to:

1. The Principal Secretary, Department of Environment, Govt. of Uttar Pradesh, Lucknow.
2. Advisor, IA Division, Ministry of Environment & Forests, Govt. of India, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi.
3. Chief Conservator, Regional Office, Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. District Magistrate, Greater Noida.
5. The Member Secretary, U.P. Pollution Control Board, PICUP Bhawan, Gomti Nagar, Lucknow.
6. Deputy Director, Regional office, Meerut, Directorate of Environment.
7. Copy to Web Master/ guard file.

(O. P. Varma)

Secretary, SEAC/  
Director (I/C), Environment