

C.KANNAN, M.E. (Structure)
STRUCTURAL ENGINEER

Door .21, plot No. 257- W, Flat No. 2B
“Utopia Apartments” 2nd Floor,
4th Main Road, Indira Nagar,
Chennai- 600 020
Mobile: 9841249815
Email: kannankds2007@gmail.com

STABILITY CERTIFICATE
(To be furnished while filing application for registration of building)

The detailed engineering and structure design of the proposed building comprising of “**ETICA ANANTHAM**” STILT FLOOR + 5 FLOORS (18.25M HEIGHT) RESIDENTIAL BUILDING WITH 10 DWELLING UNITS AVAILING PREMIUM FSI AT PLOT NO.3 & 4, NEW DOOR NO.27, OLD DOOR NO.14, CHINNAYA STREET, T.NAGAR, CHENNAI 600017, COMPRISED IN OLD PAIMASH NO.621 & 622 (DOCUMENT), AND T.S.NO.8347/3, BLOCK NO.109 OF T.NAGAR VILLAGE WITHIN THE LIMIT OF GREATER CHENNAI CORPORATION. has been done by me/us based on the report of geotechnical investigation (soil test) done by **Ms. Geo Engineering Consultants** Report No. **GEC-JC-GT-6096/2024-2025** Dated **03/02/2025** and considering the functional requirement of the building.

2. It is certified that among other factors, the proposed building has been designed to resist earthquake. I/We have checked various parameters and found that the proposed building would be safe.

3. I/We further certify that:

(i) The minimum grade of concrete is M25
(ii) The design and analysis has been done using the code of practice for plain and reinforced concrete as per IS 456, design loads as per IS Codes No IS 456 and design of earthquake resistant structure as per IS Code No IS 1893

4. The building will be safe and sound when used for the purpose for which it is designed.



Stamp and Signature