

## OFFICE OF THE GREATER HYDERABAD MUNICIPAL CORPORATION

# TS-bPASS

#### **REVISED BUILDING PERMIT ORDER**

To,

Sri/Smt. Sri M/s. BHAVYA CONSTRUCTIONS PVT LTD. S/o V. ANANDA PRASAD AND

**OTHERS** 

Represented By: ADITYA VENIGALLA

Address: 1st Floor, 8-2-293/82/F/A/1 to 3 Plot No.1, Bhavya's Spoorthi Bhavan Film

Nagar, Hyderabad - 500 096.

Pin Code: 500096 Telangana.

| FILE No.   | :  | 005887/GHMC/2950/KPL1/2022-BP |
|------------|----|-------------------------------|
| PERMIT No. | :: | 3097/GHMC/KPL/2022-BP         |
| DATE       | :  | 08 September, 2022            |

#### Sir / Madam,

Sub:

Greater Hyderabad Municipal Corporation - Construction of Residential consisting of BLOCK (G) (1 Stilt + 33 upper floors) BLOCK (D) (1 Stilt + 33 upper floors) BLOCK (K) (1 Stilt + 33 upper floors) BLOCK (L) (1 Stilt + 33 upper floors) BLOCK (H) (1 Stilt + 33 upper floors) BLOCK (F) (1 Stilt + 33 upper floors) A (AMENITIES2) (1 Ground + 2 upper floors) A (AMENITIES) (1 Ground + 4 upper floors) BLOCK (J) (1 Stilt + 11 upper floors) BLOCK (E) (1 Stilt + 33 upper floors) BLOCK (C) (1 Stilt + 33 upper floors) BLOCK (B) (1 Stilt + 33 upper floors) BLOCK (I) (1 Stilt + 33 upper floors) BLOCK (I) (1 Stilt + 33 upper floors) BLOCK (I) (2 Stilt + 33 upper floors) BLOCK (I) (3 Stilt + 33 upper floors) BLOCK (I) (1 Stilt + 33 upper floors) BLOCK (I) (2 Stilt + 33 upper floors) BLOCK (I) (2 Stilt + 33 upper floors) BLOCK (I) (2 Stilt + 33 upper floors) BLOCK (II) (1 Stilt + 33 upper floor

Ref:

- 1. Your Application dated: 03 June, 2022
- 2. G.O.Ms.No.168 M.A., dt. 07-04-2012 and its time to time amendments.
  3. Your old application no: 004181/GHMC/2326/KPL1/2021-BP with Permit no: dated: 08 September, 2022

Your application submitted in the reference 1st citied has been examined with reference to the rules and regulations in force and permission is hereby sanctioned conditionally as detailed below:

| Α   | APPLICANT AND LICENSED PERSO         | NNEL DET   | AILS:         |  |          |                  |          |                |                 |            |                  |  |
|-----|--------------------------------------|--|---------------|--|----------|------------------|----------|----------------|-----------------|------------|------------------|--|
| 1   | Name of Applicant                    | Sri M/s. BHAVYA CONSTRUCTIONS PVT LTD. S/o V. ANANDA PRASAD AND OTHERS |               |  |          |                  |          |                |                 |            |                  |  |
| 2   | Represented By                       | ADITYA VENIGALLA   |               |  |          |                  |          |                |                 |            |                  |  |
| 3   | Developer / Builder                  | M/s. BHAVYA CONSTRUCTIONS PVT LTD. Lic.No. BL/1192/2008                |               |  |          |                  |          |                |                 |            |                  |  |
| 4   | Licensed Technical Person/Architect  | _  | ANGA MURTI    |  |          |                  |          | Lic.No.        | _               | 04/32747   |                  |  |
| 5   | Structural Engineer                  | B.Jagadeeswara Reddy   |               |  |          |                  | Lic.No.  | 400/St         | rlEngineer/TP1  |            |                  |  |
| 6   | Others                               | NA   |               |  |          |                  |          |                |                 | -          |                  |  |
| В   | SITE DETAILS                         | (3)  | 7 1 7         |  |          | 77 11 77         | 11487    |                |                 |            |                  |  |
| 1   | T.S. No./Survey No./Gramkhantam/Ab   | adi  |               | 282 to 285, 287,288 P,289, 290, 291P, 292 , 293, 294 <mark>, 2</mark> 95P, 296P, 297P, 299, 300P 315P, 316P, 317 AND 318 |          |                  |          |                |                 |            |                  |  |
| 2   | HouseNo/Door No/Pr.No                | a 70   |               |  |          |                  | W.[5]    | F . 2          |                 |            |                  |  |
| 3   | PlotNo.                              |  |               | 1 8  | 1 44     |                  |          |                |                 |            |                  |  |
| 4   | Approved Layout No. / LRS Proceeding | No./Sub d  | ivision No -  |  | 8 11     |                  | - /      | 11 = 7         | 3/ /            |            |                  |  |
| 5   | Street / Road                        |  | 1 1 -         | 3 444  |          |                  |          | VA             | 7               |            |                  |  |
| 6   | Locality Name                        | 1 N  | ŀ             | Kukatpal   | ly       |                  |          |                |                 |            |                  |  |
| 7   | Village Name                         | ~O_ ~  | E             | Baghame  | eer      |                  | 100      | 0 1            |                 |            |                  |  |
| 8   | Town/City                            | 95   | 1             | NA   | A. WHILE |                  | 1        | 13/            |                 |            |                  |  |
| С   | DETAILS OF PERMISSION SANCTION       | ONED   | <u> </u>      |  |          |                  | /        |                |                 |            |                  |  |
| 1   | Plot Area (Sq. Mtrs)                 | 6327.2   | 7             | 1  | A / 3    |                  |          |                |                 |            |                  |  |
| 2   | Roadaffectedarea(Sq. Mtrs)           | 2812.47  |               |  |          |                  |          |                |                 |            |                  |  |
| 3   | Nala affectedarea(Sq. Mtrs)          | rea(Sq. Mtrs) 0.0  |               |  |          |                  |          |                |                 |            |                  |  |
| 4   | Net Plot Area (Sq. Mtrs)             |  |               |  |          |                  |          |                |                 |            |                  |  |
| 1.1 | Building Name - BLOCK (A)            |  |               |  |          |                  |          |                |                 |            |                  |  |
| 5   | Floors                               |  | Ground        |  | Uppe     | r floors         |          | Parking floors |                 |            |                  |  |
|     | Use                                  | No.  | Area (Sq      | .Mt.)  | g        | Area<br>(Sq.Mt.) | Level    | No.            | No. of<br>Stack | Stack Area | Area<br>(Sq.Mt.) |  |
| а   | Residential                          | 0  |               | 0.00   | 33       | 41,810.67        | Cellar   | 3              | 1               | 0.00       | 141311.3         |  |
| b   | Commercial                           | 0  |               | 0.00   | 0        | 0.00             | Stilt    | 1              | 1               | 0.00       | 1258.5           |  |
| С   | Others                               | 0  |               | 0.00   | 0        | 0.00             | U.Floors | 0              | 0               | 0.00       | 0                |  |
| d   | No of floors                         | 3 Cellar -   | + 1 Stilt + 3 | 3 upper  | floors   | •                | •        |                |                 |            |                  |  |
| е   | Height of the Building               | 99   |               |  |          |                  |          |                |                 |            |                  |  |
| d   | Set backs (m)                        |  | Front         |  |          | lear             |          | Side I         |                 | Side II    |                  |  |
|     | , ,                                  |  | 18            |  |          | 18               |          | 24.8           |                 | 18         |                  |  |
| 1.2 | Building Name - BLOCK (I)            |  |               |  |          |                  |          |                |                 |            |                  |  |
| 5   | Floors                               |  | Ground        |  | Uppe     | r floors         |          |                | Parking         | j floors   |                  |  |
|     | Use                                  | No.  | Area (Sq      | .Mt.)  | g        | Area<br>(Sq.Mt.) | Level    | No.            | No. of<br>Stack | Stack Area | Area<br>(Sq.Mt.) |  |
| а   | Residential                          | 0  |               | 0.00   | 33       | 41,810.67        | Cellar   | 0              | 0               | 0.00       | 0                |  |
| b   | Commercial                           | 0  |               | 0.00   | 0        | 0.00             | Stilt    | 1              | 1               | 0.00       | 1323             |  |
| С   | Others                               | 0  |               | 0.00   | 0        | 0.00             | U.Floors | 0              | 0               | 0.00       | 0                |  |

| d        | No of floors                             | 1 Stilt + 33 upper floors |                             |               |                  |          |                 |                 |               |                  |  |
|----------|--|---------------------------|-----------------------------|---------------|------------------|----------|-----------------|-----------------|---------------|------------------|--|
| е        | Height of the Building                   | 99                        |                             |               |                  |          |                 |                 |               |                  |  |
| d        | <br> Set backs (m)                       |                           | Front                       |               | Rear             |          |                 |                 | Side II       |                  |  |
| 1.2      | ` ,                                      |                           | 18                          |               | 18               |          | 18              |                 | 27.56         |                  |  |
| 1.3      | Building Name - BLOCK (B) Floors         | Unne                      | Upper floors Parking floors |               |                  |          |                 |                 |               |                  |  |
|          | Use                                      | No.                       | Ground Area (Sq.Mt.)        | g             | Area<br>(Sq.Mt.) | Level    | No.             | No. of<br>Stack | Stack Area    | Area<br>(Sq.Mt.) |  |
| a        | Residential                              | 0                         | 0.00                        | 33            | 38,052.63        | Cellar   | 0               | 0               | 0.00          | 0                |  |
| b        | Commercial                               | 0                         | 0.00                        |               | 0.00             |          | 1               | 1               | 0.00          | 1240.4           |  |
| С        | Others                                   | 0                         | 0.00                        |               |                  | U.Floors | 0               | 0               | 0.00          | 0                |  |
| d        | No of floors                             | 1 Stilt + 3               | 33 upper floors             |               |                  |          |                 |                 |               |                  |  |
| е        | Height of the Building                   | 99                        |                             |               |                  |          |                 |                 |               |                  |  |
| d        | Set backs (m)                            |                           | Front 18                    |               | lear<br>18       |          | Side I<br>27.56 |                 | Side II<br>18 |                  |  |
| 1.4      | Building Name - BLOCK (C)                |                           |                             |               |                  |          |                 | ·               |               |                  |  |
| 5        | Floors                                   |                           | Ground                      | Uppe          | Upper floors     |          |                 | · ·             | g floors      |                  |  |
|          | Use                                      | No.                       | Area (Sq.Mt.)               | g             | Area<br>(Sq.Mt.) | Level    | No.             | No. of<br>Stack | Stack Area    | Area<br>(Sq.Mt.) |  |
| a        | Residential                              | 0                         | 0.00                        |               | 32,806.16        |          | 0               | 0               | 0.00          | 0                |  |
| b        | Commercial                               | 0                         | 0.00                        |               | 0.00             |          | 1               | 1               | 0.00          | 928.2            |  |
| С        | Others                                   | 0                         | 0.00                        | 0             | 0.00             | U.Floors | 0               | 0               | 0.00          | 0                |  |
| d        | No of floors Height of the Building      | 1 Stilt + 3               | 33 upper floors             |               |                  |          |                 |                 |               |                  |  |
| е        | preignt of the building                  | 39                        | Front                       | п             | lear             |          | Side I          | I               | Side II       |                  |  |
| d        | Set backs (m)                            |                           | 18                          |               | .ear<br>18       |          | 28.37           |                 | Side II       |                  |  |
| 1.5      | Building Name - BLOCK (E)                |                           |                             |               | -                |          |                 |                 |               |                  |  |
| 5        | Floors                                   |                           | Ground                      | Uppe          | r floors         | 7        |                 | Parkin          | g floors      |                  |  |
|          | Use                                      | No.                       | Area (Sq.Mt.)               | g             | Area<br>(Sq.Mt.) | Level    | No.             | No. of<br>Stack | Stack Area    | Area<br>(Sq.Mt.) |  |
| а        | Residential                              | 0                         | 0.00                        | 33            | 31,823.16        | Cellar   | 0               | 0               | 0.00          | 0                |  |
| b        | Commercial                               | 0                         | 0.00                        | 0             | 0.00             |          | 1               | 1               | 0.00          | 891.8            |  |
| С        | Others                                   | 0                         | 0.00                        | 0             | 0.00             | U.Floors | 0               | 0               | 0.00          | 0                |  |
| d        | No of floors                             | 1 Stilt + 3               | 33 upper floors             |               |                  |          |                 |                 |               | <u>'</u>         |  |
| е        | Height of the Building                   | 99                        |                             | AAAAA         | 6 8 1 8          | 1 1/1/2  |                 |                 |               |                  |  |
| d        | <br> Set backs (m)                       | 7/1                       | Front                       |               | ear              | - 7/     | Side I          | - 3             | Side II       | •                |  |
| 1.6      | ` ´                                      |                           | 18                          |               | 18               |          | 18              |                 | 18            |                  |  |
| 1.6      | Building Name - BLOCK (J) Floors         |                           | Ground                      | Unne          | r floors         | 49-      |                 | Parkin          | g floors      |                  |  |
|          | Use                                      | No.                       | Area (Sq.Mt.)               | д             | Area<br>(Sq.Mt.) | Level    | No.             | No. of<br>Stack | Stack Area    | Area<br>(Sq.Mt.) |  |
| a        | Residential                              | 0                         | 0.00                        | 11            | 10,614.84        | Cellar   | 0               | 0               | 0.00          | 0                |  |
| b        | Commercial                               | 0                         | 0.00                        |               | 0.00             |          | 1               | 1               | 0.00          | 891.8            |  |
| С        | Others                                   | 0                         | 0.00                        |               |                  | U.Floors | 0               | 0               | 0.00          | 0                |  |
| d        | No of floors                             | 1 Stilt + 1               | 1 upper floors              | ann i         |                  | / /      | 9/              |                 |               |                  |  |
| е        | Height of the Building                   | 33                        | 1                           |               |                  |          |                 |                 |               |                  |  |
| d        | <br> Set backs (m)                       | 100                       | Front                       |               | ear              |          | Side I          |                 | Side II       |                  |  |
|          |  |                           | 11.5                        | $\mathcal{W}$ | 18               |          | 18.04           |                 | 11            |                  |  |
| 1.7      | Building Name - A (AMENITIES) Floors     |                           | Ground                      | Unno          | r floors         |          |                 | Parkin          | g floors      |                  |  |
| 3        | Use                                      | No.                       | Area (Sq.Mt.)               | д             | Area<br>(Sq.Mt.) | Level    | No.             | No. of<br>Stack | Stack Area    | Area<br>(Sq.Mt.) |  |
| a        | Residential                              | 1                         | 1,172.94                    | 1 4           | 3,563.81         | Cellar   | 0               | 0               | 0.00          | 0                |  |
| b        | Commercial                               | 0                         | 0.00                        | +             | 0.00             |          | 0               | 0               | 0.00          | 0                |  |
| С        | Others                                   | 0                         | 0.00                        |               |                  | U.Floors | 0               | 0               | 0.00          | 0                |  |
| d        | No of floors                             |                           | + 4 upper floors            |               |                  |          |                 |                 |               |                  |  |
| е        | Height of the Building                   | 20.6                      |                             |               |                  |          |                 |                 |               |                  |  |
| d        | Set backs (m)                            |                           | Front                       |               | lear             |          | Side I          |                 | Side II       |                  |  |
|          | ` ,                                      |                           | 18                          |               | 18               | 13.01    |                 |                 | 6.68          |                  |  |
| 1.8<br>5 | Building Name - A (AMENITIES2)<br>Floors |                           | Ground                      | Uppe          | r floors         |          |                 | Parkin          | g floors      |                  |  |
|          | Use                                      | No.                       | Area (Sq.Mt.)               | g             | Area<br>(Sq.Mt.) | Level    | No.             | No. of<br>Stack | Stack Area    | Area<br>(Sq.Mt.) |  |
| a        | Residential                              | 1                         | 384.80                      | 2             | 519.25           | Cellar   | 0               | 0               | 0.00          | 0                |  |
| b        | Commercial                               | 0                         | 0.00                        |               | 0.00             |          | 0               | 0               | 0.00          | 0                |  |
| С        | Others                                   | 0                         | 0.00                        | 0             | 0.00             | U.Floors | 0               | 0               | 0.00          | 0                |  |
| d        | No of floors                             |                           | + 2 upper floors            |               |                  |          |                 |                 |               |                  |  |
| е        | Height of the Building                   | 13.2                      |                             |               |                  |          |                 | Т               |               |                  |  |
| d        | Set backs (m)                            |                           | Front<br>18                 | R             | ear<br>7         |          | Side I<br>18    |                 | Side II<br>7  |                  |  |
|          | l  | L                         | 10                          |               | ,                |          | 10              |                 |               |                  |  |

| a R b C c C d N e H   | Floors  |   | Ground  | Llane                     | m floors   |                        |              | Dawkins                | a floors                                 |                                |
|---|---|---|---|---------------------------|--|------------------------|--------------|------------------------|--|--------------------------------|
| a R b C c C d N e H   |   |   |   |                           |  |                        |              | ng floors              |  |                                |
| b C C C d N e H   | Use   | No.   | Area (Sq.Mt.)   | g                         | Area<br>(Sq.Mt.)                                       | Level                  | No.          | No. of<br>Stack        | Stack Area                               | Area<br>(Sq.Mt.)               |
| c C d N e H   | Residential   | 0   | 0.00  | 33                        | 38,052.63  |                        | 0            | 0                      | 0.00                                     | 0                              |
| d Ne H  | Commercial  | 0   | 0.00  | 0                         | 0.00   | Stilt                  | 1            | 1                      | 0.00                                     | 1178.8                         |
| e H   | Others  | 0   | 0.00  | 0                         | 0.00   | U.Floors               | 0            | 0                      | 0.00                                     | 0                              |
| d S   | No of floors  | 1 Stilt +   | 33 upper floors   |                           |  |                        |              |                        |  |                                |
|   | Height of the Building  | 99  |   |                           |  |                        |              |                        |  |                                |
|   | Set backs (m)   |   | Front   | F                         | Rear   |                        | Side I       |                        | Side II                                  |                                |
| 1.10  | Set backs (III)   |   | 18  |                           | 18   |                        | 18           |                        | 18                                       |                                |
|   | Building Name - BLOCK (H)   |   |   |                           |  |                        |              |                        |  |                                |
| 5 F   | Floors  |   | Ground  | Uppe                      | er floors  |                        |              | Parking                | g floors                                 |                                |
| ι   | Use   | No.   | Area (Sq.Mt.)   | g                         | Area<br>(Sq.Mt.)                                       | Level                  | No.          | No. of<br>Stack        | Stack Area                               | Area<br>(Sq.Mt.)               |
| a R   | Residential   | 0   | 0.00  | 33                        | 38,052.63  | Cellar                 | 0            | 0                      | 0.00                                     | 0                              |
| b C   | Commercial  | 0   | 0.00  | 0                         | 0.00   |                        | 1            | 1                      | 0.00                                     | 1178.8                         |
|   | Others  | 0   | 0.00  | 0                         |  | U.Floors               | 0            | 0                      | 0.00                                     | 0                              |
|   | No of floors  | _   | 33 upper floors   |                           |  |                        | 1            |                        |  |                                |
|   | Height of the Building  | 99  | от аррел песто  |                           |  |                        |              |                        |  |                                |
|   |   |   | Front   | F                         | Rear   |                        | Side I       |                        | Side II                                  |                                |
| d S   | Set backs (m)   |   | 18  |                           | 18   |                        | 18           |                        | 28.37                                    |                                |
| 1.11 E  | Building Name - BLOCK (L)   |   |   | n r                       |  |                        |              |                        | 20.37                                    |                                |
|   | Floors  |   | Ground  | Uppe                      | er floors  |                        |              | Parking                | floors                                   |                                |
|   |   | A N   | P. 19   |                           | Area   | V 20 13                |              | No. of                 |  | Area                           |
| ľ   | Use   | No.   | Area (Sq.Mt.)   | g                         | (Sq.Mt.)   | Level                  | No.          | Stack                  | Stack Area                               | (Sq.Mt.)                       |
| a R   | Residential   | 0   | 0.00  | 33                        | 38,052.63  | Cellar                 | 0            | 0                      | 0.00                                     | 0                              |
| b C   | Commercial  | 0   | 0.00  | 0                         | 0.00   | Stilt                  | 1            | 1                      | 0.00                                     | 1178.8                         |
| c C   | Others  | 0   | 0.00  | 0                         | 0.00   | U.Floors               | 0            | 0                      | 0.00                                     | 0                              |
| d N   | No of floors  | 1 Stilt + 3   | 33 upper floors   |                           |  | -                      |              |                        |  |                                |
| e F   | Height of the Building  | 99  |   |                           | THE EVE  | Tao E                  |              | 2.1                    |  |                                |
| ٠ .   | Cat hadra (m)   |   | Front   | F                         | Rear   | F 757 1                | Side I       |                        | Side II                                  |                                |
| d S   | Set backs (m)   | 1 11 15   | 18  |                           | 18   | 10.5                   | 18           | - 1                    | 18                                       |                                |
| 1.12 E  | Building Name - BLOC <mark>K</mark> (K)   |   |   |                           |  |                        |              | - 11                   |  |                                |
| 5 F   | Floors  | T 75%   | Ground  | Uppe                      | er floors  |                        |              | Parki <mark>nc</mark>  | g floors                                 |                                |
| ι   | Use   | No.   | Area (Sq.Mt.)   | g                         | Area<br>(Sq.Mt.)                                       | Level                  | No.          | No. of<br>Stack        | Stack Area                               | Area<br>(Sq.Mt.)               |
| a R   | Residential   | 0   | 0.00  | 33                        | 38,052.63  | Cellar                 | 0            | 0                      | 0.00                                     | 0                              |
|   | Commercial  | 0   | 0.00  | 0                         | 0.00   |                        | 1            | 1                      | 0.00                                     | 1178.8                         |
|   | Others  | 0   | 0.00  | 0                         |  | U.Floors               | 0            | 0                      | 0.00                                     | 0                              |
|   | No of floors  |   | 33 upper floors   | - 0                       | 0.00   | 0.110015               | 1 0          | 0                      | 0.00                                     |                                |
|   | Height of the Building  | 99  | ss upper moors  |                           |  |                        |              |                        |  |                                |
|   | rieight of the ballang  | 33  | Front   |                           | Rear   |                        | Side I       |                        | Side II                                  |                                |
| d S   | Set backs (m)   | 2   | 18  |                           | 18   |                        | 18           |                        | 18                                       |                                |
| 1.13 E  | Building Name - BLOCK (D)   | -6  | 10  | 1831                      | 10   |                        | 10           |                        | 10                                       |                                |
|   | Building Name - BLOCK (D) Floors  |   | Ground  | Unne                      | er floors  |                        |              | Parking                | floors                                   |                                |
| 7 11  |   |   | CY.   | Орре                      | Area   | 3 <i>7.</i>            |              | No. of                 |  | Area                           |
|   | Use   | No.   | Area (Sq.Mt.)   | g                         | (Sq.Mt.)   | Level                  | No.          | Stack                  | Stack Area                               | (Sq.Mt.)                       |
|   | Residential   | 0   | 0.00  | 33                        | 32,805.93  | Cellar                 | 0            | 0                      | 0.00                                     | 0                              |
| U   |   |   | 0.00  |                           | ,000.00  |                        | <u> </u>     |                        | 9.50                                     |                                |
| a R   |   | 0   | 0.00  | 0                         | 0.00   | Stilt                  | 1            | 1 1                    | n nn <b>l</b>                            | 927 7                          |
| a R   | Commercial  | 0   | 0.00  | 0                         | 0.00   |                        | 0            | 0                      | 0.00                                     | 927.7<br>0                     |
| a R<br>b C  | Commercial<br>Others  | 0   | 0.00  | 0                         |  | Stilt<br>U.Floors      | 0            | 0                      | 0.00                                     | 927.7<br>0                     |
| a R<br>b C<br>c C   | Commercial<br>Others<br>No of floors  | 0   |   |                           |  |                        |              | <del> </del>           |  |                                |
| a R b C c C d N e H   | Commercial<br>Others<br>No of floors<br>Height of the Building  | 0<br>1 Stilt + 1  | 0.00<br>33 upper floors   | 0                         | 0.00   |                        | 0            | <del> </del>           | 0.00                                     | 0                              |
| a R b C c C d N e H   | Commercial Others No of floors Height of the Building Set backs (m)   | 0<br>1 Stilt + 1  | 0.00  | 0<br>F                    |  |                        |              | <del> </del>           |  | 0                              |
| a R b C c C d N e H   | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G)   | 0<br>1 Stilt + 1  | 0.00 33 upper floors  Front 18  | 0<br>F                    | 0.00<br>Rear<br>18                                     |                        | 0<br>Side I  | 0                      | 0.00<br>Side II<br>18                    | 0                              |
| a R b C c C d N e H   | Commercial Others No of floors Height of the Building Set backs (m)   | 0<br>1 Stilt + 1  | 0.00<br>33 upper floors   | 0<br>F                    | 0.00 Rear 18 er floors                                 |                        | 0<br>Side I  | 0<br>Parking           | 0.00<br>Side II                          | 0                              |
| a R b C c C d N e H d S 1.14 E                              | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G)   | 0<br>1 Stilt + 1  | 0.00 33 upper floors  Front 18  | 0<br>F                    | 0.00<br>Rear<br>18                                     |                        | 0<br>Side I  | 0                      | 0.00<br>Side II<br>18                    | 0                              |
| a R b C c C d N e H d S 1.14 E                              | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G) Floors  | 0<br>1 Stilt + 1  | 0.00 33 upper floors  Front 18  Ground  Area (Sq.Mt.)                 | O F                       | 0.00 Rear 18 Per floors Area (Sq.Mt.)                  | U.Floors Level         | Side I<br>18 | Parking No. of Stack   | 0.00<br>Side II<br>18<br>g floors        | 0<br>Area                      |
| a R b C c C d N e H d S 1.14 E                              | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G) Floors Use Residential                                | 0<br>1 Stilt + 1<br>99<br>No.                               | 0.00 33 upper floors  Front 18  Ground  Area (Sq.Mt.) 0.00            | 0 Uppe                    | 0.00  Rear 18  Pr floors  Area (Sq.Mt.) 32,805.93      | U.Floors  Level Cellar | 0            | Parking No. of Stack 0 | Side II 18 g floors Stack Area 0.00      | O<br>Area<br>(Sq.Mt.)          |
| a R b C c C d N e H d S 1.14 E 5 F                          | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G) Floors Use Residential Commercial                     | 0<br>1 Stilt + 1<br>99<br>No.<br>0                          | Ground Area (Sq.Mt.)  0.00 0.00                                       | 0<br>Uppe<br>9<br>33<br>0 | 0.00  Rear 18  Pr floors  Area (Sq.Mt.) 32,805.93 0.00 | Level Cellar Stilt     | 0            | Parking No. of Stack 0 | Side II 18 3 floors Stack Area 0.00 0.00 | Area<br>(Sq.Mt.)<br>0<br>927.7 |
| a R b C c C d N e H d S 1.14 E 5 F                          | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G) Floors Use Residential Commercial Others              | 0<br>1 Stilt + 1<br>99<br>No.<br>0<br>0                     | 0.00 33 upper floors  Front 18  Ground  Area (Sq.Mt.)  0.00 0.00 0.00 | 0 Uppe                    | 0.00  Rear 18  Pr floors  Area (Sq.Mt.) 32,805.93 0.00 | U.Floors  Level Cellar | 0            | Parking No. of Stack 0 | Side II 18 g floors Stack Area 0.00      | O<br>Area<br>(Sq.Mt.)          |
| a R b C C C d N S F C C C C d N C C C C C C C C C C C C C C | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G) Floors Use Residential Commercial Others No of floors | 0<br>1 Stilt + 1<br>99<br>No.<br>0<br>0                     | Ground Area (Sq.Mt.)  0.00 0.00                                       | 0<br>Uppe<br>9<br>33<br>0 | 0.00  Rear 18  Pr floors  Area (Sq.Mt.) 32,805.93 0.00 | Level Cellar Stilt     | 0            | Parking No. of Stack 0 | Side II 18 3 floors Stack Area 0.00 0.00 | Area<br>(Sq.Mt.)<br>0<br>927.7 |
| a R b C c C d N e H d S 1.14 E 5 F L a R b C C C d N e H    | Commercial Others No of floors Height of the Building Set backs (m) Building Name - BLOCK (G) Floors Use Residential Commercial Others              | 0<br>1 Stilt + 1<br>99<br>No.<br>0<br>0<br>0<br>1 Stilt + 1 | 0.00 33 upper floors  Front 18  Ground  Area (Sq.Mt.)  0.00 0.00 0.00 | 0<br>Uppe<br>g<br>33<br>0 | 0.00  Rear 18  Pr floors  Area (Sq.Mt.) 32,805.93 0.00 | Level Cellar Stilt     | 0            | Parking No. of Stack 0 | Side II 18 3 floors Stack Area 0.00 0.00 | Area<br>(Sq.Mt.)<br>0<br>927.7 |

| 7  | Tot Lot  |  | 6778.26               |          |                 |            |                      |  |  |  |
|----|--|--|-----------------------|----------|-----------------|------------|----------------------|--|--|--|
| 8  | Height(M) 99.00                                      |  |                       |          |                 |            |                      |  |  |  |
| 9  | No.of Rain Water Harvesting Pits 3                   |  | 31                    |          |                 |            |                      |  |  |  |
| 10 | No. of Trees   |  | NA                    |          |                 |            |                      |  |  |  |
| 11 | Total Parking Area                                   | al Parking Area 169445.48                    |                       |          |                 |            |                      |  |  |  |
| D  | OTHER DETAILS:                                       |  |                       |          |                 |            |                      |  |  |  |
| 1  | Contractor's all Risk Policy No.                     |  | 610300442103000000007 | Date     | 02 March, 2022  | Valid Upto | 01 March, 2028       |  |  |  |
| 2  | Notarised Affidavit No.                              |  | 6901/2022             | Date     | 19 August, 2022 | Area (m2)  | 42,455.54            |  |  |  |
| 3  | Enter Sr. No. in prohibitory Property Watch Register |  |                       | 6901/202 | 22              | Date       | 19 August, 2022      |  |  |  |
| 4  | Floor handed over                                    | Floor handed over 1st,2nd, 31st, 32nd & 33rd |                       |          | Kukatpally      |            | ·                    |  |  |  |
| E  | E DETAILS OF FEES PAID (RS.) TOTAL :                 |  |                       |          |                 |            |                      |  |  |  |
| 1  | Processing Fee                                       |  | 10,000.00             | 2        | 1% Labour Ces   | SS         | 38,731,246.00        |  |  |  |
|    | •  |  |                       |          | •               |            | TOTAL: 38 741 246 00 |  |  |  |

Installment details :

| Sr.No. | Installment Type                    | Due date           | Amount          |
|--------|-------------------------------------|--------------------|-----------------|
| 1      | City Level Impact Fees              | 28 August, 2022    | 126520186.17    |
| 2      | City Level Impact Fees              | 26 February, 2023  | 20485064.17     |
| 3      | City Level Impact Fees              | 27 August, 2023    | 20485064.17     |
| 4      | City Level Impact Fees              | 25 February, 2024  | 20485064.17     |
| 5      | City Level Impact Fees              | 25 August, 2024    | 20485064.17     |
| 6      | City Level Impact Fees              | 23 February, 2025  | 20485064.17     |
|        |                                     | Installment Total: | 22,89,45,507.00 |
| F      | Construction to be Commenced Before | 08 March, 2023     |                 |
| G      | Construction to be Completed Before | 08 September, 2028 |                 |

The Building permission is sanctioned subject to following conditions:

The applicant should follow the clause 5.f (xi) (iii) (iv) (v) & (vii) of G.O.Ms.No.168, MA dt:07.04.2012.

The Building permission is sanctioned subject to following conditions:

- 1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.
- 2. If construction is not commenced within 18 months, building application shall be submitted afresh duly paying required fees.
- 3. Sanctioned Plan shall be followed strictly while making the construction.
- 4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.
- 5. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act.
- 6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.
- 7. Occupancy Certificate is compulsory before occupying any building.
- 8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.
- 9. Prior Approval should be obtained separately for any modification in the construction.
- 10. Tree Plantation shall be done along the periphery and also in front of the premises.
- 11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
- 12. Rain Water Harvesting Structure (percolation pit) shall be constructed.
- 13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.
- 14. Garbage House shall be made within the premises.
- 15. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted.
- 16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future
- 17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.
- 18. Strip of greenery on periphery of the site shall be maintained as per rules.
- 19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
- 20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.
- 21. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.
- 22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained.
- 23. No front compound wall for the site abutting 18 mt. road widths shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.
- 24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.
- 25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of
- 26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.
- 27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.
- 28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.
- 29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.
- 30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.
- 31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).
- 32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),
  - a) The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.
  - b) The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.
  - c) The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the

building construction and should strictly adhere to all the conditions in the G.O.

- d) The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.
  - i. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.
  - ii. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.
  - iii. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.
  - iv. Insurance Policy for the completed building for a minimum period of three years.
- 33. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of the Owner, Builder/Developer, Architect and St. Engineer to provide all necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016.
- 34. Occupancy FIRE NOC Shall be Obtained from Director (EV&DM) before issue of Occupancy Certificate.

#### **Special Conditions for Proceeding Letter**

- 1. The Owner / Developers shall ensure the safety of construction workers.
- 2. The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.
- 3. The Builder/Developer shall register the project in the RERA website for the plots above 500 Sq.Mtrs or more than 8 Dwelling units.

#### **Proceeding Conditions**

- 1. The Owner / Developers shall ensure the safety of construction workers.
- 2. The Owner / Developers shall ensure a comprehensive insurance policy of construction workers for the duration of construction
- 3. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.
- 4. If construction is not commenced within 18 months, building application shall be submitted afresh duly paying required fees.
- 5. Sanctioned Plan shall be followed strictly while making the construction.
- 6. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.
- 7. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act.
- 8. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.
- 9. Occupancy Certificate is compulsory before occupying any building.
- 10. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.
- 11. Prior Approval should be obtained separately for any modification in the construction.
- 12. Tree Plantation shall be done along the periphery and also in front of the premises.
- 13. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
- 14. Rain Water Harvesting Structure (percolation pit) shall be constructed.
- 15. Space for Transformer shall be provided in the site keeping the safety of the residents in view.
- 16. Garbage House shall be made within the premises.
- 17. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted.
- 18. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future.
- 19. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.
- 20. Strip of greenery on periphery of the site shall be maintained as per rules.
- 21. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
- 22. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.
- 23. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.
- 24. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained.
- 25. No front compound wall for the site abutting 18 mt. road widths shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.
- 26. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.
- 27. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2016.
- 28. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.
- 29. The Registration authority shall register only the permitted built-up area as per sanctioned plan.
- 30. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.
- 31. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.

- 32. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the
- Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable). 33.
- As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable), 34.
- 35. a) The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.
- b) The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the 36. construction strictly in accordance with sanctioned plan.
- c) The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability 37. during the building construction and should strictly adhere to all the conditions in the G.O.
- d) The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until 38. Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.
- 39. i. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.
- 40. ii. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is
- 41. iii. in accordance with the specified designs.
- iv. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect. 42.
- 43. v. Insurance Policy for the completed building for a minimum period of three years.
- 44. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of the Owner, Builder/Developer, Architect and St. Engineer to provide all necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016.
- Occupancy FIRE NOC Shall be Obtained from Director (EV&DM) before issue of Occupancy Certificate. 45.
- 46. Special Conditions for Proceeding Letter
- The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact. 47.
- The Builder/Developer shall register the project in the RERA website for the plots above 500 SQ.Mtrs or more than 8 Dwelling units. 48.

### **Additional Conditions**

- The applicant has to clear all the Post dated cheques given for instalments of City Level Infrastructure Impact fee regularly as per the due dates. 1.
- 2. No excavation of cellar/earth is allowed during rainy season i.e., till end of October 2022 and also shall give commencement notice to GHMC before excavation of cellar work.

Yours Faithfully

Name: Rajendra Prasad Naik Date: 09/08/2022 6:35:45 PM

Designation: City Planner





- Copy To:
  1. The Manager Director, HMWS&SB.
  2. The Director, T.S. TRANSCO, Hyderabad.
  3. The Director General, Stamps and Registration Department, Hyderabad.
  4. The Director General, Telangana State Disaster Response and Fire Services, Hyderabad.
  5. The Neighbors (side1, side2 & rear).

  The Licensed Technical Personnel/Structural Engineer/Builder.

NOTE: This is computer generated letter, doesn't require any manual signatures.

